

Product Code AN 043 Lipoma Fatty Tumour (set of 2)	Pages: 3
Suitability : All species and ages.	Related Products :
Last Updated: 12-01-18	

Assists with any type of benign Tumors, cysts, hot spots and eruptive skin sores
Use the HOMEOPATHIC and HERBAL MEDICINES **Set for two (2) months or longer if needed.**

Naturopathic Advice

Other suggested supplements to be used in conjunction with the herbal and homeopathic remedies (readily available from health food stores):

- **Vitamin C** - WholeFood Vitamin C (powder from cap) or Alternatively Use herb high in vitamin c like: Rose Hips tea. Adding a teaspoon to daily meals. **Twice a day.**
- **L-Arginine Amino Acid Supplement. Benefits:** Retards tumour and cancer growth. Assists growth by encouraging growth hormones. Assists to detoxify the liver and kidneys.

Herbs combined with Vitamin C crystals and Amino Acids L- Arginine powder as a liquid meal will work well if pet refuses to eat the food after supplements have been added. **Example:** add a pinch of the powders with the recommended herbal drops for a cat/toy dog into pink salmon juice. Syringe 2ml orally (syringe without the needle) into the mouth. Many cats will like the taste and after giving a little orally, they will in most cases be happy to lick the rest for themselves from the bowl.

Elimination systems

Hot Spots, cysts and skin sores are really a manifestation of a buildup of toxins under the skin, seeking release through a local infective process. This is one avenue that the immune system uses to rid the body of toxins from the blood and most canine (and some feline) skin problems may not be the skin itself, but an indication of problems in the blood. **The herbal Blood Pura will work on this area.**

MALIGNANT OR BENIGN Tumour

***Most often these tumour are benign and quite common for dogs to have a few lumps here and there.**

Mesenchymal tumors appear on the skin and are the most common type of tumors in dogs. About a third of all tumors that occur in canines are mesenchymal. Most pose no threat to the dog; however, oftentimes tumors that may have the potential to become malignant are passed over as benign lesions. Mesenchymal tumors form from the cells that surround the skin, such as cells in fat, connective tissues, blood vessels and nerves.

There are (3) three types of mesenchymal tumors: **fibrosarcomas as well as hemangiosarcomas and Lipomas.**

See **Product AN198** HAMPL Fibrosarcoma growth Formula

See **Product AN245** HAMPL Hemangiosarcoma Formula

TEST TO SEE IF MALIGNANT OR BENIGN

If not sure (or don't want to do a biopsies or surgery) you can see if it's a malignant or benign growth. Apply the Black Salve Paste over a small area of the growth. The paste will only react to toxic cell tissues, if no reaction after 3- 4 days of apply then the LIPOMA Set is what you are needing to us.

Fatty Lipoma tumours (benign or malignant)

These tumour growths are very common and may develop from vaccination - what we call vaccinosis. Most often these growths are harmless and benign. You can assist in treatment of the Lipomas with a less invasive approach than surgery. Please only use alternative products that do not cause harm or further damages to the system or organs: i.e. **tumours, skin issues, other organ damage diseases, cancer, immune disorders etc.**

“Options” to prevent or avoid dangerous over Vaccination

Titre Test

No pet should ever be re-vaccinated, not ever, without a “Titre test” to see if its actually needed.

Dr Edward (Australian vet) ... says "Seroconversion (is the time period during which a specific antibody develops and becomes detectable in the blood) and titre testing is well and truly validated scientifically (and is definite proof of positive disease protection status after vaccination, no matter what age the puppy, kitten or dog, cat in question - and the chances of a false positive are very, very low)". Some vets who send them away charge a hell of a lot for it though, way too much.

Biogal brand - VacciCheck® Antibody Test Kit (is a new method) which is a simple and affordable in-clinic titer test designed to monitor serological status and vaccination failure to prevent over vaccination consequences. VacciCheck provides reliable and accurate results in just 21 minutes! AVAILABLE by request from a Vet Clinic. Insist that your Vet order this in-house titre testing. If no luck find a caring Vet who will.

Biogal brand - VacciCheck® Antibody Test Kit

USA - www.VacciCheck.com

Australia - Give these details to your Vet - Laboratories Diagnostics NSW.
Contact: Sonia Whittle Tel: 61-2-9668-0600 Website: www.labdiagnostics.com.au

Find a supplier in your Country
<http://www.biogal.co.il/find-distributors>

Find a Vet who is willing to help you provide the safest inexpensive way of keeping your pet well.

If your pet has **seroconverted**, no matter what their age, they do not need another vaccination. Nor do they need a 'booster' at a year old, as they already have long lasting immunity. Dr Edwards has titre test puppies 2 weeks after initial vaccination, if it's positive then they need no more vaccinations (So - any dog or cat, of any age, can be titre tested 2 weeks after any C3 vaccination. If your puppy is going to respond, it will have by then. He has titre tested several puppies after their first vaccination like this, and they've had strongly positive titre levels. Any further vaccinations for these puppies (or kittens) would have been completely unnecessary, and may have caused the puppy in question harm.

The whole 'booster' thing is really a false way to describe it - nearly all the so-called 'booster' vaccinations administered to our pets are completely unnecessary.

There is no need for a so-called 'booster' vaccination a year after the puppy or your kittens vaccinations.
NO PET SHOULD EVER BE RE - VACCINATED, NOT EVER, WITHOUT A TITRE TEST TO SEE IF IT'S ACTUALLY NEEDED. It makes no difference what country you live in, either.

Weakness in joints and spine which cause Inflammation and pain in joints, spine area can be often associated with a vitamin or mineral deficiencies. Thus continued vaccinations that severely deplete vitamin c and magnesium (stress), will make your dog more susceptible to injuries and tears.

Vitamin C is an anti-inflammatory that helps reduce and prevent inflammation and swelling. Research has shown that high doses of vitamin C given orally or in meals has been shown to reduce the production of pro-inflammatory cytokines. We have had great improvement seen, when vitamin C is restored back into the body.

Over vaccinations will severely deplete the body of Vitamin C. Just to bring this awareness to you, if you have recently allowed a vet to give your pet a vaccination (over vaccination), then this would be the cause of such pain now. Unfortunately your vet will not associate this pain - acute or chronic - (or should we say admit) that many health joint, skin disease conditions are from side affects of vaccinations.

Dr Ronald Schutz's research around duration of immunity for C3 (Dog) and F3 (Cat) vaccinations has been around for ages - and is only a short google away from anyone

Warning: Dangers of HEAVY METALS IN VACCINE.

Thimerosal (mercury) - an organic compound containing the heavy metal mercury, which has been widely used as a preservative in vaccines. Mercury is a powerful neurotoxin. It is one of the most potent poisons known to man and has been shown to impair the function of many internal systems, chief among them being the brain, the central nervous system, the endocrine system, and the kidneys, as well as other organs.

Aluminium- another heavy metal used in vaccines as an adjuvant. Adjuvants are often added to vaccines containing killed viruses in order to enhance, or boost the vaccine's effectiveness. Aluminium is a known neurotoxin.

Formaldehyde- classified by the EPA as a probable carcinogen, is used as a tissue fixative in some vaccines. Metals, such as aluminium and mercury, affect the brain and the nerves causing seizures, dementia, hyperactivity in the young pets and brain dysfunction (dementia) in the aged. All organs are susceptible, especially the gastro-intestinal tract, kidneys, liver and the bone marrow.

Toxicity may not be apparent for many years until debilitating nerve disorders become apparent, at which stage, it may be too late. Prophylactics are homoeopathic remedies used for disease prevention.

Side effects from vaccines will produce a toxic build-up which may be the reason for unexplained symptoms such as (when before vaccine you had a healthy pet) :

Lack of energy,
vertigo,
headaches,
numbness,
pins and needles,
muscle weakness,
neuralgia,
behavioural changes,
hyperactivity,
learning disability,
depression,
insomnia,
irritability,
anaemia,
hypertension,
abdominal pains,
loss of weight,
asthma,
allergies,
skin disorders,
weakened immunity system.

If you happened to have a pet that has a **chemical sensitivity**, then your pet will have acute and sometimes fatal reactions - within 2 days or same day of injection.

Vitamin C is also give along with homeopathic vaccine toxins detox - can sometimes prevent many side affects.

Warning: Lyme vaccine can cause neurological damage and aggression misdiagnosed as rage syndrome.