



HAMPL™ Pet Formulas

Holistic Animal Remedies

Product code AN176	Leishmaniasis in all species	13 Pages
Suitability:		Related Products:
Last Updated: 13-01-18		

Leishmaniasis is a well-documented parasitic INFECTION of humans and animals worldwide.

CAUSE

Leishmaniasis is caused by a protozoan (a single celled organism) of Leishmania genus which is transmitted to the dogs by Phlebotomine bites.

These are **tiny mosquitoes**, (here in Australia we call them "**midges**") so they are not really "**sand flies**" as the popular name of this INFECTION might suggest. The only connection with the sand is their sandy colour and they are not normally found on sandy beaches but instead around rubble walls and old dilapidated houses. They are poor fliers and cannot fly much higher than two storeys. They are mostly active from dusk till dawn as they are sensitive to sun. They are also not active on windy days. In order to bite a dog and being such poor fliers, these tiny mosquitoes need to find the hairless spot on its body, therefore dogs that are on the move will be less likely a target than dogs that sleep outside during warm nights.

In humans, leishmaniasis is generally zoonotic with a number of different clinical manifestations ranging from:

Single or Multiple **SKIN LESIONS** * (**cutaneous leishmaniasis**)

to destruction of the mucosae, including the soft cartilage of the nasal septum

* **MUCOUS, SOFT CARTILAGE** (**mucocutaneous leishmaniasis**)

or **SYSTEMIC INFECTIONS** of the liver and spleen and skin, bone marrow, kidneys, spleen, eyes, and joints. * (**visceral leishmaniasis**).

The infection is caused by the single-celled, flagellate protozoan parasites Leishmania. It is important to note that leishmaniasis is a zoonotic infection, and the organisms residing in the lesions can be communicated to humans. **The Australian Leishmania** species is not known to infect humans, domestic animals or livestock in Australia, although the day - feeding midges bite various mammals such as humans, horses, ox, sheep, goats, rabbits and wallabies. The existence of a vector capable of transmitting Leishmania in the Northern Territory has raised the possibility that day-feeding **midges** may also have the capacity to carry and transmit exotic Leishmania species that might be introduced into Australia.

Affected dogs in the U.S.

are frequently found to have acquired the Leishmania infection in another country, notably the Mediterranean basin, Portugal, and Spain. There have also been sporadic cases confirmed in Switzerland, northern France, and the Netherlands, and endemic areas found in South and Central America, and in southern Mexico. Endemic cases in Oklahoma and Ohio have been reported in dog populations there as well.

Symptoms and Types

There are two (2) types of leishmaniasis seen in dogs: Visceral and cutaneous. Each type affects different parts of the pet's body.

~ **Visceral — affects organs of the abdominal cavity**

Severe weight loss
Loss of appetite (anorexia)
Diarrhea
Tarry faeces (less common)
Vomiting
Nose bleed
Exercise intolerance

~ **Cutaneous — affects the skin**

Hyperkeratosis — most prominent finding; excessive epidermal scaling with thickening, depigmentation (loss of skin color), and chapping of the muzzle and footpads
Alopecia — dry, brittle hair coat with symmetrical hair loss
Nodules usually develop on the skin surface
Intradermal nodules and ulcers may be seen
Abnormally long or brittle nails are a specific finding in some patients
Other signs and symptoms associated with leishmaniasis include:
Lymphadenopathy — disease of the lymph nodes with skin lesions in 90 percent of cases
Emaciation
Signs of renal failure — excessive urination, excessive thirst, vomiting possible
Neuralgia — painful disorder of the nerves
Pain in the joints
Inflammation of the muscles
Osteolytic lesions — a "punched-out" area with severe bone loss
Inflammation of the covering of bones; rare
Fever with an enlarged spleen (in about one-third of patients)

Prevention for your dog or any other species (humans too)

(AN176-1) HAMPLParasitic - Leishmaniasis canis oral nosode 30C

HAMPL Leishmaniasis Treatment Set of 6

176-1. HAMPL Parasitic oral nosode 50ml

* parasitic cleanse like protozoan parasite Leishmania canis oral nosode

176-2. HAMPL Leishma Systemic 50ml

Contains herbal liquid extract: Sweet Annie, Usnea Barb, Cryptolepsis, Elderberries, Goldenseal, Echinacea Aug, Olive Leaf.

Medicinal Herbal Actions

~ **Sweet Annie** (artemisia annus) . Aside from being primarily anti-malarial, the artemisinin that can be extracted from Artemisia annua has been found by numerous studies to be effective against a wide range of viruses, the fungus Pneumocystis jiroveci, the parasitic protozoa Toxoplasma gondii, a few human cancer cell lines, and other parasitic infections, such as schistosomiasis, leishmaniasis,

So great to use for Lung infection - pneumocystis pneumonia (PCP) that is caused by a fungus. This herb is also often used for Malaria, Babesia Lyme infections, Leishmaniasis (a parasite fighting herb, has been found effective at killing most of the leishmaniasis protozoan).

~ **Usnea Barb** - antibiotic, anti-fungal, anti-parasitic, immuno-stimulating, immuno-regulator, anti-tumor, expectorant, muscle relaxant

~ **Cryptolepsis** - bacterial, systemic infection (**systemic means** affecting the whole body, or at least multiple organ systems).

~ **Elderberries** - has traditionally been used to relieve fever, symptoms of respiratory catarrh and mucous congestion. Immune system boost, coughs, colds, flu, bacterial infections, viral infections, tonsillitis antioxidant, improve vision, boost the immune system, improve heart health, coughs, colds, flu, bacterial and viral infections.

~ **Echinacea Auguarifolia** - a natural anti-biotic, as well as antiviral, antifungal and disinfectant. Has the ability to boost the strength of t-lymphocytes. T-cells are vital to the immune system as they help the body to increase the number of anti-bodies that you have circulating. They work to fight off pathogenic invaders and virus's, as well as increasing the ability of the white blood cells to deal with any virus's or other micro-organisms that you may encounter. Very effective to strengthen immune system health and aid the immune system to fight the effects of colds and flu. This includes helping to treat, coughs and upper respiratory infections such as bronchitis and sinusitis.

~ **Goldenseal** - Goldenseal has been shown in the research to be both antibiotic and antiviral. It is possible that berberine (a major component of goldenseal) also kills a wide range of other types of germs in test tubes, such as those that cause candida (yeast) infections and parasites such as tapeworms and Giardia. Berberine may also activate white blood cells, making them better at fighting infection and strengthening the immune system.

~ **Olive Leaf** - either kills, or resists the multiplication of a broad range of viruses, bacteria, yeasts, fungi, and other parasites in your or your pets system. From research and clinical experience to date, we can say that supplemental olive leaf may be beneficial in the treatment for conditions caused by, or associated with, a virus, retrovirus, bacterium or protozoan.

176-3. HAMPL Organ 176-3 50ml

* kidney, liver, spleen, lymph support, anaemia, marrow bone.

176- 4. HAMPL Detox 176-5 30ml

* chemical poisons - drugs and products - Herbicide, pesticides sprays and animal worming products etc

176- 5. Topical Application *See Application Instructions Page 5 - 7. (MUST READ)

* paste - small jar.

176- 6 HAMPL Bleed pain 197 formula 30ml



HAMPL™ Pet Formulas

Holistic Animal Remedies

Clinical consultations using the biofeedback medical computer, we have found some pets have - Malabsorption issues, deficiencies of the mineral Zinc and Magnesium and Vitamin B6

Suggestion to add to daily meals:

MINERALS

~ **Zinc Picolinate** 15mg cap (Thorne Research brand) www.iherb.com

Med to Large dog: 1 cap (powder only) in am meals 1 cap (powder only) in pm meals

Small dog: half the amount

Toy dog: add a pinch

~ **Magnesium LIQUID** (ReMag magnesium liuquid) Or Magnesium glycinate powder from capsules.

Med to Large dog: 1 cap (powder only) in am meals 1 cap (powder only) in pm meals

Small dog: half the amount

Toy dog: add a pinch

~ VITAMINS

B6 (P5P) 33.3mg capsules (Thorne Research brand) (2 which is a activated B6)

Med to Large dog: 1 cap (powder only) in am meals 1 cap (powder only) in pm meals

Small dog: half the amount

Toy dog: add a pinch

www.iherb.com

Better digestion - malabsorption

Med to Large dog: Add 1 – 2 teaspoons of Apple cider Vinegar to meals

Small dog: Add 10 drops of Apple cider Vinegar to meals

Toy dog: Add 5 drop of Apple cider Vinegar to meals

IMMUNE SYSTEM

We need to repair gut flora to help strengthen his immune system from things like .. previous or current use of chemical drugs that cause damage to the gut flora or maybe immune system is already depleted and has experienced an infection of some sort. **We highly recommend the following brands of supplements to restore gut flora.**

Colostrum is highly recognized for its effects in this area. Especially for rescue cats or kittens that may have missed out of health mum cats milk (containing colostrums). Feral to semi-feral, homeless rescued cats, kittens.

Suggested Guide Animal Dosage

Cat or toy dog. Use half to 1 powder from a capsule or add a pinch of powder (1/4 teaspoon) mix in milk drinks. Or mix in a tablespoon of water or milk and oral syringe as cats do not normally drink milk most days.

Small dog or animal: add 1/2 teaspoon of powder to about a tablespoon fluid and offer or oral syringe. OR hand feed 1 chewable colostrum tablet (yummy taste)

For medium to large pets or animals: mix powders from 2 capsules or 1 teaspoon of the powder to about 2-3 tablespoon water or milk and offer or oral syringe. OR offer 1 chewable tablets. Repeat once daily. **Or** repeat dosage three (3) times a day. If pet has a fungal or bacteria or virus infection anywhere on body or internally.

Application: *It is best absorbed in fluids on an empty stomach. So we suggest mixing the powder in some fluids.* ***Type of fluids options:** filtered water, goats milk (not cow), coconut water, goats yogurt, or chicken broth) For a min of 4 months for optimum health.

NZ Colostrum Powder or chewable tablets

Colostrumhealth 100% pure Colostrum

<http://www.colostrum.gen.nz/> Order on-line.



HAMPL™ Pet Formulas

Holistic Animal Remedies

Probiotics

"RAW Probiotics Ultimate Care" Capsules *100 Billion CFU's (Band- Garden of Life) The above from Garden of Life can be purchase at www.iherb.com

Canine: adding 1/4 capsule of the powder, and mix well into meals.

After a couple of weeks increase to ½ cap daily.

Feline, toy dog, infant farm animal or other small animals: add a pinch and mix well into meals.

How long should I continue this Probiotic?

Because intestinal bacteria should repopulate fairly quickly, 4 – 8 weeks of probiotic replacement usually suffices. (continuing need can signal that something else continues to disrupt resumption of healthy bowel flora that may require further investigation) If this probiotic is rough on you or your pets / animals gastrointestinal tract, reduce the amount for the first few weeks. At any time you or your pet / animal are put on chemical antibiotic – please take this probioitc at the same time. It takes 2 months to fully restore gut flora. **Note:** whether your pet has an infection or not (parasite, bacteria or fungal) or past or present Antibiotic drugs use, your pet needs this foundation of healing in the gut.

AVOID - Antibiotic drugs and other toxic drugs, sprays, and products.

Vaccines severely deplete the body of vitamin C. Either get a **titer test** done to prove your dog or cat is still fully covered or /and use the homeopathic oral nosode vaccines. If need to take antibiotics, use the potent and safe herbal antibiotics **HAMPL Infection Fighter 71 50ml liquid.**

Parasitic

NEEM POWDER (herb) - Organic India Neem Capsules - leaves, flowers – from iherb.com

Neem herb - also helps detox heavy metals (vaccine toxins), and is also a parasitic (wormer) and **Activated Charcoal** - research studies have shown that activated charcoal decreases the toxic load on the body by over 60% with daily use. This is due to its ability to bind and grab up chlorine, pesticides and herbicides, bacteria, viruses, yeast, parasites, toxic chemicals and endotoxic metabolites.

PETS - ANIMALS

DOSAGE - Neem Capsules

Feline-Toy dog or small animal: add 1/4 powder from the capsule in meals three times a week.

Larger pets and animals, equines: add 1/2 - 1 powder from a capsule in meals.

DOSAGE - Activated charcoal powder or capsules

Put 1 capsule or half a teaspoon of "Activated charcoal" in a cup of water in a jar. Shake before using, and pour a couple of tablespoon in meals twice a day. Or oral syringe 2 to 5ml orally side of the mouth (small sips till the amount is taken) * After a month or when finished taking Neem powder caps, go back to one activated charcoal in evening meals, ongoing for good health. **Continue for a month.**

* If needed also do the STEAM Therapy (if sinus or lung congestion) for domestic pets.

Put your pet in the shower room on a mat, towel or your cozy dressing gown, several times a day when having showers and run hot water in the shower for 5-10 minutes each time. Don't let them get wet at all.

DIET

Anemic Prevention or Treatment - Diet

In conjunction with Naturopathic remedies also feed "**organic beef liver**" daily for 3 weeks, then on improvement reduce to three times a week.

Cook or raw "ORGANIC BEEF LIVER.

Can pureed raw or cooked liver add to meals

OR oral syringe A DOSE if not eating very well. Can dilute with some water if that helps swallow easier can add vitamin c in with this.

Or

buy "**Organic Desiccated Liver**" capsules

Promotes Formation of Red Blood Cells.

The liver has a good amount of Copper is essential in the production of red blood cells, hemoglobin and bone matter. This is because it is partially responsible for the efficient uptake of iron from food sources.

* Usually, magnesium (ReMag liquid) and B6 (p5p) is recommended at the same time to correct health metabolic issues.

~ FELINE-TOY DOG - approx 2ml twice daily or add 1/4 of the powder from the capsule in meals twice a day or mix in liquid oral dosing formula.

~ SMALL DOG - approx 5ml twice daily or add 1/2 of the powder from the capsule in meals twice a day or mix in liquid oral dosing formula.

~ SMALL to MEDIUM DOG - approx 5ml-10ml twice daily or add 1/2 of the powder from the capsule in meals twice a day or mix in liquid oral dosing formula.

~ MEDIUM to LARGE DOG - approx 10ml-20ml twice daily or add 1 of the powder from the capsule in meals twice a day or mix in liquid oral dosing formula.

"How Digestion Works",

explains that the gastrointestinal tract is the largest immune organ in our body. Eighty percent of all our protective immune globulins are produced in the digestive tract (p.16). It doesn't take a rocket scientist to see that when this large, strategically placed immune system member isn't working well, our defenses are lowered and once our barriers are down, it becomes more difficult to defend against invaders.

TOPICAL Treatment for **Leishmaniasis skin lesions.**

Black Salve paste (see below applications to using)

Topical Application

Black Salve Paste **Please Note:** The TGA (Therapeutic Goods Administration) in Australia prevents us from providing you with Black salve/ Cansema Salve treatment for Humans, until such time as the product has been included in the ARTG for human therapeutic use, but it is still available for animals. The ingredients are the same for both human & animals.

See **Instructions in applying the "salve"**. However if this is your first time in using Black Salve we highly recommend you purchase the relevant e-book below by Naturopath Adrian Jones.

ORAL TUMOUR "Black Salve Paste"

APPLICATION – It can be done, you just need to keep applying a small dab of black salve to a part of tumour at the same area or side each time daily, until the tumour releases the gunk and changes colour. Then move onto another area of tumour and work on this daily – usually the longest time the black salve needs to stay on the skin/tumour is min of 4 hours approx. Do the best you can - you will only need a match stick amount, and you can apply this cream with a cotton bud.

Black Salves of one type or another have been around for a very long time, and some say go back a thousand years or more with the Native American Indians.

The use of Black Salves for the treatment of cancers has a chequered history of claims and counter claims by those who are believers, and by those who criticize its usage. More recently, towards the latter part of last century, more refined versions of Black Salves have been used extensively with different names, including HerbVeil8 and Cansema.

Black Salve is a herbal based product, featuring two principal herbs that are said historically to have pharmacologically demonstrated anti-cancer properties, Blood Root (*Sanguinaria canadensis*) and Chaparral (*Larrea mexicata*). Recent versions of Black Salve include Galangal root (*Alpinia officinarium*) or Ginger root (*Zingiber officinale*), and sometimes Graviola leaf (*Annona muricata*).

Black Salve has been classified chemically as an "escharotic", which literally means, it creates an "eschar" (a piece of dead tissue). In cases of skin cancer treatment using the Black Salve, the belief is that the eschar is the dead tumor.

After treatment, the eschar will be expelled (sloughed off) by natural body processes over a short time (usually within 5 – 14 days even if the tumor is quite deep). Black Salve treated cancers rarely if ever requires debridement, or surgical removal.

It is important to dispel a myth about Black Salve.

There is some opposing literature around suggesting that some Black Salves are corrosive, that is, they work by corrosion, like “burning” into the skin, to burn the cancer out. Maybe some Black Salves in the past made were corrosive. But the more recent Black Salves used, including Cansema, are definitely not corrosive.

The Black Salves we have seen used, and which we use now, do not, repeat NOT, act by causing “corrosion” of the tissue. Our Black Salve is non-corrosive. And this is not a “claim”, merely a statement of scientific fact.

Let it be known that it is true that Black Salve can be applied safely to healthy skin tissue, even sensitive skin. After prolonged application (24 hrs, or even up to 48 hours) to healthy tissue, the most it will do will be to create a bit of redness, and maybe mild itchiness, because it does attract blood and lymph to the area. This is simply an inflammatory response, and that is the desired function of the Black Salve after all.

But it will not “burn” or “corrode” at all, and once the Black Salve is removed it is known that these extremely mild symptoms will rapidly disappear.

So how does the Black Salve actually work?

Until thorough scientific trials are undertaken, we remain uncertain as to the precise mechanism(s) that might characterise the action of Black Salve. So these next few paragraphs on Black Salve are hypothetical and postulative, based on observational data only.

It does appear that principles (“actives”) contained within Black Salve are transdermally absorbed, that is, have the capacity to be absorbed across dermal strata, maybe into the deepest skin. The Black Salve also appears to act as a catalyst (a “reagent”) in mediating an immune response, a response that demonstrates all the hallmarks of a classic acute inflammatory response. In short, blood (causing rubor) and serous fluid (causing edema) that is rich in leucocytes (white blood cells, including T cells, macrophages), cytokines and other mediators of inflammation, all are attracted to the area after the application of Black Salve, presumably increasing levels of various substances including tumour necrosis factor (TNF).

Again, from our personal observation, and studying testimony from practitioners and persons who have used it on themselves, their loved ones (including pets), and on patients, it seems certain that the Black Salve does not affect healthy tissue, only neo-plastic (cancerous) cells.

So, users of Black Salve, both professional and lay people alike, believe that when the Black Salve is applied sufficiently to the cancerous skin lesion, any and every cancer cell associated with that lesion, those laterally and those deep, will be destroyed.



HAMPL™ Pet Formulas

Holistic Animal Remedies

They believe this result from using the Black Salve can be confirmed by a subsequent pathology test (e.g. a biopsy, or scan), and further confirmed with observations over time in which there is no recurrence of the lesion. So we're not talking guess work or wishful thinking once you have applied the Black Salve.

Observation of the tissue that is left after using Black Salve, demonstrates clear marginal healthy tissue, from which further healing ensues. In this respect, cancer cell specificity is being demonstrated, only cancer cells will be destroyed, not the healthy ones. Voila, nature's scalpel is the effect. Thank you Black Salve. Black Salve maybe applied safely at home, if you feel you would like a bit more information we highly recommend Adrian Jones series of e-books on using Black Salve. You simply leave the Black Salve on the lesion for a period of 24 hours, wash it off and allow the natural healing process to begin. After applying the Black Salve your healing period may take a few days to a month, depending on how deep or large your tumor is and if you are young and healthy, you will heal quicker than someone who is older and maybe not in as good health.



Read more about the salve and pictures of the salve working on cancer cells.

<http://blacksalveinfo.com/testimonialssc.htm>

INSTRUCTIONS: Do not, in any way, deviate from the following.

Please read the following instructions through carefully before applying Sarcoma Black Salve treatment. **Remember, "black salve" will provide results only if animal or human has skin cancer, as opposed to a benign growth. This includes basal cell and Squamous Cell Carcinomas and Melanomas of the skin.**

HUMANS AND ANIMAL USE

(1) PREPARATION

Sarcoma black salve (Cansema) is selective in its action and will only "go after" neoplastic (cancerous) tissue. Healthy tissue will only redden and become mildly irritated when Cansema is applied. This decision is entirely at the discretion of the user; there is no danger, toxic or otherwise, of applying Black Salve Sarcoma to healthy tissue, although doing-so-is simply a waste of the product.

In addition, if you are targeting more than one growth, do only one area of the skin or tumour at a time.

(2) APPLICATION

Before applying the BLACK SALVE give your pet or yourself a dose of several drops of the **homeopathic Pain-bleed Support (on top of head or back of shoulders for pets)**. If you are using it for yourself, you could take a Panadol or other pain relief medication or patches from chemist or Dr. (do not give panadol or aspirin to pets). Depending on how big and deep cancer lesion is. Repeat a dose every, 10 minutes for 4 repeats). So no discomfort is felt or seen. Repeat the remedy if pet seems irritated or wants to hide. You cannot overdose on homeopathic, just use as often and frequently to get fast results.

What is the best way to take out a larger skin cancer growth with Black Salve - pain management issues aside?

The product has the consistency of a thick, moist paste. If too thick and cakey, just add a very tiny bit of water to make is more smoother. It can easily be self-applied with the fingers and should be spread over the lesion or cancerous tissue in a thin covering, almost lightly "caked." Wash hands thoroughly before and after applying Sarcoma Black salve. The applied area will start to tingle a little shortly afterwards - anywhere between 5 minutes to 6 hours after the initial application. (In fact, if you feel "nothing" after three to six hours, it is most likely that nothing more will happen: Black salve paste has failed to come into direct contact with the cancer.

It is fine if your pet licks the cream.

NOTE: It's essential that a thick layer is put on a SMALL AREA and that it stays moist for a minimum of 4 to 12 hours, of course the longer the better ie . preferably 24 hrs.

FOR HUMANS it needs to be covered with a non absorbent dressing - tape directly on it. if possible) Do not to reapply but just wipe off excess pus with H2O2 until the eschar falls off.

NOSE CANCER OR ON BACK OR NECK - ON A SMALL ANIMAL

You will not be able to tape or bandage. Try to make sure it is on for min of 4 hours, reapply a small thick layer if needed (as pet may have wiped it off somehow)

After 24 hours, you will want to remove the Black Salve and reapply, repeating this process, until the Black Salve can reach and "grab" the underlying aberrant growth.)

It is important to only use a small amount on a area of the growth/tumour.

Example: a size of a match stick head. **Working on one small area of tumour at a time.**

This involves applying a small amount to the edge of the growth, waiting for the sensations to die down as the eschar process begins, and then repeating this process on an adjacent area of skin until the entire area has been covered.

For humans it is also a good idea to place a bandage over the area, particularly if the forming eschar is on a place on the body that might be subject to being bumped or bruised in the course of daily activity.

Have Applied the Black Salve Paste and no eschar appeared!

What do I do now?

The Salve paste has to come into contact with the target cancer area in order to work. It has transdermal properties (i.e. skin penetrating ability) - a characteristic that is enhanced with the Salve - Deep Tissue, as well as our veterinary versions. However, a couple of sin tricks can also speed up the process and/or reduce the number of applications required to "reach" a skirt cancer that is well below the epidermis. Most people don't need these techniques if the skin cancer is close to the skin surface. We recommend that these "tricks of the trade" only be used if an initial application does not produce results - which turns out to be a minority of cases.

HUMAN USE Only:

Deep Loufah Wash"- For humans - Many people use a loufah sponge to rigorously wash and prepare the skin before applying Black Salve. This serves to remove some of the dead cells in the top layer of the epidermis (the stratum corneum), so that Black Salve has less tissue through which to travel to get to the underlying cancer.

HUMAN, USE Only:

"Needle Points"- This technique is more effective, but more invasive. It involves taking a sterilized needle and carefully making holes in the skin - about a sixteenth to eighth inch deep, very much as an acupuncturist would - except that the needle is removed as soon as the holes, usually spaced about a quarter-inch apart. Following the creation of the "skin holes," Black Salve is then (re)applied. We recommend that this technique be used by practitioners and not end users.

We also advise that practitioners prep the area by rubbing three drops of Lugol's Iodine liquid (from some selected pharmacies (or google it on-line) into the freshly "pricked" skin before Black Salve is (re) applied, provided that the subject is not diabetic - a clear contraindication, in which case hydrogen peroxide (3-6%) will act as a suitable substitute.)

HUMAN AND ANIMAL:

(3) MANAGING THE ESCHAR

After 24 hours remove the bandage. Using hydrogen peroxide (1-1202 -3%, available in most drug stores) and a Q-Tip, very lightly go over the lesion, removing any excess Black Salve and other organic debris (i.e. pus, serous fluid, etc.) If a full pus formation is not evident or is incomplete, repeat step 2 and leave the new application on for an additional 24 hours before proceeding. Normally one application is sufficient for small tumors (the size of a pencil eraser), but no more than three applications are required for larger tumors. There are instances, however, when repeated applications of Cansema are required because of "accessibility" problems - although this can be limited using the techniques cited in the preceding section. In order to initiate the escharization process, however, and begin killing the cancer, it is vital that Cansema be able to penetrate and reach the subject site.

This can take multiple (three or more) applications, though one to two applications is more common.
After the eschar has formed, keep it well protected if possible (a lot harder when treating animals of course)

You can apply HYPERICUM CREAM AND CALENDULA CREAM called **Hypcal Healing cream** (can also get this from health food stores) and apply **once** you reach the deactivation stage. (Although recent reports have been submitted where H30 was used throughout the entire process as a cleaning agent acting to accelerate healing and minimize scarring.)

HUMAN INFO: (or PETS - IF CANCER POSITION IS IN APPROPRIATE AREA TO BE LIGHTLY COVERED)

Normally the bandage can be left on for a period of 10 days: however, in advanced cases there is considerable "drainage," that is, a steady emission of pus. In the sense that Black Salve kills the cancer cells and takes certain leukocytes (defending white blood corpuscles) with it in the process of eliminating the neoplasm, it is a suppurative agent: that is, drainage should not be viewed as abnormal. The range of possible response is very little pus and only one bandage ever required, to a regular change of bandages required in the case of advanced melanomas. Your case will be somewhere in-between.

(4) REMOVING THE ESCHAR

The eschar itself represents the death of the neoplasm and this occurs shortly after application. Everything that follows from there is the body's own reparative responses. From here on out, the body knows exactly what to do and wastes no time doing it. However, to us the days and weeks that follow may seem lengthy. The next stage is the removal of the eschar, or scab. This usually happens within 10 days after initial application, unless the case is advanced and/or cancer(s) cover a large area of the body. As with any scab, let it fall out when it is ready. Do not pull it out prematurely, although you may find that it will eventually be attached with a small thread of skin tissue which can be easily and safely severed. If you remove the eschar prematurely, you further risk developing scar tissue. However for pets this is not such an issue.

(5) DECAVITATION & "HEALING OVER"

After the eschar comes out, the pit or "decaavitation" can look raw and unsightly. Nonetheless, the use of the herbal quick hampls heal Cream supplied - combination of **Hypericurn and calendula** herbal in cream. Called **Hypcal cream** or Calendula Cream ... *available at* the Healthfood stores.

(IF YOU ORDER HAMPL CANCER SET WE WOULD OF SUPPLIED THIS CREAM)

Over a period of a few months, or in some cases two years, the entire area will be healed with only some "depigmentation" or scar tissue. The result is rarely more unsightly or unaesthetic than if surgery had been chosen instead.

Only in rare conditions does the cancer "come back" to the area applied, unless there is underlying metastasis. To be sure that the area is clear of cancer, many users elect to initiate a second, or even third, application after they get to the "heal over" stage. We take a dim view to doing this indiscriminately because the risk of scarring is increased with each new re-application. However, with particularly aggressive forms of cancer, such as melanoma, a user may want to weigh the potential advantages of re-application, particularly if the initial cancer is located somewhere on the body that is not usually aesthetically sensitive or viewed in public (i.e. on the back, upper leg, etc.).

None of *this* should be taken as a substitute for using some of the better cancer marker tests that are now available from qualified, licensed physicians. In other words, if you don't need more than one application, why do it. In other words, once Salve has finished its work, there are normally no residual cells from the original neoplasm. This rule finds more exceptions the larger the original cancer growth is, the deeper it is beneath the skin, the more instances of skin cancer the subject has experienced, and/or the more extensive a person's history of skin cancer is or has been. Remember, you may need to repeat this process if the skin cancer is sufficiently extensive such that residual cancer cells have been left behind after you finish your first "cycle." (Although, this same admonition would exist if you had your skin cancer surgically removed.) To be on the side of caution, have your health care practitioner check the site to see if there is any remaining cancer. There are excellent antigen marker tests that your physician can utilize to determine if you have a "clean bill of health."

BLACK SALVE Paste

Current ingredients: Black Salve is a herbal based product, featuring two principal herbs that are said historically to have pharmacologically demonstrated anti-cancer properties, Blood Root (*Sanguinaria canadensis*) and Chaparral (*Larrea mexicata*). Recent versions of Black Salve include Galangal root (*Alpinia officinarum*) or Ginger root (*Zingiber officinale*), and sometimes Graviola leaf (*Annona muricata*). The dried herbs contained in Black Salve are compounded in simmering water with a zinc chloride ($ZnCl_2$) base, a small amount of DMSO (a carrier, a delivery system molecule), and some glycerine (a humectant, to help to maintain the moisture of the salve).

The professional advice is to start at the edge and make sure you do not apply more than a square centimeter.

As usual, apply so that the coating is somewhat thick and definitely opaque. A warning in advance: if you do not have good analgesics on you, this thing could hurt. What Black Salve does, in a matter of speaking, is initiate a process where the body is conducting its own surgery. Make no mistake about it: Black Salve is taking that thing out of there. But pain management can be a real consideration when you have larger growths.

Tip: Apply to one small area at a time. drip a couple of clove oil (essential oil) on are first the apply paste wait see how you feel (or pet) when the discomfort subsides in a day or so apply again repeat. In this way you are extending over time and in small incremental amounts, any pulling or stinging sensations, so that the entire process is readily manageable. With animals, it often gets rubbed off or licked off this is fine, but reapply in that case often enough that it will have a chance to activate down the track, it may take a number of days to start seeing the effects on the skin changing colour and shape

Use the homeopathic HAMPL Bleed-Pain formula use if needed at anytime.