



HAMPL™ Pet Formulas

Holistic Animal Remedies

PRODUCT CODE AN193	Neem Herb Soap	39 Pages
	Natural Flea & Tick Deterrent	
Last Updated: 2-07-18	All Species	

THE SAFE "NON-POISONOUS" Way
 Tick and Flea "Chemical Free" and Effective Alternative

PREVENTION AND SOLUTION

Topically WASH when bathing your pet, use the **Neem Soap**

Apply the soap on wet fur, making sure water temp is lukewarm (not hot). Lather up and then warm rise off.

PREVENTION

Dr. Ben Cedar Oil TOPICALLY

Cedar Oil Spray - safe non-toxic. It is potent, so very little is needed. * not for very small animals, cats or kittens.

To Rid Fleas and Flea cycle - safely without poisoning you, your pet or family members.

ENVIRONMENT

To Rid Fleas and Flea cycle

1. **Diatomaceous Earth (DE) dry talc.** (not pool grade DE)

An excellent choice for short term problem remediation and, longer term, keeping bugs at bay with regular reapplications. Dust pets bedding and areas where the pet sleeps, including carpets, lounges, and rugs.

Topically, use sparingly and lightly working the product into the hair using a brush or comb. Paying attention strict attention to the areas that the animal cannot scratch such as the scalp. * **Avoid face and nose, eyes and ear area.**



Holistic Animal Remedies

Did you know ... that fleas actually breed and live in sandy areas outside, and then jump off and on our pets. And then once they come inside the fleas (as they do not live on a pet) will jump off and on. And thus start breeding cycle inside as well.

IN-HOUSE TREATMENT

Borax Powder

- Using 1 cup of Borax powder (not toxic it is 100% natural trace mineral)
- 12 drops of Lemongrass essential

In a medium glass bowl, add the borax along with the lemongrass essential oil and stir to combine. Transfer the mixture to a sugar shaker. Sprinkle the powder generously on the carpet Allow the treatment to remain in place for a few hours or overnight, then vacuum the carpet. Repeat the treatment once a day as needed.

Treat carpets, bedding and outside areas.

NOTE: We have found if we stop the flea cycle in the carpets and outside, then you will find less and fewer fleas jump off and on our pet. Then once floors and sandy areas outside has been completed over a couple of weeks, you will then notice no more fleas on your pet/s. It's as simple as that.

While we treat the floors and outside, you can also gently use a flea comb (having a cup of hot water beside you) dipping the comb into hot water to kill the fleas that are caught in the comb.

Did you know ... that fleas actually breed and live in sandy areas outside, and then jump off and on our pets. And then once they come inside the fleas (as they do not live OR breed on a pet) will jump off and on.

And thus start breeding cycle inside as well.

An All Natural Homemade Pest Deterrent for Cats

Dr. Becker's recipe for cats is very similar to the one for dogs.

The recipe for Felines:

Mix 8 ounces of pure water with 4 ounces of organic, unfiltered **apple cider vinegar**, plus **10 drops of neem oil and 10 drops of catnip oil**.

Cats and essential oils can be tricky, so we want to leave essential oils out of the kitty recipe. Neither neem nor catnip oil is truly essential oils — they're distillates, so we're safe using those.

Catnip oil works to deter mosquitoes as well. Cats aren't prone to heartworm, which is a mosquito-borne disease, but dogs are. So those are two easy, all-natural recipes you can use to deter pests and as a bonus, they also make your dog or cat smell wonderful! You can use them during flea season, tick season and all summer long, and feel good that you're not using pesticides on your pet.

How to Make your own "Catnip Oil"

A common method used to make catnip oil is a steam distillation of the leaves and flower or buds. However, if you have catnip at home or live in an area where the plant grows, you can make an oil-based infusion.

1. Gather catnip leaves and stems, and chop finely to expose more surface area of the plant.
2. Cover the bottom of a casserole dish with the plant and then immerse the greens in olive oil.
3. Heat at about **200 degrees Fahrenheit** for two to three hours in a very slow oven.
4. Once cooled, strain out the leaves and **refrigerate the oil** until ready to make your Pest Recipe Mix for your dog or cat.



Skin Allergy Reactions?

Using in conjunction with the homeopathic **HAMPL Flea Allergy Dermatitis drops** to the toxic insecticide products.

Have you noticed, when you take your dog or cat to the veterinarian because of itchy skin, you are almost always told it is because your pet has fleas?

Often, you are sold flea shampoos, monthly flea chemicals, and told to go home and fumigate your house and yard. Even though you cannot find evidence of any fleas, you still go home and do this. Unfortunately, the skin irritation may still continue, because your pet never had a flea allergy dermatitis in the first place!

What is a flea allergy dermatitis (FAD)?

According to Wikipedia, a flea allergy dermatitis begins as a very itchy, red, raised area of skin, occurring in pets and their owners, due to the bite of the flea. It is thought the clinical effects that the flea bite causes its victim, comes from an allergic reaction, due to the chemicals present in the flea saliva.

Almost any inflammation of the skin occurring on your pet will be diagnosed as a flea allergy dermatitis, which is often not the case. If you have multiple pets in your household, have you noticed that possibly only one pet is bothered by fleas? This is because that pet has either a nutritional or a hormonal imbalance, and the fleas are attracted to that pet, to actually cause that pet to succumb!

Nutritional deficiencies can obviously come from being fed improper nutrients, however, when all the pets are being fed the same, and only one pet has the nutritional deficiency, what is the cause?

The cause can come from an enzyme deficiency from the pancreas. This condition is referred to as a Trypsin Deficiency. When this enzyme is deficient, protein, carbohydrates, and fats, will not be broken down effectively for absorption by the gut, and a nutrition imbalance will result. Often blood tests done for trypsin levels, do not correspond with a number of enzymes that are present, in the actual gut. Pets that have this condition, often have a need to ingest inanimate objects, in order, to fulfill their nutritional needs. This is found much more frequently in dogs than in cats.

Often these pets will lick the ground and their owner incessantly, eat paper, grass, rocks, and plastic and in extreme cases will eat their own stool or the stool of another pet that has a trypsin deficiency.



Holistic Animal Remedies

The reason for ingesting stool in the first place is due to the presence of undigested food that remains in the stool. Another sign of a trypsin deficiency is the inability of a puppy to absorb calcium properly, which in turn, creates lengthened tendons and ligaments. This is easily viewed by the pet owner, by looking at the wrists of your pet and identifying curved or bent wrists. Your veterinarian can help you identify this condition if you are not sure. Also, the rear paws may point slightly lateral in their position. This condition is called cow hocked• .

A trypsin deficiency can be corrected by adding plant-based digestive enzymes to each meal the pet eats. Once proper nutritional absorption occurs, the flea infestation in that one pet should dissipate. Another condition that will cause a pet to have a flea infestation, can be caused by a hormonal imbalance. This is something you can read about on this website. Please know that inflamed skin on the back and near the tail, can also occur from an inhalant allergy, and not just from a flea allergy dermatitis. If your pet bites its feet, has inflamed ears, and the skin of the abdomen is also inflamed, this is most likely due to a food allergy and not fleas!

These particular allergy sites contain mast cells which, when adversely stimulated by a food allergy, release their histamines and cause inflammation at those sites.

NOTE: Please be careful of foods that contain plant-based estrogens called phytoestrogens which will cause further inflammation. Read this article on "Natural Estrogens That Occur In Nutrients" **by Dr. Plechner DVM**

PREVENTION

HAMPL HeartWorm Free 177 200ml *herbal heartworm formula

Contains Herbal Concentrate and Homeopathic are: Black.W.Hull, Hawthorn Berries herb, with Homeopathic Ars Alb and Heart Worm (Dirofilaria Immitis) Nosode 6C, 200C, with HAMPL Heartworm 293 formula.

HERBAL - ANIMAL DOSAGE SCHEDULE

Animal size “**HAMPL HeartWorm Free 177**” **200ml Bottle** (herbal heartworm formula)

Toy dog	- 5 to 10 drops n food	
Small animals	- 20 drops in food	(1ml)
small /med	- 30 drops in food	(1.5ml)
Med/Large	- 40 drops in food	(2ml)

Note. For felines (which is not really necessary to give a heartworm prevention, rare if any cats getting heartworm) if you do feel the need through fear, you will need to add half a teaspoon of boiled water from the kettle (on the suggested herbal dose) to evaporate the alcohol content from it before adding to some food. Or use the homeopathic **HAMPL HeartWorm nosode and others 293 100ml** formula which has the heartworm nosode in the formula.

Once daily in food during the high mosquito season of the year.
Or Three times weekly all year round.

i.e. 200ml Medium to Large Canine.
40 drops (2ml) 3 x weekly throughout the year.
One 200ml bottle will last for 8 months per med size dog.

Optional - IF you live in high risk area all year round, you could also add the **HAMPL Heart Worm 293 formula**, which is the **homeopathic - heartworm formula**, that can be add to water dish every time you change it, all year through.

AND/ OR

HAMPL Heartworm 293 (homeopathic heartworm formula)

please see bottle label dosing method and suggestions – for all species and ages.



Holistic Animal Remedies

If previously or are on chemical drugs or vaccinations (pet was unwell from) we can "assist in detoxing" as well with the below remedies and as all drugs affect the liver, we need to repair liver:

HAMPL Chemical poisoning 110 30ml

(overdosing and use of chemical sprays and drugs)

HAMPL Pet Cleanse 30ml

(use of any chemical drugs)

HAMPL Drawing Out 16 30ml

(draw out any pus/infection, abscess).

HAMPL Vaccine Detox 30ml

(all new customers, receive a sample of the Vaccine Detox pills),

HAMPL Rabies Vacc Detox 30ml

(rabies injection side effects)

HAMPL Liver Detox 36 30ml drops

(all drugs affect the liver)

HAMPL RenoAid 19-1 50ml drops (assisting kidney function, along with adding "Activated Charcoal powder" daily to meals)

We have an alternative, safe and effective products for all species example:

NATURAL HEARTWORM DROPS

<https://holisticanimalremedies.com/heartworm-homeopathic-natural-treatment-and-prevention-all-species-dog.html>

NATURAL INTESTINAL WORMER

<https://holisticanimalremedies.com/worms-paraexpel-homeopathic-intestinal-worm-in-all-species-protozoan-microscopic-parasite-tritrichomonas-foetus-nosode-t-foetus.html>

TICK AND FLEA SPRAY

<https://holisticanimalremedies.com/canine-natural-flea-mosquito-ticks-protection-spray-topically.html>



The found of 'Homeopathic medicine' physician Samuel Hahnemann said to "remove the obstacles to the cure"

HOMEOPATHIC DETOX

HAMPL ChemPoison 110 30ml plus Activiated Charcoal powder (set of 2)

* This one is good for not well since taking a drug, or insecticide products, now seizures, paralysed, High liver enzymes etc. Or we can provide the one drug antidote instead of the combination detox.

~ Also use the formulas for the symptoms of damages... seizure - neurological damages repair, paralysis etc ask out practifioners our recommendation.

or

HAMPL Pet Cleanse 042 30ml plus Activiated Charcoal powder (set of 2)

* This one is good for pets that have not had alot of drugs or other dangerous chemicals but still need cleasning. High liver enzymes etc.

* means we have this in homeopathic form of the toxic drug is in the above formulas to aid a detox from this drug. Or on request we can provide just one drug detox specifically to the drug your pet has not been well since taking it or had acute side effects from within minutes or hours. If you dont see a drug that your pet is taking or did take, please send a tiny sample of it to our clinic and we will post out the detox homeopathic version to you

Example - Homeopathic "Tautopathic" Treatment [See page 35-39](#)

The homeopathic DOXYCYCLINE - broad spectrum antibiotic (Vibramycin®, Doxychel®, Doxy Caps®, Bio-tab®, Monodox®, Doryx®, Doxirobe®) in a 30C or 200C Will clear side effects as well as in a this will clear symptoms of **candida yeast infections** or prevent it. **(Chemical Detox 110 or Pet Clease 42 formulas)**



Holistic Animal Remedies

INSECTICIDE POISON

* **RoundUp (glyphosate) "used as a week killer"** (and human-pet killer) The **carcongenic** insecticide spray which is commonly used around parks, gardens at home worldwide. This highly toxic chemical is made by Monsanto. **The Lawsuit** filed against them for over 4,000 across USA diagnosed with cancer. <https://www.baumhedlundlaw.com/toxic-tort-law/monsanto-roundup-lawsuit/>

TEST kit

Australia or Canada testing yourself or pets

<http://hrilabs.org/animalstudy/>

USA

<https://shop.mercola.com/product/2057/1/glyphosate-environmental-exposure-test-kit>

* Glyphosate homeopathic 30C is in **the Pet Cleanse 42 and Chemical Detox 110 homeopathic formula.**

Optional to test for it, but as its been used in gardens and parks we could be guaranteed we have been affected by it. You and your pets (farm animals) can as safely use the homeopathic detox combination pet cleanse or chemical detox. Or alternatively can request it on its on. All gentle detoxing in conjunction with activate charcoal powder. Recently we sent this detox for a cat with cancer, within a 3 days her cat was more energetic and eating eagerly and started putting on weight again. This lady lived on a farm and knew farmers using the spray miles away. Its a carcinogenic!

SOME OF THE VETERINARY DRUGS OR OVER THE COUNTER FROM PET SHOPS THAT are given to our pets.

THE BELOW PRODUCTS, SPRAYS, DROPS, TABLETS, INJECTIONS FROM 1 TO 5 are classified as a toxic insecticide drug (poisons).

INSECTICIDE POISON - PET PRODUCTS

FDA Alerts Pet Owners and Veterinarians About Potential for Neurologic Adverse Events with chemical Flea and Tick Products. <https://wjla.com/news/nation-world/fda-warns>

Physical Symptoms of Neurological Problems

Physical symptoms of neurological problems may include the following:

- Partial or complete paralysis
- Muscle weakness
- Partial or complete loss of sensation
- Seizures
- Difficulty reading and writing
- Poor cognitive abilities
- Unexplained pain
- Decreased alertness
- fatal

INSECTICIDE POISON - PET PRODUCTS

1. * COMFORTIS Comfortis® (spinosad) **flea treatment.**

Spinosad is a member of the spinosyns

which is classed as a toxic insecticide poison drug.

Spinosad contains two major factors, spinosyn A and spinosyn D.

FOR CATS: The most common adverse reaction recorded in clinical trials was vomiting. Other adverse reactions were: lethargy, decreased appetite, weight loss, and diarrhea. Use with caution with concomitant extra-label use of ivermectin. The safe use of Comfortis in breeding, pregnant, or lactating cats has not been evaluated. Therefore avoid.

FOR DOGS: The most common adverse reaction reported is vomiting. Other adverse reactions reported in decreasing order of frequency are: depression/lethargy, decreased appetite, incoordination, diarrhea, itching, trembling, excessive salivation and seizures.

Serious adverse reactions have been reported following use of ivermectin with

Comfortis. Post Approval Experience (June 2009): The following adverse reactions are based on post-approval adverse drug event reporting.

The adverse reactions are listed in decreasing order of frequency: **vomiting, lethargy, anorexia, ataxia, diarrhea, pruritus, trembling in pain and nerve damage, hypersalivation and seizures, (death within a day of use).**

Use of ivermectin with Comfortis, some dogs have experienced the following clinical signs: *trembling / twitching, salivation / drooling, seizures, ataxia, mydriasis, blindness and disorientation, incoordination, excessive dilation of pupils, blindness and disorientation.*

CHEWABLE TABLETS had a much higher percentage of acute adverse side effects compared to Active Topical drug.

2. * PANACUR liquid

(worming drug) which is classed as a toxic insecticide posion drug.

Panacur Liquid for Cats and dog , horse and other animals. Fenbendazole, marketed under the brand name Panacur, is a common anthelmintic -- or dewormer -- for cats, dogs, horses and other animals.

SIDE EFFECTS -The FREQUENT side effects that may occur include infrequent vomiting or diarrhea.

3. * MILBEMAX

(wormer and heartworm drug) which is classed as a toxic insecticide posion drug.

Milbemat is a toxic insecticide drug used to control of gastrointestinal worms in pets including roundworm (*Toxocara cati*, *Toxascaris leonina*), hookworm (*Ancylostoma tubaeforme*) and tapeworm (*Dipylidium caninum*, *Taenia spp.*) and heartworm. What are the active ingredients in Milbemax DRUG and how do they work? Milbemax contains praziquantel and milbemycin. Both ingredients act by disrupting the nervous system of the worms resulting in their paralysis and death.

SIDE EFFECTS - Systemic signs (such as lethargy), neurological signs (such as ataxia and muscle tremors) and / or gastrointestinal signs (such as emesis and diarrhoea) have been observed after administration of the veterinary medicinal product.

COMMENTS from consumers

Hi - I have a 14 year old cat that has had a very bad reaction to Milbemax wormer he had it administered on Tuesday morning and within hours developed neurological symptoms, falling over. he has gone deaf (he was not before) and will not drink or eat. Now its Friday and he still has no appetite and will not touch any food though he has been going in garden and may be drinking from bird bath. have been back to vet and she cant offer any suggestions, they have spoken to Novartis who say have not had any problems but reading this forum and other internet news these side effects are not uncommon. He is now steady on his feet but still will not eat, vet has checked throat and swallowing seems to be fine. I have managed to put a few flakes of white fish in his mouth and he will swallow. he seems interested in food but picks it up and drops it. (normally he would eat three sachets of food a day)

4. * ADVOCATE Drug (**Advantage multi**)

which is classed as a toxic insecticide poison drug.

What is Advocate used for? Advocate is used for cats, ferrets and dogs suffering from, or at risk from, mixed parasitic infections (caused by several different types of parasites): For the treatment and prevention of flea, flea allergy dermatitis, ear mite, lice, sarcoptic mange and demodicosis, heartworm.

The two active ingredients are:

~ Imidacloprid

~ Moxidectin

The ingredient, Imidacloprid acts as **a neurotoxin**, causing parasites to lose control of their central nervous system. (and often your pet)

Side Effects and Precautions - Advantage - Advocate products

Drooling, depression, weakness, muscle spasms, dilated pupils, and panting.

If your pet shows any adverse symptoms, then you should speak to your veterinarian straight away and wash the treated area with warm water and a pet-safe shampoo.

Here is a list of the probable side effects and what to watch for in your pet:

- o Facial swelling
- o Hives
- o Scratching
- o Diarrhea
- o Vomiting
- o Shock
- o Seizures
- o Pale gums
- o Cold limbs
- o Coma

COMMENTS from consumers

Linda ... my friends dog was given this for fleas. he is now suffering and the vets have no idea whats wrong with him. They seem to think its a neurological problem. Dog cant use its back legs cant stand up and is currently still in the vets on a drip and being sedated. They have done tests but so far nothing showed up and waiting for more tests.

Katherine ... Linda, I know this post was from a long time ago, but please email me. My dog also had this type of reaction to Advantage Multi (lost use of back legs, neurological symptoms etc). I am trying to gather together those of us whose pets have had this reaction. Please contact me. I am considering legal action at this time.

Christine Symptoms sound like what happened to my dog which was a stroke, an MRA didn't show why but a few days later found spleen cancer, looked like a blood clot had detached and ended up giving stroke.

Reference: <https://thedoginfoblog.com/advocate-for-dogs>

5. * **Nexgard drug** (flea and tick prevention poison) chewable pill for dogs.
which is classed as a toxic insecticide poison drug.
... this drug is from the makers of Frontline

NexGard® (afoxolaner) is available in four sizes of beef-flavored, soft chewables for oral administration to dogs and puppies according to their weight. Each chewable is formulated to provide a minimum afoxolaner dosage of 1.14 mg/lb (2.5 mg/kg). Afoxolaner has the chemical composition 1-Naphthalenecarboxamide, 4-[5-[3-chloro-5-(trifluoromethyl)-phenyl]-4, 5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-N-[2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl.

Symptoms of an allergic reaction to NexGard will vary from dog to dog.

Frequently diagnosed reactions to this flea and tick treatment include:

Dry and flaky skin Loss of appetite Vomiting Diarrhea Lack of energy to severe neurological damages and symptoms, to death.

COMMENTS from consumers

~ A few hours after I gave my dog nextgard he had his first seizure and now has them a few times a week. What can I do? The vet that recommended nextgard refuses to believe that nextgard caused it since he and others that work with them use nextgard on their animals. We have taken him to Dr after first seizure and they focused on his congestive heart failure which was being and has been managed through meds for the last two years. My husband will take to vet tomorrow and demand bloodwork done for liver kidney and toxins. Plz do not use any oral flea meds. Just be patient and use topical and baths. I can see our dog isn't going to be with us much longer since nextgard was given. 1 week, 5 days ago. **Shelly**

~ **My dog Rubyjean** is getting lumps on her leg and now she is peeing on herself she can't control it I think it's from this nexgard .. 2 years ago my old dog became ill and started seizures I had to put her down because she also lost control and started peeing on herself I truly believe it's from this pill nexgard you should not sell this stuff to any dogs who are over 5 years of age older dogs can't take it I've lost my best friend and now my other dog Rubyjean looks like I May lose her to I'm heartbroken is there anything I can do to reverse treys affect 4 weeks ago **Nancy S.**

~ **I lost my pom/poodle mix** last year sept10 2017 from NexGard he was vomiting and not eating and he was having serizures something he has never had before I read that it causes serizures I called the vet and I told her he is throwing up he could be allgric to it she said just try it longer I told them their is something not right one of the serizures lasted 45 minutes and the are suppose



Holistic Animal Remedies

to have on call 24/7 all i get is answering machine and they call you back in morning is bull my baby boy is gone and I'am handid and very lost with out him he was my ears, he was my breath, he was my little helper and so, so smart and the vets and NexGard took him away.

bonnie lewis

~ I gave my 12 year old Shih Tzu Nexguard for the first and he hasn't been the same since. He shakes and he barks incessantly unless you are with him. He faces a block wall and barks. He goes out in the yard and sits by a gate that he normally doesn't go out. I'm afraid it's killing him.

~ I believe Nexgard killed my dog. The vet pushed the sale of Nexgard on me at an appointment. I gave it to my dog and roughly a month later she died, yesterday. She hadn't been eating much a couple weeks after giving her the medication and then she had non-stop vomiting and diarrhea. Visible side-effects didn't occur right away but rather over the following weeks. 10 months ago **Krystal W**

Reference: <https://wagwalking.com/condition/nexgard-allergies>

6. Ivermectin drug

In Animals can absorb ivermectin through oral or topical exposures as well as via injection. Symptoms arise when the drug is present in the body at high enough concentrations that it

crosses the blood-brain barrier and adversely affects neurologic function. Typical signs include:

- dilated pupils
- unsteadiness when walking
- mental dullness
- drooling
- vomiting
- blindness
- tremors
- seizures
- coma

Treatment for an overdose of ivermectin is essentially symptomatic and supportive. If the poisoning is caught early enough, decontamination is helpful (e.g., washing pets after topical exposure or inducing vomiting and/or activated charcoal administration within a few hours of ingestion). Intravenous fluid therapy, endotracheal intubation, mechanical ventilation, extensive nursing care, seizure control, application of eye lubricants if the patient cannot blink, and nutritional support may all also be necessary. In some cases, intravenous lipid emulsion therapy, which is a new but promising option for certain types of poisoning, might be worth considering.

A pet's prognosis can be quite good if aggressive treatment is initiated in a timely manner, but because severe cases of ivermectin overdose often require several weeks of therapy, the expense is often prohibitive ... as was the unfortunate case with my clients who chose to euthanize the last puppy in what had been their much anticipated litter.



Dr. Jennifer Coates

Side Effects of Ivermectin in Cats

In cats, Ivermectin has a fairly high margin of safety. When seen, side effects include:

- Agitation
- Crying
- Lack of appetite
- Dilated pupils
- Paralysis of hind legs
- Muscle tremors
- Disorientation
- Blindness
- Other neurological signs, such as head pressing or wall climbing

If your cat is receiving Ivermectin and you notice these types of symptoms, discontinue the medication and contact your veterinarian.

Side Effects of Ivermectin in Dogs

In dogs, the risk of side effects associated with Ivermectin depends on the dosage, on the susceptibility of the individual dog, and on the presence of heartworm microfilaria (a larval form of the heartworm.)

When used at a low dose for heartworm prevention in a dog free of heartworms, Ivermectin is relatively safe. At higher doses which may be used for treating other parasitic infections, the risk of side effects increases. Potential side effects include:

- Vomiting
- Dilated pupils
- Muscle tremors
- Blindness
- Incoordination
- Lethargy
- Lack of appetite
- Dehydration

7. **Trifexis®** (spinosad + milbemycin oxime) **(worming, flea, heartworms)** which is classed as a toxic insecticide drug.

It is the monthly, beef-flavored tablet that poisons your pets blood so it will also be that



Holistic Animal Remedies

toxic in the system it will also kill fleas and prevent **heartworm** disease, and treats and adult hookworm*, roundworm and whipworm infection.

WHAT ARE THE SIDE EFFECTS OF TRIFEXIS?

The most common adverse reactions based on post-approval adverse drug event reporting are .. **vomiting, lethargy, itching, loss of appetite, diarrhea, trembling / shaking, incoordination, seizures, excessive salivation and redness of the skin.**

For example let's look at "Heartworm" - A realistic Look

Heartworm is of concern to all dog owners. It is not, however, the unavoidable scourge that many vets and pharmaceutical companies would have us believe. Most people do not have any idea what is involved in a dog getting infected with the Heartworm larvae. This article should educate you on the life cycle of this larvae and ways to prevent any effects if your dog is infected.

If your dog is reasonably healthy, eating a proper real food diet, is over use "vaccine free", is not currently on any Heartworm "preventives" or monthly chemical flea and tick preventives, their immune system should be strong enough to fight off a heartworm infestation with none of the larvae reaching adulthood. In the event that some of the larvae should manage to get past your dog's immune system defenses and survive to adulthood, it is still far from a death sentence. They will be much weakened, and the truly healthy dog will make a less hospitable host. Even at the adult stage, a healthy dog, possibly with some veterinary assistance, should be able to fight them off with no lasting ill effects to their health.

Nor are the currently available medical cures (arsenic drugs) for Heartworm more dangerous than the monthly "preventives," as the veterinary and pharmaceutical industries would have us believe.

Mosquitoes are the only known carrier of the infective stage of the heartworm larvae. In some parts of the country mosquitoes are a problem all year round, while in others this problem is limited to the warm months. There are many sites out there on the internet with lots of "information" on heartworm. The problem with much of it is that it is either wrong or incomplete. **Much of it is intended to mislead and frighten you.** One site says simply that a mosquito bites an infected dog then bites another dog and infects it.

While that, to some extent, in the most general of ways, is true, it is very misleading because the entire process is much more complicated and time consuming than this "explanation" would lead one to believe. Another explanation says that the mosquito injects the heartworm into your dog. This is simply false.

Long or semi haired dogs, or dogs that sleep and live inside a house do not need to on heartworm drugs, but you can safely use alternatives if so desired.

8 * Bravecto® chewable tablets

(given as a poison to kill fleas, poisons ticks, and mites - demodex, sarcoptes and ear mites) which is classed as a toxic insecticide much more toxic than Comfortis and Capstar drugs

Bravecto is a relatively new product released in 2014 which is used for **fleas and ticks**. It contains the active ingredient fluralaner, a type of isoxazoline which maintains protection for 12 weeks, meaning you only have to use the medicine as a preventative roughly once every 3 months. That means it has a high amount of pesticide chemical toxins in it.

How does it compare to Comfortis and Capstar?

Comfortis and Capstar are two other popular flea treatments. Unlike Bravecto, Comfortis does not kill ticks and needs to be given every month, and Capstar is not effective as a flea preventative. Which medicine you choose will come down to personal preference and how well your dog tolerates each of them.

As you may have read online, many owners have seen Bravecto has severely harmed their dog. Research before giving your dogs or cats edible pesticides, once eaten there is NO ANTIDOTE.

The official numbers of the European Medicines Agency: Serious side effects and animals that died after administration of these tick and flea treatments :

*Note: with "animal medication" only about 1 % of the side effects is actually reported to the authorities.
So the number of reported side effects you see below is probably just the tip of the iceberg...

as of May 04, 2018



Bravecto: **7964** reported serious side effects
* on the market since 2014 **1782** deaths after administration



Nexgard: **12.394** reported serious side effects
* on the market since 2011 **745** deaths after administration



(simparica no update available yet)
Simparica: **834** reported serious side effects
* on the market since 2015 **118** deaths after administration

A pesticide does not belong in / on the body of our pets!

More info? [Facebook: Does Bravecto Kill Dogs](#) — [Website: www.bravectotruefacts.com](http://www.bravectotruefacts.com)

These are the most recent numbers of reported side effects and deaths after treatment with the tick and flea treatments **Bravecto, Nexgard and Simparica**. Please note that only about 1 % of the side effects is actually reported by veterinarians and dog / cat owners.



HAMPL™ Pet Formulas

Holistic Animal Remedies

Most vets will simply deny that the symptoms are related to administration of these pesticides BROADCAST FROM THE NETHERLANDS : THE ANTI BRAVECTO PETITION WITH 40.000 SIGNERS HAS BEEN DELIVERED AT THE MINISTRY - please don't forget to share, to spread the word....

The petition will continue, so you can still sign it via www.bravectopetition.org

Some of CONSUMERS COMMENTS

Bravecto Insecticide poison (to prevent or kill fleas, but is killing pets too)

Will never use **Bravecto** again. June 23, 2017

I gave my 2 dogs Bravecto after seeing an advert on media saying it lasted for 3 months. I thought perfect because I always forget to get them their tablets at the end of the month. Within hours of my 3yo Maltese Shih Tzu and 1yo Maltese poodle having the 1 tablet each they were struggling to breathe and were shaking and panting erratically. They also both were very lethargic and wouldn't eat. I was very worried and looked online for any information and then called the vet after reading all the terrible reviews on this option for Flea and Tick Control. They advised they had no idea about any adverse reactions from this product and told me to just keep an eye on them. I wish I had reviewed prior to giving my dogs this tablet. In the future, I will check reviews prior to purchasing. It took over a week for the shaking to subdue and their breathing came well after about 3-4 days. After those reactions, I would not recommend this product to anyone. I will never use Bravecto again for my pets.

POISON June 07, 2017

I have never written a review of anything but I must warn everyone....my beautiful dog Toby died Sunday, May 29th, 2017 from me giving him this POISON on a recommendation from my vet. He was a perfectly healthy, lovable and perfect lab mix (just examined fully) a few days after giving him the drug he stopped eating and began to vomit, I rushed him to the vet they did x rays, and a pancreatic scan and both were good, we went home and less than two days later he couldn't move and had become completely delirious so we rushed him to the animal hospital where his liver values were found to be through the roof, the started iv meds but unfortunately it was not enough to save our boy and he passed overnight.

PLEASE SAVE YOUR DOGS LIFE AND DO NOT GIVE THIS MEDICATION. NO DOG SHOULD HAVE TO GO THROUGH WHAT MY DOGGY DID AND NO FAMILY SHOULD HAVE TO SEE THEIR DOG GO THROUGH IT.

May Work For Some, But Deadly For Others May 17, 2017

Never again will I give this product to any of my 3 dogs. Sure, they don't have fleas or ticks, but after taking it, it made one dog sluggish for days, and another almost died. He went from being a



Holistic Animal Remedies

perfectly healthy dog to lethargic, depressed and he completely stopped eating within weeks of administering Bravecto. His abdomen filled with fluid, he became jaundiced, developed mouth sores, his nose started dripping blood fluid...all of this out of nowhere. He is a bag of bones, from not having an appetite. The Vet ran lab work and his liver enzymes were off the charts. Several rounds of Xrays revealed his liver was extremely enlarged.

... The only thing that had changed was I administered Bravecto, based on recommendations by my dog's veterinary office. This was the first and ONLY time I will ever use this product. Over \$1000 later, lots of TLC and hand feeding, a whole new home-cooked diet, and expensive daily medications that were never needed before, and it's still a touch and go roller coaster ride, but we are nearing the end of the 3 months and he's still here. Just remember, this medication lasts for THREE months, so if it doesn't agree with your dog, it's not going anywhere for awhile, and there are no antidotes if it affects your pet. Please think long and hard before giving this to your furbaby!

I need help HAMPL 25th June 2017

Please include a liver detox and magnesium glycinate for my 3 yr old BostTerrier has suffered **2 seizures** since being administered "**Bravecto flea and tick**", vet believes unrelated, but the dog has never had seizure prior to this parasite preventative. many many thanks.

Emma (Melbourne)



Holistic Animal Remedies

CHEMICAL TICK COLLARS MANGE MITE TREATMENT

(demodex mites or skin demodex) **There are ALWAYS alternatives that are safe** - TICK AND FLEA e.g <https://keepthetailwagging.com/flea-and-tick-collars/>

Amitraz - Insecticides Poisoning in Dogs

Brand Names and Other Names of Amitra

Mitaban® (Upjohn),
Preventic® (Allerderm/Virbac),
Taktic® (Hoechst/Roussel) and various generic brands.

Uses of Amitraz for Dogs - **Amitraz is primarily used to treat the skin disease demodectic mange. It is also used for tick prevention.**

Mechanism of action of Amitraz poison is: The acaricidal and insecticidal activity effect on **octopamine receptors** of the nerve cells in the brain. Parasites become hyperexcited, paralyzed and eventually die. This too can cause central nervous system paralysis in your pet.

Symptoms of Amitraz insecticide poisoning (Amitraz toxicosis) in dogs include:

- Low blood pressure.
- Low body temperature.
- **Elevated** levels of blood glucose.
- Ataxia.
- Decreased heart rate.
- **Vomiting.**
- Diarrhea.
- Seizures.

The most common symptoms seen in a dog include:

- Vomiting
- Diarrhea
- Lethargy
- Weakness
- Staggering
- Disorientation
- Hypothermia
- Abdominal pain
- Light or severe depression

Reference: <https://wagwalking.com/condition/amitraz-insecticides-poisoning>

9. Apoquel drug - prescribed mainly for skin dermatitis issues for Canines. (atopic)
Pruritus control (not healing) associated with allergic dermatitis of atopic dermatitis in at least 12 months of age. (too dangerous to give to younger pets or feline use)

Adverse Reactions Studies

In a masked field study to assess the effectiveness and safety of oclacitinib for the control of atopic dermatitis in dogs, 152 dogs treated with APOQUEL and 147 dogs treated with placebo (vehicle control) were evaluated for safety. The majority of dogs in the placebo group withdrew from the 112-day study by Day 16. Adverse reactions reported (and percent of dogs affected) during Days 0-16 included diarrhea (4.6% APOQUEL, 3.4% placebo), vomiting (3.9% APOQUEL, 4.1% placebo), anorexia (2.6% APOQUEL, 0% placebo), new cutaneous or subcutaneous lump (2.6% APOQUEL, 2.7% placebo), and lethargy (2.0% APOQUEL, 1.4% placebo). In most cases, diarrhea, vomiting, anorexia, and lethargy spontaneously resolved with continued dosing. Dogs on APOQUEL had decreased leukocytes (neutrophil, eosinophil, and monocyte counts) and serum globulin, and increased cholesterol and lipase compared to the placebo group but group means remained within the normal range. Mean lymphocyte counts were transiently increased at Day 14 in the APOQUEL group.

Dogs that withdrew from the masked field study could enter an unmasked study where all dogs received APOQUEL. Between the masked and unmasked study, 283 dogs received at least one dose of APOQUEL. Of these 283 dogs, two dogs were withdrawn from study due to suspected treatment-related adverse reactions: one dog that had an intense flare-up of dermatitis and severe secondary pyoderma after 19 days of APOQUEL administration, and one dog that developed generalized demodicosis after 28 days of APOQUEL administration. Two other dogs on APOQUEL were withdrawn from study due to suspected or confirmed malignant neoplasia and subsequently euthanized, including one dog that developed signs associated with a heart base mass after 21 days of APOQUEL administration, and one dog that developed a Grade III mast cell tumor after 60 days of APOQUEL administration.

One of the 147 dogs in the placebo group developed a Grade I mast cell tumor and was withdrawn from the masked study. Additional dogs receiving APOQUEL were hospitalized for diagnosis and treatment of pneumonia (one dog), transient bloody vomiting and stool (one dog), and cystitis with urolithiasis (one dog). In the 283 dogs that received APOQUEL, the following additional clinical signs were reported after beginning APOQUEL: pyoderma (12.0%), non-specified dermal lumps (12.0%), otitis (9.9%), vomiting (9.2%), diarrhea (6.0%), histiocytoma (3.9%), cystitis (3.5%), anorexia (3.2%), lethargy (2.8%), yeast skin infections (2.5%), pododermatitis (2.5%), lipoma (2.1%), polydipsia (1.4%), lymphadenopathy (1.1%), nausea (1.1%), increased appetite (1.1%), aggression (1.1%), and weight loss (0.7%).

Side Effects of Apoquel for Dogs

(as its not recommended for cats do to acute toxicities reactions are fatal) Just like any other drug, Apoquel comes with its own set of side effects and possible reactions. Because of its immunosuppressive properties, it can increase your dog's vulnerability to infection. This includes demodicosis infections and neoplastic health conditions.



Holistic Animal Remedies

Other potential side effects of a pet taking Apoquel include:

- Vomiting
- Diarrhea
- Appetite loss
- Lethargy
- New cutaneous or subcutaneous lumps
- Decreased leukocytes
- Decreased globulins
- An increase of lipase and cholesterol

Also experienced:

- Bloodied diarrhea
- Pneumonia
- UTIs
- Skin and ear infections
- Histiocytomas
- An increase in appetite
- An increase in aggression
- And developed polydipsia

These side effects are similar to what a dog may experience when taking steroids. Note that some of the side effects from taking this drug may resolve on their own with continued use, as the body adjusts.

Oclacitinib (Apoquel™) used for:

- Control of atopic dermatitis without cortisone side effects
- Animals at risk of diabetes, cushings disease, obesity, pancreatitis
- Animals prone to infections
- Dogs only **Not good for: Cats (not suitable)**

COMMENTS from consumers

Skye Leibee

My dog was on Apoquel for one week when he began having seizures. We stopped the Apoquel, treated the seizures with phenobarbital for 5 weeks, and he was seizure free. He began chewing himself again, the dr said it was safe to put him back on Apoquel, which my dog did another round of for a week. He had a seizure, out of the blue, in the early evening of February



Holistic Animal Remedies

18. He subsequently had 2 more, within 2 hours of the first one. The last seizure came at about 1:30 am, on the 19th, which lasted about half an hour by the time we got him to the emergency vet. I had to say goodbye to my spunky dog of 12 years, who suffered a horrible grand mal seizure. Now I know he was an "older" dog, but he was otherwise healthy, with no history of seizures.

Reference: <https://dogshhealthproblems.com/apoquel-side-effects-in-dogs/>

ANTIBIOTICS

10. * METRONIDAZOLE

(Antibiotic drug)

Metronidazole is a prescription antibiotic used in dogs and cats to treat various conditions such as inflammatory bowel disease, nonspecific diarrhea disorders, infections caused by Giardia, and periodontal disease.



Holistic Animal Remedies

SIDE EFFECTS - The more common side effects that can occur include: headache, loss of appetite, nausea or vomiting, diarrhea, heartburn, cramping in your stomach area, constipation, metallic taste.

11. * DOXYCYCLINE

A Broad spectrum antibiotic (tablets or oral liquid) ALSO CALLED (Vibramycin®, Doxychel®, Doxy Caps®, Bio-tab®, Monodox®, Doryx®, Doxirobe®) [Read Page 35-39](#)

Doxycycline is a broad spectrum antibiotic that is a member of the tetracycline family. It is used to fight bacterial infections in dogs and cats. Doxycycline is used to treat many different bacterial infections including, leptospirosis, toxoplasmosis, mycoplasma, psittacosis, and tick borne diseases including Lyme disease, ehrlichiosis, and Rocky Mountain spotted fever. Treatments using Doxycycline are generally termed as a long term treatment.

SIDE EFFECTS and Drug Reactions

Doxycycline may result in these side effects: Nausea, Vomiting, Swallowing difficulties. If Doxycycline makes your pet nauseous, try administering it with food. If it makes your pet have breathing or swallowing problems, follow tablet with a small amount of water.

Doxycycline may react with these drugs: Antacids, Anticoagulants, Bactericidals, Barbiturates, Cathartics, Gastro-intestinal protectants, Aminophylline, Digoxin, Insulin, Iron dextran, Kaolin/Pectin, Methoxyflurane, Sodium bicarbonate, Theophylline .

USE CAUTION WHEN ADMINISTERING THIS DRUG TO YOUNG PETS, PREGNANT OR LACTATING PETS, OR PETS WITH **SEVERE LIVER DAMAGE. (AS THIS DRUG DAMAGES THE LIVER EVEN MORE SO)**

12. * CLAVAMOX

broad spectrum antibiotic for cats and dogs.

Clavamox is a mix of amoxicillin and clavulanic acid, two medications that work in combination to fight bacterial infections. Clavamox may be used to treat skin wounds and abscesses, urinary tract infections, tooth infections, pneumonia, injuries caused by bites and other infections. The medication cannot be used to treat infections caused by a virus or parasite.

Side effects are commonly seen:

- Diarrhea or loose stool



Holistic Animal Remedies

- Allergic reaction (labored breathing, hives, etc)
- Loss of appetite.
- Vomiting/Nausea.

13. * **BAYTRIL** (Enrofloxacin)

broad spectrum antibiotic

Side effects are commonly seen:

- Loss of appetite.
- Vomiting.
- Diarrhea.
- Lethargy.
- Convulsions.
- Seizures in pets with CNS disorders.
- Cataracts if given long-term.

We have safe natural medicines to treat infections. (**HAMPL Infection Fighter 71 50m**)

Homeopathic "Tautopathic" Treatment [See page 35-39](#)

The homeopathic DOXYCYCLINE - broad spectrum antibiotic (Vibramycin®, Doxychel®, Doxy Caps®, Bio-tab®, Monodox®, Doryx®, Doxirobe®) in a 30C or 200C Will clear side effects as well as in a this will clear symptoms of **candida yeast infections** or prevent it. (**Chemical Detox 110 or Pet Cleanse 42 formulas**)

FUNGAL TREATMENT DRUG

14. **FLUCONAZOLE** Drug

is an antifungal drug effective against fungus and yeast (e.g Ringworm treatment)

It is typically used for skin infections, fungus in the nailbeds, and more intense fungal infections including Blastomycosis and Histoplasmosis. It is related to Ketoconazole, but is able to more effectively cross the brain-blood barrier, making it more successful in treating fungal infections of the central nervous system. Fluconazole is



also USED against ringworm, but is typically reserved for more serious infections.

Side Effects and Drug Reactions

Fluconazole has been found to be very safe in pets, but not extensively researched. These side effects have been observed in humans on this drug:

- Allergic reaction (labored breathing, hives, etc)
- Vomiting
- Diarrhea
- Skin rash
- Loss of appetite
- Dark urine or jaundice due to liver failure
- Pale tongue, gums, and nose

Fluconazole will react with these drugs:

- Amphotericin B
- Cyclosporine
- Hydrochlorothiazide
- Rifampin

DO NOT GIVE FLUCONAZOLE TO PREGNANT PETS. USE CAUTION WHEN ADMINISTERING THIS DRUG TO DIABETIC PETS, LACTATING PETS, KIDNEY DISEASE, OR LIVER DISEASE. AS THIS DRUG AFFECTS LIVER AND KIDNEYS IN A NEGATIVE WAY, THUS FURTHER DAMAGES THE ORGANS.

PAIN RELIEF using a anti inflammatory drug

15. * **METETACAM** (Meloxicam)

Oral Suspension for dogs and cats - **as a anti inflammatory**

Each mL contains 0.5 mg meloxicam in a yellowish suspension with an odour of honey and 1.5 mg of sodium benzoate (Ph. Eur.) as the preservative. Is a nonsteroidal anti-inflammatory drug (NSAID). Meloxicam works by reducing hormones that cause inflammation and pain in the body. It is often given after surgery.

Warnings: Should not be administered if gastric or intestinal ulceration or bleeding is



Holistic Animal Remedies

suspected; if there is evidence of cardiac, hepatic or renal disease; or if there is evidence of a haemorrhagic disorder or individual hypersensitivity to the product. Do not administer concurrently, other steroidal or nonsteroidal anti-inflammatory drugs (NSAIDs), aminoglycoside antibiotics or anticoagulant agents.

Pre-treatment with other steroidal or nonsteroidal anti-inflammatory drugs (NSAIDs) may result in additional or increased adverse reactions and accordingly a treatment-free period with such drugs should be observed for at least 24 hours before commencement of treatment depending on the pharmacokinetic properties of the products used previously. Repeat dosing in cats at doses higher than currently recommended has been associated with acute renal failure and death.

SIDE EFFECTS

Typical adverse reactions of NSAIDs, such as loss of appetite, vomiting, diarrhea, apathy and renal failure have occasionally been reported. These adverse effects are in most cases transient and disappear following termination of the treatment but in very rare cases may be serious or fatal.

In some cases, death has been associated with some of these adverse reactions.

Systemic: anorexia, lethargy, death.

Gastrointestinal: vomiting, diarrhea.

Renal and urinary: renal disorder, renal failure, urine abnormalities. Repeat dosing in cats at doses higher than currently recommended has been associated with acute renal failure and death. ~ **The most common adverse reactions reported involve the kidneys and the gastrointestinal tract.** Typical symptoms include loss of appetite, depression and vomiting. It is important in these situations to discontinue treatment immediately and contact your veterinarian. In most cases, the adverse reactions are transient and disappear after termination of treatment but in rare instances may be serious especially if treatment is not discontinued. Consult your veterinarian.

PAIN RELIEF DRUG

16. * TRAMADOL

pain relief drug

This medication is used to help relieve moderate to moderately severe pain. Tramadol is similar to opioid (narcotic) analgesics. It works in the brain to change how your body feels and responds to pain.



Holistic Animal Remedies

SIDE EFFECTS - Stop using tramadol and call your veterinarian at once if your pet has any of these serious side effects: **seizure; a red, blistering, peeling skin rash; or shallow breathing.** Less serious side effects may include: **drowsiness, weakness; vomiting, constipation, loss of appetite; blurred vision; insomnia.**

PAIN AND INFLAMMATION DRUG

17. FIROXIB drug

(use for pain and inflammation associated with osteoarthritis)

Firocoxib (Previcox) is used in dogs for pain and inflammation associated with osteoarthritis. Firocoxib is also used to help control postoperative pain and inflammation associated with soft-tissue and orthopedic surgery.

Side Effects Firocoxib (Previcox) like other NSAIDs may cause some side effects. The most common side effects of Firocoxib involve digestive issues such as vomiting and decrease appetite. Other possible side effects of Firocoxib include:

- Change in bowel movements (diarrhea, or black, tarry or bloody stools)
- Change in behavior (decreased or increased activity level, incoordination, seizure, or aggression)
- Jaundice (yellowing of gums, skin or whites of eyes)
- Increase water consumption or urination changes (frequency, color, or smell)
- Skin irritation (redness, scabs, or scratching)
- Unexpected weight loss

It is important to stop the medication and immediately contact your veterinarian if you think your dog has any medical problems or side effects while taking Firocoxib (Previcox).

Precautions - Firocoxib (Previcox) is for use in dogs only. Firocoxib should not be given to dogs that are hypersensitive to NSAIDs. Firocoxib should not be given with any other NSAIDs, including: Carprofen (Rimadyl), Meloxicam (Metacam), Etodolac (Etogesic), Deracoxib (Deramaxx), Aspirin. Dogs that are dehydrated, on concomitant diuretic therapy, or those with existing renal, cardiovascular, and/or hepatic dysfunction are at a greater risk for experiencing adverse events.



Holistic Animal Remedies

Use of Firocoxib (Previcox) at doses above the recommended dose in puppies less than seven months of age has been associated with serious adverse reaction, including death. Drug Interactions Firocoxib (Previcox) should not be given with other NSAIDs or corticosteroids (e.g., prednisone, cortisone, dexamethasone or tramcinolone).

Signs of Toxicity - Firocoxib (Previcox) can cause:

Loss of appetite, Vomiting, Diarrhea, Dark or tarry stool, Increased thirst, Increase urination, Pale gums, Jaundice, Lethargy, Fast or heavy breathing, Incoordination, Seizures, Behavior changes.

*If you suspect or know your dog has had an overdose, it could be fatal so please contact your veterinarian, an emergency vet clinic, or **the Pet Poison Helpline at (855) 213-6680 immediately.***

SYNTHETIC STEROIDS

- 18. * Prednisone (Prednisolone)** Brand names: Prednisone Intensol and Rayos
Cortisone (hydrocortisone) Brand names: A-Hydrocort, Solu-CORTEE, and Cortef.

What this drug does

Prednisone and hydrocortisone are synthetic corticosteroids used for suppressing the



Holistic Animal Remedies

immune system and inflammation. Both drugs are used to treat many conditions including arthritis, colitis, asthma, bronchitis, skin problems, and allergies.

- Brand names of prednisone include - Prednisone Intensol and Rayos. Brand names of hydrocortisone include A-Hydrocort, Solu-CORTEE, and Cortef.
- Common side effects of both prednisone and hydrocortisone include retention of sodium (salt) and fluid, weight gain, high blood pressure (hypertension), potassium loss, headache, muscle weakness, nausea, vomiting, acne, thinning skin, restlessness, and psychiatric disturbances (depression, euphoria, insomnia, mood swings, personality changes, and psychotic behavior).
- **Prolonged use** of prednisone or hydrocortisone can depress the ability of body's adrenal glands to produce corticosteroids.
- **Abruptly stopping prednisone or hydrocortisone** can cause symptoms of corticosteroid insufficiency, **such as nausea, vomiting, weakness, fatigue, decreased appetite, weight loss, diarrhea, abdominal pain, and shock.**

Prednisone and prednisolone are medications acts on almost every part of the body and have a wide range of effects including reducing inflammation, suppressing the immune system, inhibiting healing, altering mood, stimulating appetite, increasing the secretion of gastric acid, weakening muscles, thinning the skin, and more. In your pet's liver, prednisone is converted to prednisolone.

Pets with liver problems are not able to make this conversion effectively, and many veterinarians believe that these pets should only be given prednisolone. Cats also have a limited ability to convert prednisone into prednisolone, so prednisolone is the preferred medication in this species.

Side effects - Prednisolone drug (cortisone)

Side Effects of Prednisone and Prednisolone. When pets have to be on prednisone or prednisolone at high doses and/or for long periods of time the risk of significant side effects like the following rises.

- An increased risk of infection



Holistic Animal Remedies

- Altered behavior, including aggression
- Inhibited growth in young pets
- Development or worsening of diabetes
- Cushing's disease
- Vomiting
- Diarrhea
- Ulceration of the digestive tract
- Lethargy
- Delayed healing

A pet that has been on years of prednisolone will need to have his/her immune system treated and repaired from an initially low immune system (allergy reactions) and further damage from overuse of prednisolone drug injections.

There are many many more drugs that are available.

If you don't see your drug (liquid, oral tablet, or injections, topical applications, skin treatments etc). If you need help, please save a tiny sample and post to clinic with name of drug and your full name and address so we can help -post back to a homeopathic drug detox drops from short term or long term side effects and organs damages. When we give this drug in homeopathic form in a 30C or 200C (called tautopathic therapy [SEE PAGES 35-39](#))

e.g Homeopathic "Tautopathic" Treatment

The homeopathic DOXYCYCLINE - broad spectrum antibiotic (Vibramycin®, Doxychel®, Doxy Caps®, Bio-tab®, Monodox®, Doryx®, Doxirobe®) in a 30C or 200C Will clear side effects as well as in a this will clear symptoms of **candida yeast infections** or prevent it. ([Chemical Detox 110](#) or [Pet Cleanse 42 formulas](#))

Also important to use in conjunction with

"Activated Charcoal" Health Benefits

Why "activated Charcoal powder"?

Health Benefits The American Journal of Gastroenterology published a study reporting a scientific claim that activated charcoal can reduce the build-up of **nitrogen waste** in the body; e.g. ..UREA levels (toxic waste) from kidneys. Research studies have also shown that **activated charcoal decreases the toxic load on the body by over 60% with daily use**. This is due to its ability to bind and grab up chlorine, pesticides and herbicides, bacteria, viruses, yeast, parasites, toxic chemicals and endotoxic metabolites.



Holistic Animal Remedies

Endotoxins These are substances that are produced within our body. This would include toxins produced by our gut bacteria, molecules formed by incomplete liver conjugation and ammonia which can arise due to inadequate kidney filtration.

Kidney Cleansing—The kidneys are critical to filtering and removing toxins through the urinary system. Additionally, it takes urea out of the body and when it is functioning poorly it can lead to elevated ammonia, which is extremely toxic to the brain. Poorly functioning kidneys are also major contributors to blood pressure problems and cardiovascular disease. It also absorbs toxins in the kidneys and livers preventing a toxic overload, and at the same time allowing the vital organs (.. liver and kidneys) in the body to function normally. It also can help to eliminate the toxins in the body because it stimulates the bile flow

SUGGESTION

to assist your pet with – whether acute or chronic kidney weakness. Starting adding activated charcoal to your pets daily meals. e.g. get the "activated charcoal" in powder form.

PUPPY give approx: 1/4 teaspoon of the powder to meals or milk drinks.

ADULT PETS: use 1 capsule of the powder or 1/2 a teaspoon in meals and/or milk drinks.

MULTIPLE PETS (cats and dogs), add 2 capsules or 1 teaspoon the powder into a jar with a screw lid (one or 2 cups of filtered water).

Can add the homeopathic detox remedies (along with) things like the Bioplasma drops (tissue salts) is great for growing infants and run down pets and kittens who may have had parents who were mal-nutrition or feral etc, homeopathic **ParaExpel**

wormer and **DrawingOut 16 drops** if teeth or skin issues. Shake before adding to each meal or/milk drinks. pour about a tablespoon or so of the liquid each time.

TWICE a day for one month to help detox from the heavy metals from the vaccines.

Once pet has recovered, continuing using the Activiated Charcoal powder once a day for good health. For humans a capsule in the evening before bed. Dr

Robin Murphy recommends.

The found of Homeopathic medicine the physician Samuel Hahnemann said to "remove the obstacles to the cure"

Dr Robin Murphy .. says... Allopathic prescribed drugs kill outright 120,000 people per year: these are the reported cases only.

Indirectly they kill many more thousands of people. Modern medicine uses weird numerology to manipulate the statistics and they call it a medical science. The average



Holistic Animal Remedies

American has a 9000% greater chance of dying from allopathic drugs than from a loaded gun in their own home.! A person has double the chance of dying from their doctor than from a car accident.

Classical Homeopathy is useless in cases of severe pathologies and patients on allopathic drugs.

My practice consists of 60% to 70% of these types of patients. Most patients today are on 2-3 different drugs. Therefore we should be familiar with the top allopathic drugs being prescribed today. We need to know the top heart, blood pressure and diabetic remedies, etc. We need to know: drug side affects, drug overdoses, withdrawal symptoms, etc. We need to know them as potentized remedies also.

In homeopathic prescribing, I never take a patient off their drugs, therefore the allopaths don't object. I always give low potencies of the indicated remedies along with herbal tinctures. Why? Because low potencies given daily are less prone to be antidoted by the drugs. I give higher potencies for drug overdoses, and acute withdrawal symptoms.

Once the patient is doing better, the drug doses are lowered and eventually stopped. We can get patients off their drugs by treating the underlying reason they are taking the drugs.

As the allopathic drugs are reduced, the cure rate is increased.

There are 1500 new drugs annually, these drugs are new to the human gene pool. Therefore any approved drug is still one foreign to human DNA for generations. The true toxics effects of any drug may not be known for at least 40 years or longer.

Human are being chemically manipulated, poisoned and experimented on, for money and no other reason. Chemotherapy is as toxic as getting cholera and but we have to pay the chemo poisoning and cholera is free! We are also being poisoned by Synthetic Chemicals called Xenobiotics that have been around since the early1900's. Since then there are thousands new xenobiotics every year also. Tap water has 56,000 xenobiotics, the US government tests for only 56 additions of these chemicals added to tap water.



Holistic Animal Remedies

Since 1900, 2 million pesticides, herbicides and chemicals are in the human blood stream.

Example: In brain tumour cases, a chemical called Sodium Laurel Sulphate may be a cause of the cancer. This chemical is found in most shampoos to create foam, even the ones in the health stores. Sodium Laurel Sulphate is detected in the blood stream after one use only. We shampoo our babies hair with a cancer causing agent on a daily basis!

The Nine Methods of Tautopathic Prescribing

A practitioner needs to be familiar with the Mims or BNF (British National Formulary) of allopathic drugs. It is important not to be prejudice about Allopathy, but to understand their drugs, as any morbidic agent, such as a grief or trauma. In the treatment of patients who are on drugs, if you can use tautopathy first, you can demonstrate what homeopathy can do.

HAMPL CLINIC 60 Angove Street, North Perth WA 6006, Australia
Ph: (+ 61) 1300 132 966 Fax (+ 61) 1300 855 183 Web: www.holisticanimalremedies.com



Holistic Animal Remedies

1. Tautopathic Prescribing for Drug Side Effects.

Drug side effects are a major obstacle to the cure. The biggest hazard lies in mixing up the case. We can get acute side effects of drugs and chronic symptoms of the patient confused. It's important to separate these two. We need to learn to distinguish between the side effects of the drugs and the symptoms of the patient when we analyze the case history. We need to learn the symptoms of allopathic drugs like we do with the homeopathic remedies.

Example: You might ask, "did you have these symptoms before or after a drug?" Then, depending on the answer, you might look at remedies like Oophorinum, Ovarian, Oestrogen etc for hormonal cases.

2. Tautopathic Prescribing for DRUG LAYERS

"Never been well since taking a drug or chemical poisonings" is a common phenomenon in modern practice. Drug poisonings can leave a drug layers. If a drug layer exists in the case then it must be removed first. Otherwise the patient's health will not improve. Mixing these drug layers with the general case is a big mistake. Also ignoring the top layer of the case can lead to a failure to cure or even palliate.

3. Tautopathic Prescribing for DRUG WITHDRAWALS

The drug withdrawal symptoms are a whole new case. Treat all drug withdrawals as acutes, and use the tautopathic remedies in higher potencies. Flush the drugs out with water, by putting the tautopathic remedies in water.

Also use herbal tinctures to help with the detoxification process. Avena Sativa for morphine or heroin withdrawal. Chemotherapy and radiotherapy should be treated as acute poisonings. Go for the herbs that fit the organ and give the tautopathic remedies.

4. Tautopathic Prescribing for DRUG Addictions

Clinical homeopathy can assist greatly in the removal of cravings and addictions. Both psychological and physiological addictions can be treated effectively. Cravings for cigarettes, alcohol, coffee, marijuana, or allopathic drugs are all treatable with tautopathics. Is this being taught in the homeopathic colleges? **Example:** for alcohol craving: Lachesis, Quercus rubens,



Holistic Animal Remedies

Sulphuric acid or Amethyst, (known as the sobriety stone). However, Alcohol in potency is a great remedy. Alcohol dehydrates the brain and can lead to many chronic disorders, including epilepsy.

5. Tautopathic Prescribing for DRUG and Chemical OVERDOSES

Acute drug overdoses are a common cause of death in our society. Knowing the correct tautopathic or homeopathic remedies can save someone's life.

Example: Barbiturate overdose symptoms are slurred speech, drowsiness, murmuring, and heavy eyes, followed by coma and death. Phenobarb. in potency is the antidote for phenobarb. The clinical picture of Gelsemium also fits.

6. Tautopathic Prescribing of ALLOPATHIC Drugs based on their ALLOPATHIC indications, AS IN THE BNF / MIMS.

In spite of all the new provings going on these days, I believe learning allopathic drugs is more important. We instantly have 1,000 new chemical remedies. This involves prescribing a remedy based on its allopathic indications, because it is already a well-proven remedy.

Example: Ritalin is used in hyperactivity therefore it has that similar affinity, for that disease. It is a stimulant that treats over stimulated children. Therefore Ritalin in potency is a great remedy for treating hyperactivity.

Example: Dopamine is the drug for Parkinson's disease. Therefore Dopamine is a remedy for Parkinson's disease. These patients also have a dopamine deficiency.

Example: a child is a Silica constitution at birth, but after abuse goes into a Staphisagria layer, then, after difficult teenage years he gets given Prozac. These remedies have an affinity for each other, the fact that prozac treats a Staphisagria like condition means that the patient is sensitive to prozac. Drugs like prozac are new remedies: they stand with staphisagria, Arsenicum & Carcinoin.

We must be unprejudiced and treat them like another remedy.

7. Tautopathic Prescribing of ALLOPATHIC Drugs and Chemicals based on their HOMEOPATHIC indications.

Remedies like Lithium, Alcohol, Mercury, Lead and Adrenalin have been in the repertory for over a hundred years; via provings and case histories we have the indications for prescribing them as



Holistic Animal Remedies

homeopathic remedies. That means any drug or chemical can be used as a remedy to treat things beyond it's normal allopathic indications.

8. Tautopathic Prescribing of PREVENTATIVE REMEDIES

Also known as prophylactic tautopathy: If one knows a person is about to be exposed to a toxic substance then one can give a tautopathic remedy to help them through the toxic exposure.

Example: Before a visit to the dentist give the anesthetic in potency, especially if the patient has a history of poor recovery from that drug. Likewise for chemotherapy you can give Cadmium sulph., on the day of the chemo treatment to lessen the side effects of the treatment.