



HAMPL™ Pet Formulas

Holistic Animal Remedies

PRODUCT CODE AN276	Dr Bens Cedar Oil Spray	25 Pages
	Natural Flea & Tick Deterrent	
Last Updated: 2-02-18	All Species (except cats and birds, other small species)	

THE SAFE "NON-POISONOUS" Way

Tick and Flea "Chemical Free" and Effective Alternative for Canines

PREVENTION

1. Dr. Ben Cedar Oil TOPICALLY

Cedar Oil Spray - safe non-toxic. It is potent, so very little is needed. * not for very small animals. cats or kittens.

To Rid Fleas and Flea cycle - safely without poisoning you, your pet or family members.

ENVIRONMENT

To Rid Fleas and Flea cycle

1. Diatomaceous Earth (DE) dry talc. (not pool grade DE)

An excellent choice for short term problem remediation and, longer term, keeping bugs at bay with regular reapplications. Dust pets bedding and areas where the pet sleeps, including carpets, lounges, and rugs.

Topically, use sparingly and lightly working the product into the hair using a brush or comb. Paying attention strict attention to the areas that the animal cannot scratch such as the scalp. * **Avoid face and nose, eyes and ear area.**

Did you know ... that fleas actually breed and live in sandy areas outside, and then jump off and on our pets. And then once they come inside the fleas (as they do not live on a pet) will jump off and on. And thus start breeding cycle inside as well.

IN-HOUSE TREATMENT

Borax Powder

- Using 1 cup of Borax powder (not toxic it is 100% natural trace mineral)
- 12 drops of Lemongrass essential

In a medium glass bowl, add the borax along with the lemongrass essential oil and stir to combine. Transfer the mixture to a sugar shaker. Sprinkle the powder generously on the carpet. Allow the treatment to remain in place for a few hours or overnight, then vacuum the carpet. Repeat the treatment once a day as needed.

Treat carpets, bedding and outside areas.

NOTE: We have found if we stop the flea cycle in the carpets and outside, then you will find less and fewer fleas jump off and on our pet. Then once floors and sandy areas outside has been completed over a couple of weeks, you will then notice no more fleas on your pet/s. It's as simple as that.

While we treat the floors and outside, you can also gently use a flea comb (having a cup of hot water beside you) dipping the comb into hot water to kill the fleas that are caught in the comb.

Did you know ... that fleas actually breed and live in sandy areas outside, and then jump off and on our pets. And then once they come inside the fleas (as they do not live OR breed on a pet) will jump off and on.

And thus start breeding cycle inside as well.



Did you know that “Fleas” do not “live” or “breed” on your pet.

Once the flea is in a hospitable breeding environment, the fleas will jump off and on your pet. With some pets, when a flea bites them, they get an allergy reaction in that area, hence the biting and scratching on the skin irritation.

There are two (2) types of flea’s **sand fleas** and **canine fleas**. So the idea is to stop them breeding and jumping on and off your pet. They will breed in the sandy areas of the garden or park. Once brought inside when they will jump off your pet & also start to breed in the carpets. Why poison your pet’s body (blood) with toxic insecticide chemicals, when it is the environment we need to control and stop the flea egg cycle.

Flea Problem solution – naturally!

You can AVOID using these types of highly toxic products offered as bomb or sprays, tablets, drops and injections. Choice a simple, toxic free way to keep fleas, ticks and mosquitos away or use to de-flea kittens, cats, puppies and dogs.

FELINES: I like to use a flea comb if there is any fleas found. Then if needed very little (after apply one spray on one of your hands rub hands together) and gently pat on back and tummy with Cedar oil.

Natural **Cedar Oil Spray as protection** if going to the park and it is summer season (if fleas are around at all)

DR. BEN’S PAWS & CLAWS formula is safe and natural. CEDAR OIL for more than a 1000 years is and has been a proven method of pest control that emphasizes simple, inexpensive, 100% organic practices that cause no harm to people or the environment. CEDAR OIL focuses on building a barrier of entry on the perimeter of your property, so bugs stay out of your yard, which means they stay out of your home. At Cedar Oil Industries we are dedicated to reducing the health risk and environmental impacts of pesticides and promoting organic alternatives to homeowners across America and Australia, one home at a time.

Dr Bens Cedar Spray PLEASE READ INSTRUCTIONS BEFORE USING

INSTRUCTIONS:

LARGE PETS: Simply spray on your pet's coat; (NOT FACE) rub it in. Inhaling the spray can be quite overwhelming so avoid this. Do not get in eyes. * Repeat as often as necessary, before taking a walk or going in the yard, spray feet, legs, pits, groin, belly, neck, tail and rectum area. NOT FACE OR HEAD.

PUPPIES (over age of 4 months): When applying on puppies spray a very very small amount onto one hand and rub hands together first, then gently pat on back and under belly. MUST Avoid around the face – head area and feet. Avoid face area.

AVOID using on birds, small animals, cats and kittens.

WARNING

1. **AVOID using the Cedar Oil if one of your cats is SENSITIVE to smells and chemicals etc. and e.g. tend to have ALLERGIES to THING causing asthma, skin issues** flea bit allergy, dairy and commercial foods – itchy skin, dandruff. Instead use flea comb and HAMPL homeopathic flea allergen drops. And Borax Powder on floors and wash bedding etc.
2. **AVOID using NEW BORN PUPPIES OR KITTENS, NURSING MOTHERS**
If you have a flea problem USE flea comb and Borax powder to stop flea cycle in carpets and sandy areas outside.
3. **DO NOT USE or Spray on / or around EXOTIC PET BIRDS, RABBITS, RODENTS, SNAKES, FERRETS OR GUINEA PIGS or KITTENS AND PUPPIES under the age of 4 months. DO NOT wash or rinse your pet with Cedar Oil in water.**

ALLERGY to "Flea Bite"

Some pets have a allergy reaction to the saliva of a flea bite, if yours has this problem, then use In conjunction with the homeopathic HAMPL Flea bite allergy immune formula and HAMPL Itch topical spray IF YOUR pet has a allergy to flea bites – scratching and sores on back.

You will also need to Stop the FLEA cycle using BORAX POWDER:

Using the "**Borax" Powder** (from supermarket- buy a couple of containers) Sprinkle the powder all over your Carpets, mats, tiles and bedding (leave for 10 min) then vacuum up afterwards (this rids flea egg cycle infestations). Start doing this before flea season, so you stop the flea cycle and eggs straight away.

At the same time removing the fleas from the pet using a Flea comb or/and washing (dogs only). Rinse with borax water (optional) However once the fleas are off, new fleas can jump back on, so the aim is to stop flea cycle in their environment.

Here is how to do this - Sprinkle outside where your dog OR cat sits or lays. Do this a couple of times just before summer when flea eggs are hatching and jumping on your pets from the carpet or sand outside. When treating outside areas you need to wet the area first to bring the Fleas to the surface then apply the **Borax**. Wet the treated area after 10 to 15 min to dissolve the Borax. You may have noticed that some animals seem always to be infested with parasite—so fleas, worms, ticks, etc.—while others (even in the same household) have only occasional and relatively minor problems. The reason for this can often be found by comparing the general health of the animals' skins. Skin is the fastest-growing organ of an animal's body, with the outer layer of cells being replaced every three weeks. Optimum nutrition is essential for healthy skin; if your pet is not properly nourished, the skin will be the first area of its body to exhibit problems.

Dry, unhealthy skin causes itching, as well as more severe reactions to fleabites—the skin sometimes actually falls apart and bleeds. In such cases, the fleas have a picnic. They don't have to work (that is, chew) to extract their measure of blood, and so appear in huge numbers.



Holistic Animal Remedies

If this happens to your pet, it's important to realize that the fleas didn't cause the skin ailments—they only worsened a previously existing situation. With this in mind, I've solved the flea and skin problems of numerous dogs and cats simply by improving their diets.

SHAMPOOING

In addition to proper food, frequent grooming is essential to keep fleas away from your pet. Shampooing with a **mild organic** lotion or **NEEM SOAP** will kill many fleas by drowning. Afterward, a lemon rinse will tone the cleansed skin, leaving a residual citrus odor that will help repel fleas for a while.

To make such a rinse, slice one WHOLE LEMON and drop the slices—peeling and all—into a pint of very hot water. Allow the lemon water to steep over night, remove the pulp by filtering or straining. Sponge the lemon rinse onto your pet's skin and allow it to air-dry (don't towel). This treatment is nontoxic and can be repeated daily until the skin condition improves.

SKIN RINSING – BiCarb Soda Wash ALSO if you want to use a skin rinse from riding FLEA's, use a bucket of warm water with half a cup of BiCarb Soda powder dissolved into it.

DO NOT wash or rinse your pet with Cedar Oil in water.

SUPPLEMENTS

Dietary supplement adding the "Zinc Picolinate" capsule or tablet. This mineral is essential for healthy skin, but is lacking in many pets' diets. Crush add powder of Zinc: 10 mg daily for cats and toy dogs and small to med dogs; 20 mg: while 50mg for med to large canines.

CHEMICAL PRODUCTS

These are all an effective alternatives to the mainstream poisonous products like **Frontline Plus, Advocate, Advantix, Revolution, Sentinel Spectrum, Advantage, Drontal, Capstar, Heartgard, Interceptor Spectrum** used in the Veterinary industry as a Flea & Tick Control, Heartworm Prevention, Intestinal Wormers.

For your information about all the "Flea Chemical" products for pets:

Organophosphates and carbamates are two of the most common synthetic pesticides found in flea killers. Both are nerve-paralyzing agents capable of causing convulsions, nausea, and respiratory arrest—in host animals as well as in the insects they're intended to destroy. Consequently, there are many cases of pesticide—related poisoning each summer—many involving not only pets, but also children who handle pesticide-treated animals. These chemicals, especially in liquid form, can be absorbed through the animal's skin and taken up by the blood this blood filters through all your major organs. Basically it is poisoning your pet's blood. In addition to the potential for immediate poisoning, long-term treatment with synthetic pesticides can eventually lead to kidney failure and other medical complications. I'm convinced, (alone with other Animal Practitioners) for instance, that some of the cancer seen in companion animals is related to the use of chemical pesticides against fleas.

An All Natural Homemade Pest Deterrent for Cats

Dr. Becker's recipe for cats is very similar to the one for dogs.

The recipe for Felines:

Mix 8 ounces of pure water with 4 ounces of organic, unfiltered **apple cider vinegar**, plus **10 drops of neem oil and 10 drops of catnip oil**.

Cats and essential oils can be tricky, so we want to leave essential oils out of the kitty recipe. Neither neem nor catnip oil is truly essential oils — they're distillates, so we're safe using those.

Catnip oil works to deter mosquitoes as well. Cats aren't prone to heartworm, which is a mosquito-borne disease, but dogs are. So those are two easy, all-natural recipes you can use to deter pests and as a bonus, they also make your dog or cat smell wonderful! You can use them during flea season, tick season and all summer long, and feel good that you're not using pesticides on your pet.

How to Make your own "Catnip Oil"

A common method used to make catnip oil is a steam distillation of the leaves and flower or buds. However, if you have catnip at home or live in an area where the plant grows, you can make an oil-based infusion.

1. Gather catnip leaves and stems, and chop finely to expose more surface area of the plant.
2. Cover the bottom of a casserole dish with the plant and then immerse the greens in olive oil.
3. Heat at about **200 degrees Fahrenheit** for two to three hours in a very slow oven.
4. Once cooled, strain out the leaves and **refrigerate the oil** until ready to make your Pest Recipe Mlx for your dog or cat.

Skin Allergy Reactions?

Using in conjunction with the homeopathic **HAMPL Flea Allergy Dermatitis drops** to the toxic insecticide products.

Have you noticed, when you take your dog or cat to the veterinarian because of itchy skin, you are almost always told it is because your pet has fleas?

Often, you are sold flea shampoos, monthly flea chemicals, and told to go home and fumigate your house and yard. Even though you cannot find evidence of any fleas, you still go home and do this. Unfortunately, the skin irritation may still continue, because your pet never had a flea allergy dermatitis in the first place!

What is a flea allergy dermatitis (FAD)?

According to Wikipedia, a flea allergy dermatitis begins as a very itchy, red, raised area of skin, occurring in pets and their owners, due to the bite of the flea. It is thought the clinical effects that the flea bite causes its victim, comes from an allergic reaction, due to the chemicals present in the flea saliva.

Almost any inflammation of the skin occurring on your pet will be diagnosed as a flea allergy dermatitis, which is often not the case. If you have multiple pets in your household, have you noticed that possibly only one pet is bothered by fleas? This is because that pet has either a nutritional or a hormonal imbalance, and the fleas are attracted to that pet, to actually cause that pet to succumb!

Nutritional deficiencies can obviously come from being fed improper nutrients, however, when all the pets are being fed the same, and only one pet has the nutritional deficiency, what is the cause?

The cause can come from an enzyme deficiency from the pancreas. This condition is referred to as a Trypsin Deficiency. When this enzyme is deficient, protein, carbohydrates, and fats, will not be broken down effectively for absorption by the gut, and a nutrition imbalance will result. Often blood tests done for trypsin levels, do not correspond with a number of enzymes that are present, in the actual gut. Pets that have this condition, often have a need to ingest inanimate objects, in order, to fulfill their nutritional needs. This is found much more frequently in dogs than in cats.

Often these pets will lick the ground and their owner incessantly, eat paper, grass, rocks, and plastic and in extreme cases will eat their own stool or the stool of another pet that has a trypsin deficiency.

The reason for ingesting stool in the first place is due to the presence of undigested food that remains in the stool. Another sign of a trypsin deficiency is the inability of a puppy to absorb calcium properly, which in turn, creates lengthened tendons and ligaments. This is easily viewed by the pet owner, by looking at the wrists of your pet and identifying curved or bent wrists. Your veterinarian can help you identify this condition if you are not sure. Also, the rear paws may point slightly lateral in their position. This condition is called cow hocked.

A trypsin deficiency can be corrected by adding plant-based digestive enzymes to each meal the pet eats. Once proper nutritional absorption occurs, the flea infestation in that one pet should dissipate. Another condition that will cause a pet to have a flea infestation, can be caused by a hormonal imbalance. This is something you can read about on this website. Please know that inflamed skin on the back and near the tail, can also occur from an inhalant allergy, and not just from a flea allergy dermatitis. If your pet bites its feet, has inflamed ears, and the skin of the abdomen is also inflamed, this is most likely due to a food allergy and not fleas!

These particular allergy sites contain mast cells which, when adversely stimulated by a food allergy, release their histamines and cause inflammation at those sites.

NOTE: Please be careful of foods that contain plant-based estrogens called phytoestrogens which will cause further inflammation. Read this article on "Natural Estrogens That Occur In Nutrients" **by Dr. Plechner DVM**

WARNING Pesticide Flea and Tick Product - "Bravecto"

"**Bravecto**" has been available worldwide for almost 18 months, in the United States for 1 year and here in Canada for about 8 months. To date, virtually all adverse reactions that have been seen or reported pertain to the gastrointestinal system, ie vomiting, decreased appetite, diarrhea, lethargy, excessive drinking, and gas. to serve liver damage and pancreatitis, death.

We have heard from a number of pet owners having cysts in-between the toes, and they are also on the Apoquel drug for skin allergies.

Some Vets have cut them out to get tested (not being aware of these symptoms are possible drug side effect related).

Apoquel DRUG - prescribed for skin allergies.

SIDE EFFECTS

In the margin of a safety study on 12-month old dogs, some of the symptoms that were considered likely to be related to Apoquel included:

~ *papillomas (warts)*

~ *interdigital furunculosis (cysts) with related dermatitis symptoms (local alopecia, erythema, abrasions, scabbing /crusts edema of feet*

~ *lymphadenopathy (abnormal or swollen lymph nodes) in peripheral nodes*

Yes, you read right ... the side effects include various types of skin disease in dogs who are being **treated for allergies!**

Reference: www.dogsnaturallymagazine.com/wouldnt-give-dog-new-allergy-drug/

PREVENTION

HAMPL HeartWorm Free 177 200ml *herbal heartworm formula

Contains Herbal Concentrate and Homeopathic are: Black.W.Hull, Hawthorn Berries herb, with Homeopathic Ars Alb and Heart Worm (Dirofilaria Immitis) Nosode 6C, 200C, with HAMPL Heartworm 293 formula.

HERBAL - ANIMAL DOSAGE SCHEDULE

Animal size “HAMPL HeartWorm Free 177” 200ml Bottle (herbal heartworm formula)

Toy dog	- 5 to 10 drops	n food
Small animals	- 20 drops in food	(1ml)
small /med	- 30 drops in food	(1.5ml)
Med/Large	- 40 drops in food	(2ml)

Note. For felines (which is not really necessary to give a heartworm prevention, rare if any cats getting heartworm) if you do feel the need through fear, you will need to add half a teaspoon of boiled water from the kettle (on the suggested herbal dose) to evaporate the alcohol content from it before adding to some food. Or use the homeopathic HAMPL HeartWorm nosode and others 293 100ml formula which has the heartworm nosode in the formula.

Once daily in food during the high mosquito season of the year.
Or Three times weekly all year round.

i.e. 200ml Medium to Large Canine.
40 drops (2ml) 3 x weekly throughout the year.
One 200ml bottle will last for 8 months per med size dog.

Optional - IF you live in high risk area all year round, you could also add the **HAMPL Heart Worm 293 formula**, which is the **homeopathic - heartworm formula**, that can be add to water dish every time you change it, all year through.

AND/ OR

HAMPL Heartworm 293 (homeopathic heartworm formula)
please see bottle label dosing method and suggestions – for all species and ages.

Also used as treatment, however a different repeat dosage and other suggest supplements are required.

DETOX

from "HeartWorm" flea, worming insecticide drugs, drops, sprays etc

* Means we have this in homeopathic form to detox from this drug (either a single remedy -drug on request or combination of these drugs if given a number of the drugs over the years or currently etc **See AN110 and AN042 for the combination detox.**
If you dont see a drug that your pet is taking or did take, please send a tiny sample of it to our clinic and we will post out the detox homeopathic version to you.

SOME OF THE VETERINARY DRUGS GIVEN TO PETS

1. * **METRONIDAZOLE (Antibiotic drug)**

Metronidazole is a prescription antibiotic used in dogs and cats to treat various conditions such as inflammatory bowel disease, nonspecific diarrhea disorders, infections caused by Giardia, and periodontal disease.

SIDE EFFECTS - The more common side effects that can occur include: headache, loss of appetite, nausea or vomiting. diarrhea. heartburn. cramping in your stomach area, constipation, metallic taste

2. * **PANACUR (worming drug)** * which is classed as a toxic insecticide drug.

Panacur Liquid for Cats and dog , horse and other animals. Fenbendazole, marketed under the brand name Panacur, is a common anthelmintic -- or dewormer -- for cats, dogs, horses and other animals.

SIDE EFFECTS -The FREQUENT side effects that may occur include infrequent vomiting or diarrhea.

3. * **TRAMADOL (pain relief drug)**

This medication is used to help relieve moderate to moderately severe pain. Tramadol is similar to opioid (narcotic) analgesics. It works in the brain to change how your body feels and responds to pain.

SIDE EFFECTS - Stop using tramadol and call your veterinarian at once if your pet has any of these serious side effects: seizure; a red, blistering, peeling skin rash; or shallow breathing. Less serious side effects may include: drowsiness, and weakness; vomiting, constipation, loss of appetite; blurred vision; insomnia.

5. * MILBEMAX (wormer and heartworm drug)

which is classed as a toxic insecticide drug.

Milbemat is a toxic insecticide drug used to control of gastrointestinal worms in pets including roundworm (*Toxocara cati*, *Toxascaris leonina*), hookworm (*Ancylostoma tubaeforme*) and tapeworm (*Dipylidium caninum*, *Taenia spp.*) and heartworm. What are the active ingredients in Milbemax DRUG and how do they work? Milbemax contains praziquantel and milbemycin. Both ingredients act by disrupting the nervous system of the worms resulting in their paralysis and death.

SIDE EFFECTS - Systemic signs (such as lethargy), neurological signs (such as ataxia and muscle tremors) and / or gastrointestinal signs (such as emesis and diarrhoea) have been observed after administration of the veterinary medicinal product.

COMMENT

Hi I have a 14 year old cat that has had a very bad reaction to Milbemax wormer he had it administered on Tuesday morning and within hours developed neurological symptoms, falling over. he has gone deaf (he was not before) and will not drink or eat. Now its Friday and he still has no appetite and will not touch any food though he has been going in garden and may be drinking from bird bath. have been back to vet and she cant offer any suggestions, they have spoken to Novartis who say have not had any problems but reading this forum and other internet news these side effects are not uncommon. He is now steady on his feet but still will not eat, vet has checked throat and swallowing seems to be fine. I have managed to put a few flakes of white fish in his mouth and he will swallow. he seems interested in food but picks it up and drops it. (normally he would eat three sachets of food a day)

4. * METETACAM (Meloxicam)

Oral Suspension for dogs and cats - **as a anti inflammatory**

Each mL contains 0.5 mg meloxicam in a yellowish suspension with an odour of honey and 1.5 mg of sodium benzoate (Ph. Eur.) as the preservative. Is a nonsteroidal anti-inflammatory drug (NSAID). Meloxicam works by reducing hormones that cause inflammation and pain in the body. It is often given after surgery.

Warnings: Should not be administered if gastric or intestinal ulceration or bleeding is suspected; if there is evidence of cardiac, hepatic or renal disease; or if there is evidence of a haemorrhagic disorder or individual hypersensitivity to the product. Do not administer concurrently, other steroidal or nonsteroidal anti-inflammatory drugs (NSAIDs), aminoglycoside antibiotics or anticoagulant agents. Pre-treatment with other steroidal or nonsteroidal anti-inflammatory drugs (NSAIDs) may result in additional or increased adverse reactions and accordingly a treatment-free period with such drugs should be observed for at least 24 hours before commencement of treatment depending on the pharmacokinetic properties of the products used previously.

Repeat dosing in cats at doses higher than currently recommended has been associated with acute renal failure and death.

SIDE EFFECTS Typical adverse reactions of NSAIDs, such as loss of appetite, vomiting, diarrhea, apathy and renal failure have occasionally been reported. These adverse effects are in most cases transient and disappear following termination of the treatment but in very rare cases may be serious or fatal.

In some cases, death has been associated with some of these adverse reactions.



Holistic Animal Remedies

Systemic: anorexia, lethargy, death.

Gastrointestinal: vomiting, diarrhea.

Renal and urinary: renal disorder, renal failure, urine abnormalities. Repeat dosing in cats at doses higher than currently recommended has been associated with acute renal failure and death.

~ **The most common adverse reactions reported involve the kidneys and the gastrointestinal tract.**

Typical symptoms include loss of appetite, depression and vomiting. It is important in these situations to discontinue treatment immediately and contact your veterinarian. In most cases, the adverse reactions are transient and disappear after termination of treatment but in rare instances may be serious especially if treatment is not discontinued. Consult your veterinarian.

6. * **COMFORTIS** Comfortis® (spinosad) **flea treatment.**

Spinosad is a member of the spinosyns which is classed as a toxic insecticide drug.

Spinosad contains two major factors, spinosyn A and spinosyn D, derived from the naturally occurring bacterium, *Saccharopolyspora spinosa*. Spinosyn A and spinosyn D have the chemical compositions 2-[(6-deoxy-2,3,4-tri-O-methyl- α -L-mannopyranosyl)oxy]-13-[[5-dimethylamino)-tetrahydro-6-methyl-2H-pyran-2-yl]oxy]-9-ethyl-2,3,3a,5a,5b,6,9,10,11, 12,13,14,16a,16b-tetradecahydro-14-methyl-1H-as-Indaceno[3,2-d]oxacyclododecin-7, 15-dione and 2-[(6-deoxy-2,3,4-tri-O-methyl- α -L-mannopyranosyl)oxy]-13-[[5-dimethylamino)-tetrahydro-6-methyl-2H-pyran-2-yl]oxy]-9-ethyl-2,3,3a,5a,5b,6,9,10,11,12,13,14,16a,16b-tetradecahydro-4,14-dimethyl-1H-as-Indaceno[3,2-d]oxacyclododecin-7,15-dione, respectively.

FOR CATS: The most common adverse reaction recorded in clinical trials was vomiting. Other adverse reactions were: lethargy, decreased appetite, weight loss, and diarrhea. Use with caution with concomitant extra-label use of ivermectin. The safe use of Comfortis in breeding, pregnant, or lactating cats has not been evaluated. Therefore avoid.

FOR DOGS: The most common adverse reaction reported is vomiting. Other adverse reactions reported in decreasing order of frequency are: depression/lethargy, decreased appetite, incoordination, diarrhea, itching, trembling, excessive salivation and seizures.

Serious adverse reactions have been reported following use of ivermectin with Comfortis.

Post Approval Experience (June 2009):

The following adverse reactions are based on post-approval adverse drug event reporting. The adverse reactions are listed in decreasing order of frequency: **vomiting, lethargy, anorexia, ataxia, diarrhea, pruritus, trembling in pain and nerve damage, hypersalivation and seizures, (death within a day of use)**. Use of ivermectin with Comfortis, some dogs have experienced the following clinical signs: *trembling / twitching, salivation / drooling, seizures, ataxia, mydriasis, blindness and disorientation, incoordination, excessive dilation of pupils, blindness and disorientation.*

CHEWABLE TABLETS had a much higher percentage of acute adverse side effects compared to Active Topical drug.

7. * DOXYCYCLINE broad spectrum antibiotic (tablets or oral liquid)

(Vibramycin®, Doxychel®, Doxy Caps®, Bio-tab®, Monodox®, Doryx®, Doxirobe®)

Doxycycline is a broad spectrum antibiotic that is a member of the tetracycline family. It is used to fight bacterial infections in dogs and cats. Doxycycline is used to treat many different bacterial infections including, leptospirosis, toxoplasmosis, mycoplasma, psittacosis, and tick borne diseases including Lyme disease, ehrlichiosis, and Rocky Mountain spotted fever.

Treatments using Doxycycline are generally termed as a long term treatment.

Side Effects and Drug Reactions

Doxycycline may result in these side effects:

- Nausea
- Vomiting
- Swallowing difficulties

If Doxycycline makes your pet nauseous, try administering it with food. If it makes your pet have breathing or swallowing problems, follow tablet with a small amount of water.

Doxycycline may react with these drugs: Antacids, Anticoagulants, Bactericidals, Barbiturates, Cathartics, Gastro-intestinal protectants, Aminophylline, Digoxin, Insulin, Iron dextran, Kaolin/Pectin, Methoxyflurane, Sodium bicarbonate, Theophylline

8. FLUCONAZOLE Drug

is an antifungal drug effective against fungus and yeast. It is typically used for skin infections, fungus in the nailbeds, and more intense fungal infections including Blastomycosis and Histoplasmosis. It is related to Ketoconazole, but is able to more effectively cross the brain-blood barrier, making it more successful in treating fungal infections of the central nervous system. Fluconazole is also effective against ringworm, but is typically reserved for more serious infections. .

Side Effects and Drug Reactions Fluconazole has been found to be very safe in pets, but not extensively researched. These side effects have been observed in humans on this drug:

- Allergic reaction (labored breathing, hives, etc)
- Vomiting
- Diarrhea
- Skin rash
- Loss of appetite
- Dark urine or jaundice due to liver failure
- Pale tongue, gums, and nose

Fluconazole will react with these drugs:

- Amphotericin B
- Cyclosporine
- Hydrochlorothiazide
- Rifampin

DO NOT GIVE FLUCONAZOLE TO PREGNANT PETS. USE CAUTION WHEN ADMINISTERING THIS DRUG TO DIABETIC PETS, LACTATING PETS, KIDNEY DISEASE, OR LIVER DISEASE.

9. FIROXIB drug (use for pain and inflammation associated with osteoarthritis)

Firocoxib (Previcox) is used in dogs for pain and inflammation associated with osteoarthritis. Firocoxib is also used to help control postoperative pain and inflammation associated with soft-tissue and orthopedic surgery.

Side Effects Firocoxib (Previcox) like other NSAIDs may cause some side effects. The most common side effects of Firocoxib involve digestive issues such as vomiting and decrease appetite. Other possible side effects of Firocoxib include:

- Change in bowel movements (diarrhea, or black, tarry or bloody stools)
- Change in behavior (decreased or increased activity level, incoordination, seizure, or aggression)
- Jaundice (yellowing of gums, skin or whites of eyes)
- Increase water consumption or urination changes (frequency, color, or smell)
- Skin irritation (redness, scabs, or scratching)
- Unexpected weight loss

It is important to stop the medication and immediately contact your veterinarian if you think your dog has any medical problems or side effects while taking Firocoxib (Previcox). Precautions - Firocoxib (Previcox) is for use in dogs only. Firocoxib should not be given to dogs that are hypersensitive to NSAIDs. Firocoxib should not be given with any other NSAIDs, including: Carprofen (Rimadyl), Meloxicam (Metacam), Etodolac (EtoGesic), Deracoxib (Deramaxx), Aspirin. Dogs that are dehydrated, on concomitant diuretic therapy, or those with existing renal, cardiovascular, and/or hepatic dysfunction are at a greater risk for experiencing adverse events. Use of Firocoxib (Previcox) at doses above the recommended dose in puppies less than seven months of age has been associated with serious adverse reaction, including death. Drug Interactions Firocoxib (Previcox) should not be given with other NSAIDs or corticosteroids (e.g., prednisone, cortisone, dexamethasone or tramcinolone).

Signs of Toxicity - Firocoxib (Previcox) can cause:

- Loss of appetite
- Vomiting
- Diarrhea
- Dark or tarry stool
- Increased thirst
- Increase urination
- Pale gums
- Jaundice
- Lethargy
- Fast or heavy breathing
- Incoordination
- Seizures
- Behavior changes

If you suspect or know your dog has had an overdose, it could be fatal so please contact your veterinarian, an emergency vet clinic, or the Pet Poison Helpline at (855) 213-6680 immediately.

10. Trifexis® (spinosad + milbemycin oxime)

which is classed as a toxic insecticide drug.

It is the monthly, beef-flavored tablet that poisons your pet's blood so it will also be that toxic in the system it will also kill fleas and prevents **heartworm** disease, and treats and adult hookworm*, roundworm and whipworm infection.

WHAT ARE THE SIDE EFFECTS OF TRIFEXIS?

The most common adverse reactions based on post-approval adverse drug event reporting are vomiting, lethargy, itching, loss of appetite, diarrhea, trembling / shaking, incoordination, **seizures**, excessive salivation and redness of the skin.

*** SEIZURES are often seen, please see our natural medicines to work on this in conjunction with detoxing the body from these poisons.**

11. * Bravecto® (flea and tick)

which is classed as a toxic insecticide much more toxic than Comfortis and Capstar drugs

Bravecto is a relatively new product released in 2014 which is used for **fleas and ticks**. It contains the active ingredient fluralaner, a type of isoxazoline which maintains protection for 12 weeks, meaning you only have to use the medicine as a preventative roughly once every 3 months. That means it has a high amount of pesticide chemical toxins in it.

How does it compare to Comfortis and Capstar?

Comfortis and Capstar are two other popular flea treatments. Unlike Bravecto, Comfortis does not kill ticks and needs to be given every month, and Capstar is not effective as a flea preventative. Which medicine you choose will come down to personal preference and how well your dog tolerates each of them. As you may have read online, many owners have seen Bravecto has severely harmed their dog. Research before giving your dogs or cats edible pesticides, once eaten there is NO ANTIDOTE.

The official numbers of the European Medicines Agency: Serious side effects and animals that died after administration of these tick and flea treatments :

**Note: with "animal medication" only about 1 % of the side effects is actually reported to the authorities.
So the number of reported side effects you see below is probably just the tip of the iceberg...*

as of May 04, 2018



Bravecto: **7964** reported serious side effects
* on the market since 2014 **1782** deaths after administration



NexGard: **12.394** reported serious side effects
* on the market since 2011 **745** deaths after administration

(simparica no update available yet)



Simparica: **834** reported serious side effects
* on the market since 2015 **118** deaths after administration

A pesticide does not belong in / on the body of our pets!

More info? [Facebook: Does Bravecto Kill Dogs](#) — [Website: www.bravectotruefacts.com](http://www.bravectotruefacts.com)



These are the most recent numbers of reported side effects and deaths after treatment with the tick and flea treatments Bravecto, Nexgard and Simparica. Please note that only about 1 % of the side effects is actually reported by veterinarians and dog / cat owners. Most vets will simply deny that the symptoms are related to administration of these pesticides

BROADCAST FROM THE NETHERLANDS : THE ANTI BRAVECTO PETITION WITH 40.000 SIGNERS HAS BEEN DELIVERED AT THE MINISTRY - please don't forget to share, to spread the word....

The petition will continue, so you can still sign it via www.bravectopetition.org

"**Bravecto**" has been available worldwide for almost a few years now, in the United States for 2 year and here in Canada for about 1 months. To date, virtually all adverse reactions that have been seen or reported pertain to the gastrointestinal system, ie vomiting, decreased appetite, diarrhea, lethargy, excessive drinking, and gas. to serve liver damage and pancreatitis, death.

For people that have lost their pet from using Bravecto (pesticide product) please fill out the government form and send to them <http://www.fda.gov/.../Forms/AnimalDrugForms/UCM048817.pdf>

Here are just some of the reviews of loss of pets to this poison product.
www.productreview.com.au/p/bravecto.html

Other safe and effective alternatives to the mainstream poisonous products

Some of the REVIEWS on using Bravecto Insecticide poison (to prevent or kill fleas, but is killing pets too)

Will never use **Bravecto** again. June 23, 2017

I gave my 2 dogs Bravecto after seeing an advert on media saying it lasted for 3 months. I thought perfect because I always forget to get them their tablets at the end of the month. Within hours of my 3yo Maltese Shih Tzu and 1yo Maltese poodle having the 1 tablet each they were struggling to breathe and were shaking and panting erratically. They also both were very lethargic and wouldn't eat. I was very worried and looked online for any information and then called the vet after reading all the terrible reviews on this option for Flea and Tick Control. They advised they had no idea about any adverse reactions from this product and told me to just keep an eye on them. I wish I had reviewed prior to giving my dogs this tablet. In the future, I will check reviews prior to purchasing. It took over a week for the shaking to subdue and their breathing came well after about 3-4 days. After those reactions, I would not recommend this product to anyone. I will never use Bravecto again for my pets.



Holistic Animal Remedies

POISON June 07, 2017

I have never written a review of anything but I must warn everyone....my beautiful dog Toby died Sunday, May 29th, 2017 from me giving him this POISON on a recommendation from my vet. He was a perfectly healthy, lovable and perfect lab mix (just examined fully) a few days after giving him the drug he stopped eating and began to vomit, I rushed him to the vet they did x rays, and a pancreatic scan and both were good, we went home and less than two days later he couldn't move and had become completely delirious so we rushed him to the animal hospital where his liver values were found to be through the roof, the started iv meds but unfortunately it was not enough to save our boy and he passed overnight.

PLEASE SAVE YOUR DOGS LIFE AND DO NOT GIVE THIS MEDICATION. NO DOG SHOULD HAVE TO GO THROUGH WHAT MY DOGGY DID AND NO FAMILY SHOULD HAVE TO SEE THEIR DOG GO THROUGH IT.

May Work For Some, But Deadly For Others May 17, 2017

Never again will I give this product to any of my 3 dogs. Sure, they don't have fleas or ticks, but after taking it, it made one dog sluggish for days, and another almost died. He went from being a perfectly healthy dog to lethargic, depressed and he completely stopped eating within weeks of administering Bravecto. His abdomen filled with fluid, he became jaundiced, developed mouth sores, his nose started dripping blood fluid...all of this out of nowhere. He is a bag of bones, from not having an appetite. The Vet ran lab work and his liver enzymes were off the charts. Several rounds of Xrays revealed his liver was extremely enlarged. The only thing that had changed was I administered Bravecto, based on recommendations by my dog's veterinary office. This was the first and ONLY time I will ever use this product.

Over \$1000 later, lots of TLC and hand feeding, a whole new home-cooked diet, and expensive daily medications that were never needed before, and it's still a touch and go roller coaster ride, but we are nearing the end of the 3 months and he's still here. Just remember, this medication lasts for THREE months, so if it doesn't agree with your dog, it's not going anywhere for awhile, and there are no antidotes if it affects your pet. Please think long and hard before giving this to your furbaby!

I need help HAMPL 25th June 2017

Please include a liver detox and magnesium glycinate for my 3 yr old BostTerrier has suffered **2 seizures** since being administered "**Bravecto flea and tick**", vet believes unrelated, but the dog has never had seizure prior to this parasite preventative. many many thanks. **Emma** (Melbourne)



Holistic Animal Remedies

* There are many many more drugs that are available. If you dont see your drug (liquid, oral tablet, or injections, topical applications, skin treatments etc).

If you need help, please save a tiny sample and post to clinic with name of drug and your full name and address so we can help -post back to a homeopathic drug detox drops from short term or long term side effects and organs damages.

When we give this drug in homeopathic form in a 30C or 200C (called Tautopathic therapy SEE BELOW PAGES.

EXAMPLE:

The homeopathic DOXYCYCLINE - broad spectrum antibiotic (Vibramycin®, Doxychel®, Doxy Caps®, Bio-tab®, Monodox®, Doryx®, Doxirobe®) in a 30C or 200C Will clear side effects as well as in a this will clear symptoms of candida yeast infections or prevent it.

Dr Robin Murphy .. says... Allopathic prescribed drugs kill outright 120,000 people per year: these are the reported cases only.

Indirectly they kill many more thousands of people. Modern medicine uses weird numerology to manipulate the statistics and they call it a medical science. The average American has a 9000% greater chance of dying from allopathic drugs than from a loaded gun in their own home.! A person has double the chance of dying from their doctor than from a car accident.

Classical Homeopathy is useless in cases of severe pathologies and patients on allopathic drugs. My practice consists of 60% to 70% of these types of patients. Most patients today are on 2-3 different drugs. Therefore we should be familiar with the top allopathic drugs being prescribed today. We need to know the top heart, blood pressure and diabetic remedies, etc. We need to know: drug side affects, drug overdoses, withdrawal symptoms, etc. We need to know them as potentized remedies also.

In homeopathic prescribing, I never take a patient off their drugs, therefore the allopaths don't object. I always give low potencies of the indicated remedies along with herbal



Holistic Animal Remedies

tinctures. Why? Because low potencies given daily are less prone to be antidoted by the drugs. I give higher potencies for drug overdoses, and acute withdrawal symptoms.

Once the patient is doing better, the drug doses are lowered and eventually stopped. We can get patients off their drugs by treating the underlying reason they are taking the drugs.

As the allopathic drugs are reduced, the cure rate is increased.

There are 1500 new drugs annually, these drugs are new to the human gene pool. Therefore any approved drug is still one foreign to human DNA for generations. The true toxic effects of any drug may not be known for at least 40 years or longer. Humans are being chemically manipulated, poisoned and experimented on, for money and no other reason.

Chemotherapy is as toxic as getting cholera and but we have to pay the chemo poisoning and cholera is free!

We are also being poisoned by Synthetic Chemicals called Xenobiotics that have been around since the early 1900's. Since then there are thousands new xenobiotics every year also. Tap water has 56,000 xenobiotics, the US government tests for only 56 additions of these chemicals added to tap water.

Since 1900, 2 million pesticides, herbicides and chemicals are in the human blood stream.

Example: In brain tumour cases, a chemical called Sodium Laurel Sulphate may be a cause of the cancer. This chemical is found in most shampoos to create foam, even the ones in the health stores.

Sodium Laurel Sulphate is detected in the blood stream after one use only. We shampoo our babies hair with a cancer causing agent on a daily basis!

The Nine Methods of Tautopathic Prescribing

A practitioner needs to be familiar with the Mims or BNF (British National Formulary) of allopathic drugs. It is important not to be prejudiced about Allopathy, but to understand their drugs, as any morbidic agent, such as a grief or trauma. In the treatment of patients who are on drugs, if you can use tautopathy first, you can demonstrate what homeopathy can do.

1. Tautopathic Prescribing for Drug Side Effects.

Drug side effects are a major obstacle to the cure. The biggest hazard lies in mixing up the case. We can get acute side effects of drugs and chronic symptoms of the patient confused. It's important to separate these two. We need to learn to distinguish between the side effects of the drugs and the symptoms of the patient when we analyze the case history. We need to learn the symptoms of allopathic drugs like we do with the homeopathic remedies.

Example: You might ask, "did you have these symptoms before or after a drug?" Then, depending on the answer, you might look at remedies like Oophorinum, Ovarian, Oestrogen etc for hormonal cases.

2. Tautopathic Prescribing for DRUG LAYERS

"Never been well since taking a drug or chemical poisonings" is a common phenomenon in modern practice. Drug poisonings can leave a drug layers. If a drug layer exists in the case then it must be removed first. Otherwise the patient's health will not improve. Mixing these drug layers with the general case is a big mistake. Also ignoring the top layer of the case can lead to a failure to cure or even palliate.

3. Tautopathic Prescribing for DRUG WITHDRAWALS

The drug withdrawal symptoms are a whole new case. Treat all drug withdrawals as acutes, and use the tautopathic remedies in higher potencies. Flush the drugs out with water, by putting the tautopathic remedies in water.

Also use herbal tinctures to help with the detoxification process. Avena Sativa for morphine or heroin withdrawal. Chemotherapy and radiotherapy should be treated as acute poisonings. Go for the herbs that fit the organ and give the tautopathic remedies.

4. Tautopathic Prescribing for DRUG Addictions

Clinical homeopathy can assist greatly in the removal of cravings and addictions. Both psychological and physiological addictions can be treated effectively. Cravings for cigarettes, alcohol, coffee, marijuana, or allopathic drugs are all treatable with tautopathics. Is this being taught in the homeopathic colleges?

Example: for alcohol craving: Lachesis, Quercus rubens, Sulphuric acid or Amethyst, (known as the sobriety stone). However, Alcohol in potency is a great remedy. Alcohol dehydrates the brain and can lead to many chronic disorders, including epilepsy.

5. Tautopathic Prescribing for DRUG and Chemical OVERDOSES

Acute drug overdoses are a common cause of death in our society. Knowing the correct tautopathic or homeopathic remedies can save someone's life.

Example: Barbiturate overdose symptoms are slurred speech, drowsiness, murmuring, and heavy eyes, followed by coma and death. Phenobarb. in potency is the antidote for phenobarb. The clinical picture of Gelsemium also fits.

6. Tautopathic Prescribing of ALLOPATHIC Drugs based on their ALLOPATHIC indications, AS IN THE BNF / MIMS.

In spite of all the new provings going on these days, I believe learning allopathic drugs is more important. We instantly have 1,000 new chemical remedies. This involves prescribing a remedy based on its allopathic indications, because it is already a well-proven remedy.



Holistic Animal Remedies

Example: Ritalin is used in hyperactivity therefore it has that similar affinity, for that disease. It is a stimulant that treats over stimulated children. Therefore Ritalin in potency is a great remedy for treating hyperactivity.

Example: Dopamine is the drug for Parkinson's disease. Therefore Dopamine is a remedy for Parkinson's disease. These patients also have a dopamine deficiency.

Example: a child is a Silica constitution at birth, but after abuse goes into a Staphisagria layer, then, after difficult teenage years he gets given Prozac. These remedies have an affinity for each other, the fact that prozac treats a Staphisagria like condition means that the patient is sensitive to prozac. Drugs like prozac are new remedies: they stand with staphisagria, Arsenicum & Carcinosisin.

We must be unprejudiced and treat them like another remedy.

7. Tautopathic Prescribing of ALLOPATHIC Drugs and Chemicals based on their HOMEOPATHIC indications.

Remedies like Lithium, Alcohol, Mercury, Lead and Adrenalin have been in the repertory for over a hundred years; via provings and case histories we have the indications for prescribing them as homeopathic remedies. That means any drug or chemical can be used as a remedy to treat things beyond it's normal allopathic indications.

8. Tautopathic Prescribing of PREVENTATIVE REMEDIES

Also known as prophylactic tautopathy: If one knows a person is about to be exposed to a toxic substance then one can give a tautopathic remedy to help them through the toxic exposure.

Example: Before a visit to the dentist give the anaesthetic in potency, especially if the patient has a history of poor recovery from that drug. Likewise for chemotherapy you can give Cadmium sulph., on the day of the chemo treatment to lessen the side effects of the treatment.

Detoxing Supplement

Using **Activated Charcoal powder.**

This powder can detox over 4,000 toxins a day.

Research studies have shown that activated charcoal decreases the toxic load on the body by over 60% with daily use. This is due to its ability to bind and grab up chlorine, pesticides and herbicides, bacteria, viruses, yeast, parasites, toxic chemicals and endotoxic metabolites.

PUPPY OR KITTEN give approx: 1/4 teaspoon of the powder to meals or milk drinks.

ADULT PETS: use 1 capsules of the powder or 1/2 a teaspoon in meals and/or milk drinks.

MULTIPLE PETS (cats and dogs), add 2 capsules or 1 teaspoon the powder into a jar with a screw lid (one or 2 cups of filtered water) and can add the homeopathic detox remedies (along with) things like the Bioplasma drops (tissue salts) is great for growing infants and run down pets and kittens who may have had parents who were mal-nutrition or feral etc, homeopathic **ParaExpel wormer** and **Drawing out 16 drops** if teeth or skin issues.

Shake before adding to each meal or/milk drinks. pour about a tablespoon or so of the liquid each time.

TWICE a day for one month to help detox from the heavy metals from the vaccines.

After a month, one can continue adding activated charcoal to meals daily for optimum health. * You should be able to order online or buy from a health food store the capsules or powder.

If previously or are on chemical drugs or vaccinations (pet was unwell from) we can "assist in detoxing" as well with the below remedies and as all drugs affect the liver, we need to repair liver:

HAMPL Chemical poisoning 110 30ml (overdosing and use of chemical sprays and drugs)

HAMPL Pet Cleanse 30ml (use of any chemical drugs)

HAMPL Drawing Out 16 30ml (draw out any pus/infection, abscess).

HAMPL Vaccine Detox 30ml (all new customers, receive a sample of the Vaccine Detox pills),

HAMPL Rabies Vacc Detox 30ml (*rabies injection side effects*)



HAMPL™ Pet Formulas

Holistic Animal Remedies

HAMPL Liver Detox 36 30ml drops (*all drugs affect the liver*)

HAMPL RenoAid 19-1 50ml drops (*assisting kidney function, along with adding "Activated Charcoal powder" daily to meals*)

We have an alternative, safe and effective products for all species example:

NATURAL HEARTWORM DROPS

<https://holisticanimalremedies.com/heartworm-homeopathic-natural-treatment-and-prevention-all-species-dog.html>

NATURAL INTESTINAL WORMER

<https://holisticanimalremedies.com/worms-paraexpel-homeopathic-intestinal-worm-in-all-species-protozoan-microscopic-parasite-tritrichomonas-foetus-nosode-t-foetus.html>

TICK AND FLEA SPRAY

<https://holisticanimalremedies.com/canine-natural-flea-mosquito-ticks-protection-spray-topically.html>