

AN067, AN276, AN335 Fleas, Tick and Mosquitoes	50 Pages
Last Updated: 17-04-23 All Species and Ages	

# To Rid Fleas and Flea cycle – BREEDING EGGS ETC

# 1. Diatomaceous Earth (DE) dry talc. (not pool grade DE) \* optional

An excellent choice for short term problem remediation and, longer term, keeping bugs at bay with regular reapplications. Dust pets bedding and areas where the pet sleeps, including carpets, lounges, and rugs. Topically, use sparingly and lightly working the product into the hair using a brush or comb. Paying attention strict attention to the areas that the animal cannot scratch such as the scalp.

\* Avoid face and nose, eyes and ear area. Did you know ... that fleas actually breed and live in sandy areas outside, and then jump off and on our pets. And then once they come inside the fleas (as they do not live on a pet) will jump off and on. And thus start breeding cycle inside as well.

#### 2. FLEA COMB. \* must use At the same time De-Flea your pet with a FLEA COMB.

Have a glass of hot water and slowly gentle long stroke on pet then check if any fleas in the comb, if their quickly dunk the comb part where the flea is and so it floats and dies in the hot water, repeat each day until no fleas, this is good to do the Borax or DE same time so fleas stop breeding indoors and outdoors.

#### 3. BORAX POWDER \* must use

We personally have just used Borax powder inside and outside as a natural treatment along with a Flea comb to take off any fleas that may have jumped on our pets.



FLEA COMB Have a glass of hot water and slowly gentle long stroke on pet then check if any fleas in the comb, if their quickly dunk the comb part where the flea is and so it floats and dies in the hot water, repeat each day until no fleas, this is good to do the Borax same time so fleas stop breeding indoors and outdoors.

Buy on-line or in Australia from Bunnings or Coles called (Bare Essentials Borax Cleaner)
USA its called "20 Mule Team All Natural Borax " Buy 3 tubs or packets min

# IN-HOUSE TREATMENT or/and OUTSIDE

**Borax Powder** - **At Coles its called** (Bare Essentials Borax Cleaner) **or (**20 Mules Team All Natural in USA)

- Using 1 cup of Borax powder (not toxic it is 100% natural trace mineral)
- 12 drops of Lemongrass essential

In a medium glass bowl, add the borax along with the lemongrass essential oil and stir to combine. Transfer the mixture to a sugar shaker. Sprinkle the powder generously on the carpet Allow the treatment to remain in place for a few hours or overnight, then vacuum the carpet. Repeat the treatment once a day as needed.

Treat carpets, bedding and outside areas. NOTE: We have found if we stop the flea cycle in the carpets and outside, then you will find less and fewer fleas jump off and on our pet. Then once floors and sandy areas outside has been completed over a couple of weeks, you will then notice no more fleas on your pet/s. It's as simple as that. While we treat the floors and outside, you can also gently use a flea comb (having a cup of hot water beside you) dipping the comb into hot water to kill the fleas that are caught in the comb. Did you know ... that fleas actually breed and live in sandy areas outside, and then jump off and on our pets. And then once they come inside the fleas (as they do not live OR breed on a pet) will jump off and on. And thus start breeding cycle inside as well.

OUTSIDE Sprinkle powder outside in sandy areas and where pet lays, sleeps, plays.



# OTHER Optional An All Natural Homemade Pest Deterrent for Cats

Dr. Becker's recipe for cats ( different to the one for dogs) for cats <u>leave out the Neem Oil as</u> cats are very sensitive the Neem Oil

The recipe for Felines: Mix 8 ounces of pure water with 1 ounce of organic unfiltered **apple cider vinegar, and 10 drops of catnip oil.** Cats and essential oils can be tricky, so we want to leave essential oils out of the kitty recipe. \* Catnip oil is truly essential oils — they're distillates, so we're safe using those. Catnip oil works to deter mosquitoes as well. Cats aren't prone to heartworm, which is a mosquito-borne disease, but dogs can be. So those are two easy, all-natural recipes you can use to deter pests and as a bonus, they also make your dog or cat smell wonderful! You can use them during flea season, tick season and all summer long, and feel good that you're not using pesticides on your pet.

### How to Make your own "Catnip Oil"

A common method used to make catnip oil is a steam distillation of the leaves and flower or buds. However, if you have catnip at home or live in an area where the plant grows, you can make an oil-based infusion.

- 1. Gather catnip leaves and stems, and chop finely to expose more surface area of the plant.
- 2. Cover the bottom of a casserole dish with the plant and then immerse the greens in olive oil.
- 3. Heat at about **200 degrees Fahrenheit** for two to three hours in a very slow oven.
- 4. Once cooled, strain out the leaves and **refrigerate the oil** until ready to make your Pest Recipe Mlx for your dog or cat. However, using Borax Powder (mules) when needed, works and no need to spray anything topically on our pets. Especially cats as they can be very sensitive to strong smelling scents.



Can buy part set or full set, just email us a request.

### The NON TOXIC SAFE - INSECTICIDE REPELLANT - Tick Set of 3

- 1. Flea & Tick IMMUNITY Allergen 67-1 formula \* REPELLENT PROTECTION
- 2. Scratch Skin Allergy 67-2 Mix \*Topical skin healing herbal formula.
- 3. Herbal INSECTICIDE REPELLENT dry herbs 276 (flea, tick mosquito, lice TOPICAL repellent) ALL SPECIES / AGES
- ~ Sting n Bite 69 formula Toxic or allergy reactions to Red back, white tail, bee, wasp, dog bites etc
- ~ Allergen 68 formula Prevention of allergy reactions from insect bites e.g. *Bee or wasp stings, fly bites.*

#### **HIVES or SWELLING**

\* Plus if your pet or animal or yourself get **hives e.g. large bumps** all over body, and or **swollen muzzle**. OR reaction to a **TOXIC spider bite, snake bite, tick etc** – anti dotes the toxins.

#### START USING STRAIGHT AWAY

### Give orally every 5-10 minutes Vitamin C.

Dosing (e.g. MIX 2 teaspoons <u>of sodium ascorbate powder</u>) diluted in a cup of warm water. (approx: 240ml)

Small-toy dog, cat: oral dose 5ml,

Small to medium pet: oral dose 5-10ml.

Medium to large pet: oral 10ml

Continue until swelling comes down, then stop.

(Sodium ascorbate powder can be bought on-line, health food stores, drug stores etc)

• You cant give too much or overdose etc, as its water soluable and only stays in the body for an hour.



Hence the reason we need to do repeat dosings to get a fast healing response.

# Skin Allergy Reactions?

Using in conjunction with the natural remedy Flea & Tick IMMUNITY Allergen 67-1 formula to the toxic insecticide products. Have you noticed, when you take your dog or cat to the veterinarian because of itchy skin, you are almost always told it is because your pet has fleas? Often, you are sold flea shampoos, monthly flea chemicals, and told to go home and fumigate your house and yard. Even though you cannot find evidence of any fleas, you still go home and do this. Unfortunately, the skin irritation may still continue, because your pet never had a flea allergy dermatitis in the first place!

# What is a flea allergy dermatitis (FAD)?

According to Wikipedia, flea allergy dermatitis begins as a very itchy, red, raised area of skin, occurring in pets and their owners, due to the bite of the flea. It is thought the clinical effects that the flea bite causes its victim, comes from an allergic reaction, due to the chemicals present in the flea saliva. Almost any inflammation of the skin occurring on your pet will be diagnosed as flea allergy dermatitis, which is often not the case. If you have multiple pets in your household, have you noticed that possibly only one pet is bothered by fleas? This is because that pet has either a nutritional or a hormonal imbalance, and the fleas are attracted to that pet, to actually cause that pet to succumb!

<u>Nutritional deficiencies</u> can obviously come from being fed improper nutrients, however, when all the pets are being fed the same, and only one pet has the nutritional deficiency, what is the cause? The cause can come from an enzyme deficiency from the pancreas. This condition is referred to as a **Trypsin Deficiency.** When this enzyme is deficient, protein, carbohydrates, and fats, will not be broken down effectively for absorption by the gut, and a



nutrition imbalance will result. Often blood tests done for **trypsin levels**, do not correspond with a number of enzymes that are present, in the actual gut.

Pets that have this condition, often have a need to ingest inanimate objections, in order, to fulfill their nutritional needs. This is found much more frequently in dogs than in cats.

Often these pets will lick the ground and their owner incessantly, eat paper, grass, rocks, and plastic and in extreme cases will eat their own stool or the stool of another pet that has a **trypsin deficiency**. The reason for ingesting stool in the first place is due to the presence of undigested food that remains in the stool. Another sign of a trypsin deficiency is the inability of a puppy to absorb calcium properly, which in turn, creates lengthened tendons and ligaments. This is easily viewed by the pet owner, by looking at the wrists of your pet and identifying curved or bent wrists. Your veterinarian can help you identify this condition if you are not sure. Also, the rear paws may point slightly lateral in their position. This condition is called cow hocked ...

A trypsin deficiency can be corrected by adding plant-based digestive enzymes to each meal the pet eats. Once proper nutritional absorption occurs, the flea infestation in that one pet should dissipate. Another condition that will cause a pet to have a flea infestation, can be caused by a hormonal imbalance. This is something you can read about on this website. Please know that inflamed skin on the back and near the tail, can also occur from an inhalant allergy, and not just from a flea allergy dermatitis. If your pet bites its feet, has inflamed ears, and the skin of the abdomen is also inflamed, this is most likely due to a food allergy and not fleas! These particular allergy sites contain mast cells which, when adversely stimulated by a food allergy, release their histamines and cause inflammation at those sites.

**NOTE:** Please be careful of foods that contain plant-based estrogens called phytoestrogens which will cause further inflammation. Read this article on "Natural Estrogens That Occur In



Nutrients" by Dr. Plechner DVM

# PESTICIDE Tick and Flea Collars

Side effects & a better alternative.

#### **Side Effects of Pesticide Flea & Tick Collars**

Dog parents have been reporting sick and injured pets due to flea and tick collars for years.

There are two chemicals that should concern all of us – propoxur and tetrachlorvinphos.

These chemicals are both dangers to pets and their humans and may cause rashes, burns, and death. I can't believe that we used these on my childhood dog.

Flea and tick collars aren't safe to use around humans as well. Miriam Rotkin-Ellman, a public health scientist at the National Resources Defense Council, shared that people who come into contact with these pesticides on their dog's coat could experience learning disabilities. Children are especially vulnerable.

# **Side Effects Of Using Pesticide Collars**

According to the NPIC, all kinds of pesticides can cause health problems in your pet. This includes products such as shampoos, sprays, and even pills.

Many puppies may be allergic to the ingredients.

# Here are the side effects associated with pesticide collars and other pesticide products:

- Rash
- Vomiting
- Diarrhea
- Trouble walking
- Tremors and seizures
- Excessive fatigue



Excessive drooling

# Powder on Flea & Tick Collars Gets Everywhere

When the Natural Resources Defense Council did testing on flea and tick collars, they looked at how much of the pesticides were leaching out of the flea collars and how much remain on a pet's coat after 3 days.

CBC Marketplace conducted their own visual test to find out where the pesticides ended up when I pet was wearing a flea collar.

They applied a powder that glows under a UV light to the neck where a flea collar would sit and waiting a half an hour. When testers turned on the UV light, they saw that the powder was on the furniture, on the humans, and on a child's toy. Basically, everywhere! Now imagine how far and wide the pesticides on flea collars will spread.

# **SAFE and EFFECTIVE**

# Alternatives to Flea & Tick Collars

- Bathe and groom your dog regularly.
- Wash your dog's bedding weekly.
- Sweep and vacuum flooring, rugs, and carpets weekly. Diatomaceous earthor Broax
  (mules) powder which can be sprinkled on fabric and bedding, left to sit for an hour (or
  overnight the longer, the better) to kill fleas.
- Improve your dog's diet someone once told me that fleas don't like raw feedor healthy dogs.
- Herbal INSECTICIDE REPELLENT 50mg DRY HERB (product AN276)
- HAMPL Tick Paralysis IMMUNITY 123 FORMULA



# NATURAL DIY Flea & Tick Collar for Dogs

One of my friends told me about this a couple of weeks ago. She stopped using flea and tick repellents and simply adds lavender oil to a bandanna that she ties around her dog's neck. That's so simple.

So you could make your own flea & tick spray as below recipe – which will make four collars.

- 1 cup of water (double if your dog is sensitive to smell)
- 1 tablespoon carrier oil (for additional dilution)
- 2 drops of Lavender
- 1 drops of Citronella, Cedarwood, or Lemongrass

Mix these ingredients together in a bowl using a wire whisk, then soak cotton bandannas into the mixture and let dry in the sun. This will work with dog collars too, but don't get the mixture on any plastic parts; some oils (specifically citrus oils) will degrade the plastic.

# Non Drug prescription - Set of 8

# AN075 HAMPL Tick Bite Paralysis or Ryegrass "TOXICOSIS

# **Emergency Treatment KIT for all species.**

- 7 x Natural remedy remedies 15ml liquid bottles.
- 1 x Liposomal Vitamin C 50ml liquid
- 3 x Oral syringes (3ml, 5ml, 10ml sizes for different species size species)

Booklet and container kit. Use for all species and ages



#### How to use the NATURAL PROTECTION

#### 1. HAMPL Tick Paralysis IMMUNITY 75-1 formula

Contains natural remedy complex: Tick paralysis IMMUNITY 30C, 200C, 1M, (Ixodes Holocuclus), QLD Typhus Tick IMMUNITY 6C, 30C, 200C,1M, Lyme spirochete borrelis IMMUNITY 30C, Rocky Mountain spotted fever (rickettsia) IMMUNITY 200C, Ledum 1M (to antidote puncture wound of the tick bites).

#### Suggest Dosing:

**CANINE:** leading up to and through "tick season", add 2 to 3 drops in meals once to twice a week. Otherwise, the non-tick season can/ or also stir in 3 - 4 drops to water dish once a week or every time you change water bowl if more than once a week.

**FELINE:** mix 3 drops in meals once a week.

**FARM ANIMALS, WILDLIFE, FERAL ANIMALS:** stir in a dose to water trough and dam, a waterhole.

**EQUINE:** please apply to the head area as well as a dose to rump area - this seems to repel from both ends of the horse, can do the same with other larger animals. It will not stop them from attaching to the body, but if a toxic bite tick will not have an acute reaction to it if bitten. However, having said that, we do get reports that pets and equines have less to nil ticks found on them after application. \* If you only want the prevention rather than the complete set

#### Refer to Product Paralysis Tick 123 IMMUNITY formula.

Just email the clinic and order the one bottle.



#### HOW to use the NATURAL "treatment"

### Dosing, apply drops to the body. Formulas below no. 2 to 8

#### 2. HAMPL TOXICOSIS 75-2 formula 15ml (0.1oz) liquid

Contains natural remedy complex: Acute "toxic reaction" to the tick bites. Lyme bacteria tick bite detox,

Queensland Tick Typhus (Acute Rickettsial), Paralysis Tick Bite, Perennial Ryegrass Toxicosis. prevention or aiding

pet or animal from... acute paralysis of the muscles, paralysis or stricture of the throat - esophagus, weakness or

paralysis of the extremities (limbs), staggers.

#### 3. HAMPL Heart Support 75-3 formula 15ml (0.1oz) liquid

~ Prevention of congestive heart failure or support from possible Pulmonary (lung) edema, is secondary to congestive heart failure symptoms.

#### 4. HAMPL LungOdema 75-4 formula 15ml (0.1oz) liquid

**Contains natural remedy complex** ~ *Use if needed, prevent or for myocardial depression and diastolic failure, cardiogenic pulmonary edema - congestive heart failure.* 

- 5. HAMPL Rescue Blend 75-5 formula 15ml (0.1oz) I~ Use to resolve shock, stress for the body.
- 6. HAMPL Spasm formula 75-6 formula 15ml (0.1oz) ~ Use if needed muscle spasms parts or whole body.
- **7. HAMPL Bladder Paralysis 75-7 formula 15ml (0.7oz)** ~ *Use if needed or use as prevention bladder issues, paralysis of the sphincter, urinary blockages or weakness.*
- **8. Vitamin C (sodium ascorbate) 100mg powder** \* Using an Oral syringe ~ *Use this to antidotes poisons snake bites, tick bites, spider bites, parvo.*

#### \*1ml (approx 3 drops) contains 50mg fresh plant.

Small animal, cat, toy dog, rabbit, wildlife: add 5 to 10 drops in meals.

Small dog or Med size dog: add 30 to 60 drops (or 1/2 - 1 teaspoon) to meals

Med-Large Pet or Animal: add 30 to 60 drops (or 1/2 - 1 teaspoon) to meals

Horse: use 15 drops in apple juice oral syringe it.

For humans, just add one teaspoon to your morning smoothie, sauces, spreads or desserts!

**If unwell or need to anti dote** - repeat hourly, up to 6 x daily until improved then can reduce 3 to 4 x daily.



Add a dose to some water or chicken or beef broth or neat and oral syringe

# WARNING

Pesticide Flea and Tick Product and skin reaction allergies using

# "Bravecto" and "Apoquel"

Bravecto

"Bravecto" has been available worldwide for almost 18 months, in the United States for 1 year and here in Canada for about 8 months. To date, virtually all adverse reactions that have been seen or reported pertain to the gastrointestinal system, ie vomiting, decreased appetite, diarrhea, lethargy, excessive drinking, and gas. to serve liver damage and pancreatitis, death.

We have heard from a number of pet owners having cysts in-between the toes, and they are also on the Aqoquel drug for skin allergies.

**Some Vets have cut them out to get tested** (not being aware of these symptoms are possible drug side effect related).

# Apoquel DRUG - prescribed for skin allergies.

# Apoquel SIDE EFFECTS

In the margin of a safety study on 12-month old dogs, some of the symptoms that were considered likely to be related to Apoquel included:

- ~ papillomas (warts)
- ~ interdigital furunculosis (cysts) with related dermatitis symptoms (local alopecia, erythema, abrasions, scabbing /crusts edema of feet
- ~ *lymphadenopathy (abnormal or swollen lymph nodes) in peripheral nodes*Yes, you read right ... the side effects include various types of skin disease in dogs who are being **treated for allergies!**



Reference: www.dogsnaturallymagazine.com/wouldnt-give-dog-new-allergy-drug/

Watch out for drug side effects

SOME OF THE VETERINARY DRUGS GIVEN TO PETS

### 1. \* METRONIDAZOLE (Antibiotic drug)

Metronidazole is a prescription antibiotic used in dogs and cats to treat various conditions such as inflammatory bowel disease, nonspecific diarrhea disorders, infections caused by Giardia, and periodontal disease.

**SIDE EFFECTS** - The more common side effects that can occur include: headache, loss of appetite, nausea or vomiting. diarrhea. heartburn. cramping in your stomach area, constipation, metallic taste

# 2. \* PANACUR (worming drug) \* which is classed as a toxic insecticide drug.

Panacur Liquid for Cats and dog, horse and other animals. Fenbendazole, marketed under the brand name Panacur, is a common anthelmintic -- or dewormer -- for cats, dogs, horses and other animals.

**SIDE EFFECTS** -The FREQUENT side effects that may occur include infrequent vomiting or diarrhea.

# 3. \* TRAMADOL (pain relief drug)

This medication is used to help relieve moderate to moderately severe pain. <u>Tramadol</u> is similar to <u>opioid</u> (narcotic) analgesics. It works in the brain to change how your body feels and responds to pain.

**SIDE EFFECTS** - Stop using tramadol and call your veterinarian at once if your pet has any of these serious side effects: seizure; a red, blistering, peeling skin rash; or shallow breathing.



Less serious side effects may include: drowsiness, and weakness; vomiting, constipation, loss of appetite; blurred vision; insomnia.

### 5. \* MILBEMAX (wormer and heartworm drug)

which is classed as a toxic insecticide drug.

Milbemat is a toxic insecticide drug used to control of gastrointestinal worms in pets including roundworm (*Toxocara cati, Toxascaris leonina*), hookworm (*Ancylostoma tubaeforme*) and tapeworm (*Diplylidium caninum, Taenia spp.*) and heartworm.

### What are the active ingredients in Milbemax

DRUG and how do they work? Milbemax contains praziquantel and milbemycin. Both ingredients act by <u>disrupting the nervous system</u> of the worms resulting in their paralysis and death.

**SIDE EFFECTS** - Systemic signs (such as lethargy), neurological signs (such as ataxia and muscle tremors) and / or gastrointestinal signs (such as emesisand diarrhoea) have been observed after administration of the veterinary medicinal product.

#### **COMMENT**

Hi I have a 14 year old cat that has had a very bad reaction to Milbemax wormer he had it adminstered on Tuesday morning and within hours developed neurological symptoms, falling over. he has gone deaf ( he was not before) and will not drink or eat. Now its Friday and he still has no appetite and will not touch any food though he has been going in garden and may be drinking from bird bath. have been back to vet and she cant offer any suggestions, they have spoken to Novatis who say have not had any problems but reading this forum and other internet news these side effects are not uncommon. He is now steady on his feet but still will not eat, vet has checked throat and swallowing seems to be fine. I have managed to put a few flakes of white fish in his mouth and he will swallow. he seems interested in food but picks it up and drops it. (normally he would eat three sachets of food a day)



4. \* METETACAM (Meloxicam) Oral Suspension for dogs and cats - <u>as a anti inflammatory</u> Is a nonsteroidal anti-inflammatory drug (NSAID). Meloxicam works by reducing hormones that cause inflammation and pain in the body. It is often given after surgery. Warnings: Should not be administered if gastric or intestinal ulceration or bleeding is suspected; if there is evidence of cardiac, hepatic or renal disease; or if there is evidence of a haemorrhagic disorder or individual hypersensitivity to the product. Do not administer concurrently, other steroidal or nonsteroidal anti-inflammatory drugs (NSAIDs), aminoglycoside antibiotics or anticoagulant agents. Pre-treatment with other steroidal or nonsteroidal anti-inflammatory drugs (NSAIDs) may result in additional or increased adverse reactions and accordingly a treatment-free period with such drugs should be observed for at least 24 hours before commencement of treatment depending on the pharmacokinetic properties of the products used previously. Repeat dosing in cats at doses higher than currently recommended has been associated with acute renal failure and death.

**SIDE EFFECTS** Typical adverse reactions of NSAIDs, such as loss of appetite, vomiting, diarrhea, apathy and renal failure have occasionally been reported. These adverse effects are in most cases transient and disappear following termination of the treatment but in very rare cases may be serious or fatal.

In some cases, death has been associated with some of these adverse reactions.

**Systemic**: anorexia, lethargy, death.

**Gastrointestinal:** vomiting, diarrhea.

Renal and urinary: renal disorder, renal failure, urine abnormalities. Repeat dosing in cats at doses higher than currently recommended has been associated with acute renal failure and death. The most common adverse reactions reported involve the kidneys and the gastrointestinal tract. Typical symptoms include loss of appetite, depression and vomiting. It is important in these situations to discontinue treatment immediately and contact your veterinarian. In most cases, the adverse reactions are transient and disappear after termination of



treatment but in rare instances may be serious especially if treatment is not discontinued.

**6. \* COMFORTIS** Comfortis® (spinosad) **flea treatment. Spinosad is a member of the spinosyns** which is classed as a toxic insecticide drug. Spinosad contains two major factors, spinosyn A and spinosyn D, derived from the naturally occurring bacterium, *Saccharopolyspora spinosa*. Spinosyn A and spinosyn D have the chemical compositions 2-[(6-deoxy-2,3,4-tri-O-methyl-α-L-mannopyranosyl)oxy]-13-[[5-dimethylamino)-tetrahydro-6-methyl-2H-pyran-2-yl]oxy]-9-ethyl-2,3,3a,5a,5b,6,9,10,11, 12,13,14,16a,16b-tetradecahydro-14-methyl-1H-as-Indaceno[3,2-d]oxacyclododecin-7, 15-dione and 2-[(6-deoxy-2,3,4-tri-O-methyl-α-L-mannopyranosyl)oxy]-13-[[5-dimethylamino)-tetrahydro-6-methyl-2H-pyran-2-yl] oxy]-9-ethyl-2,3,3a,5a,5b,6,9,10,11,12,13,14,16a,16b-tetradecahydro-4,14-dimethyl-1H-as-Indaceno[3,2-d] oxacyclododecin-7,15-dione, respectively.

**FOR CATS:** The most common adverse reaction recorded in clinical trials was vomiting. Other adverse reactions were: lethargy, decreased appetite, weight loss, and diarrhea. Use with caution with concomitant extra-label use of ivermectin. The safe use of Comfortis in breeding, pregnant, or lactating cats has not been evaluated. Therefore avoid.

**FOR DOGS**: The most common adverse reaction reported is vomiting. Other adverse reactions reported in decreasing order of frequency are: depression/lethargy, decreased appetite, incoordination, diarrhea, itching, trembling, excessive salivation and seizures.

Serious adverse reactions have been reported following use of ivermectin with Comfortis.

Post Approval Experience (June 2009): The following adverse reactions are based on post-approval adverse drug event reporting. The adverse reactions are listed in decreasing order of frequency: *vomiting, lethargy, anorexia, ataxia, diarrhea, pruritus, trembling in pain and nerve damage, hypersalivation and seizures, (death within a day of use).* Use of ivermectin with Comfortis, some dogs have experienced the following clinical signs: *trembling / twitching, salivation / drooling, seizures, ataxia, mydriasis, blindness and disorientation,* incoordination, excessive dilation of pupils, blindness and disorientation.

**CHEWABLE TABLETS** had a much higher percentage of acute adverse side effects compared



to Active Topical drug.

#### 7. \* DOXYCYCLINE broad spectrum antibiotic (tablets or oral liquid)

(Vibramycin®, Doxychel®, Doxy Caps®, Bio-tab®, Monodox®, Doryx®, Doxirobe®)

Doxycycline is a broad spectrum antibiotic that is a member of the tetracycline family. It is used to fight bacterial infections in dogs and cats. Doxycycline is used to treat many different bacterial infections including, leptospirosis, toxoplasmosis, mycoplasma, psittacosis, and tick borne diseases including Lyme disease, ehrlichiosis, and Rocky Mountain spotted fever.

Treatments using Doxycycline are generally termed as a long term treatment.

#### **Side Effects and Drug Reactions**

Doxycycline may result in these side effects:

- Nausea
- Vomiting
- Swallowing difficulties

If Doxycycline makes your pet nauseous, try administering it with food. If it makes your pet have breathing or swallowing problems, follow tablet with a small amount of water.

<u>Doxycycline may react with these drugs</u>: Antacids, Anticoagulants, Bactericidals, Barbiturates, Cathartics, Gastro-intestinal protectants, Aminophylline, Digoxin, Insulin, Iron dextran, Kaolin/Pectin, Methoxyflurane, Sodium bicarbonate, Theophylline

### 8. FLUCONAZOLE Drug

is an antifungal drug effective against fungus and yeast. It is typically used for skin infections, fungus in the nailbeds, and more intense fungal infections including Blastomycosis and Histoplasmosis. It is related to Ketoconazole, but is able to more effectively cross the brain-blood barrier, making it more successful in treating fungal infections of the central nervous system. Fluconazole is also effective against ringworm, but is typically reserved for



more serious infections. .

#### **Side Effects and Drug Reactions**

Fluconazole has been found to be very safe in pets, but not extensively researched. These side effects have been observed in humans on this drug:

- Allergic reaction (labored breathing, hives, etc)
- Vomiting
- Diarrhea
- Skin rash
- Loss of appetite
- Dark urine or jaundice due to liver failure
- Pale tongue, gums, and nose

#### Fluconazole will react with these drugs:

- Amphotericin B
- Cyclosporine
- Hydrochlorothisazide
- Rifampin

DO NOT GIVE FLUCONAZOLE TO PREGNANT PETS. USE CAUTION WHEN ADMINISTERING THIS DRUG TO DIABETIC PETS, LACTATING PETS, KIDNEY DISEASE, OR LIVER DISEASE.

# 9. FIROXIB drug (use for pain and inflammation associated with osteoarthritis)

Firocoxib (Previcox) is used in dogs for pain and inflammation associated with osteoarthritis. Firocoxib is also used to help control postoperative pain and inflammation associated with soft-tissue and orthopedic surgery.

**Side Effects** Firocoxib (Previcox) like other NSAIDs may cause some side effects. The most common side effects of Firocoxib involve digestive issues such as vomiting and decrease appetite. Other possible side effects of Firocoxib include:



- Change in bowl movements (diarrhea, or black, tarry or bloody stools)
- Change in behavior (decreased or increased activity level, incoordination, seizure, or aggression)
- Jaundice (yellowing of gums, skin or whites of eyes)
- Increase water consumption or urination changes (frequency, color, or smell)
- Skin irritation (redness, scabs, or scratching)
- Unexpected weight loss

It is important to stop the medication and immediately contact your veterinarian if you think your dog has any medical problems or side effects while taking Firocoxib (Previcox). Precautions - Firocoxib (Previcox) is for use in dogs only. Firocoxib should not be given to dogs that are hypersensitive to NSAIDs. Firocoxib should not be given with any other NSAIDs, including: Carprofen (Rimadyl), Meloxicam (Metacam), Etodolac (Etogesic), Deracoxib (Deramaxx), Aspirin. Dogs that are dehydrated, on concomitant diuretic therapy, or those with existing renal, cardiovascular, and/or hepatic dysfunction are at a greater risk for experiencing adverse events. Use of Firocoxib (Previcox) at doses above the recommended dose in puppies less than seven months of age has been associated with serious adverse reaction, including death. Drug Interactions Firocoxib (Previcox) should not be given with other NSAIDs or corticosteroids (e.g., prednisone, cortisone, dexamethasone or tramcinolone).

# Signs of Toxicity - Firocoxib (Previcox) can cause:

- Loss of appetite
- Vomiting
- Diarrhea
- Dark or tarry stool
- Increased thirst
- Increase urination
- Pale gums
- Jaundice
- Lethargy
- Fast or heavy breathing
- Incoordination
- Seizures



#### Behavior changes

If you suspect or know you dog has had an overdose, it could be fatal so please contact your veterinarian, an emergency vet clinic, or the **Pet Poison Helpline at (855) 213-6680** immediately.

# **10. Trifexis**<sup>®</sup> (spinosad + milbemycin oxime) which is classed as a toxic insecticide drug.

It is the monthly, beef-flavored tablet that poisions your pets blood so it will also be that toxic in the system it will also kills fleas and prevents **heartworm** disease, and treats and adult hookworm\*, roundworm and whipworm infection.

#### WHAT ARE THE SIDE EFFECTS OF TRIFEXIS?

The most common adverse reactions based on post-approval adverse drug event reporting are vomiting, lethargy, itching, loss of appetite, diarrhea, trembling / shaking, incoordination, seizures, excessive salivation and redness of the skin.

\* SEIZURES are often seen, please see our natural medicines to work on this in conjunction with detoxing the body from these poisons.

# 11. \* **Bravecto**<sup>®</sup> (flea and tick)

which is classed as a toxic insecticide much more toxic that Comfortis and Capstar drugs
Bravecto is a relatively new product released in 2014 which is used for **fleas and ticks.** It
contains the active ingredient fluralaner, a type of isoxazoline which maintains protection for
12 weeks, meaning you only have to use the medicine as a preventative roughly once every 3
months. Thats means it has a high amount of pesticide chemical toxins in it.

# How does it compare to Comfortis and Capstar?

Comfortis and Capstar are two other popular flea treatments. Unlike Bravecto, Comfortis does not kill ticks and needs to be given every month, and Capstar is not effective as a flea preventative. Which medicine you choose will come down to personal preference and how well your dog tolerates each of them. As you may have read online, many owners have seen



Bravecto has severely harmed their dog.

Research before giving your dogs or cats edible pesticides, <u>once eaten there is NO</u> ANTIDOTE.



These are the most recent numbers of reported side effects and deaths after treatment with the tick and flea treatments Bravecto, Nexgard and Simparica. Please note that only about 1 % of the side effects is actually reported by veterinarians and dog / cat owners. Most vets will simply deny that the symptoms are related to administration of these pesticides BROADCAST FROM THE NETHERLANDS: THE ANTI BRAVECTO PETITION WITH 40.000 SIGNERS HAS BEEN DELIVERED AT THE MINISTRY - please don't forget to share, to spread the word.... The petition will continue, so you can still sign it via www.bravectopetition.org

"Bravecto" has been available worldwide for almost a few years now, in the United States for 2 year and here in Canada for about 1 months. To date, virtually all adverse reactions that



have been seen or reported pertain to the gastrointestinal system, ie vomiting, decreased appetite, diarrhea, lethargy, excessive drinking, and gas. to serve liver damage and pancreatitis, death.

For people that have lost their pet from using Bravecto (pesticide product) please fill out the government form and send to them http://www.fda.gov/.../Forms/AnimalDrugForms/UCM048817.pdf

Here are just some of the reviews of loss of pets to this poison product. www.productreview.com.au/p/bravecto.html

Other safe and effective alternatives to the mainstream poisonous products

Some of the REVIEWS on using Bravecto Insecticide poison (to prevent or kill fleas, **but is killing pets too**)

Will never use **Bravecto** again. June 23, 2017

I gave my 2 dogs Bravecto after seeing an advert on media saying it lasted for 3 months. I thought perfect because I always forget to get them their tablets at the end of the month. Within hours of my 3yo Maltese Shih Tzu and 1yo Maltese poodle having the 1 tablet each they were struggling to breathe and were shaking and panting erratically. They also both were very lethargic and wouldn't eat. I was very worried and looked online for any information and then called the vet after reading all the terrible reviews on this option for Flea and Tick Control. They advised they had no idea about any adverse reactions from this product and told me to just keep an eye on them. I wish I had reviewed prior to giving my dogs this tablet. In the future, I will check reviews prior to purchasing. It took over a week for the shaking to subdue and their breathing came well after about 3-4 days. After those reactions, I would not recommend this product to anyone. I will never use Bravecto again for my pets.

**POISON** June 07, 2017



I have never written a review of anything but I must warn everyone....my beautiful dog Toby died Sunday, May 29th, 2017 from me giving him this POISON on a recommendation from my vet. He was a perfectly healthy, lovable and perfect lab mix (just examined fully) a few days after giving him the drug he stopped eating and began to vomit, I rushed him to the vet they did x rays, and a pancreatic scan and both were good, we went home and less than two days later he couldn't move and had become completely delirious so we rushed him to the animal hospital where his liver values were found to be through the roof, the started iv meds but unfortunately it was not enough to save our boy and he passed overnight. PLEASE SAVE YOUR DOGS LIFE AND DO NOT GIVE THIS MEDICATION. NO DOG SHOULD HAVE TO GO THROUGH WHAT MY DOGGY DID AND NO FAMILY SHOULD HAVE TO SEE THEIR DOG GO THROUGH IT.

#### May Work For Some, But Deadly For Others May 17, 2017

Never again will I give this product to any of my 3 dogs. Sure, they don't have fleas or ticks, but after taking it, it made one dog sluggish for days, and another almost died. He went from being a perfectly healthy dog to lethargic, depressed and he completely stopped eating within weeks of administering Bravecto. His abdomen filled with fluid, he became jaundiced, developed mouth sores, his nose started dripping blood fluid...all of this out of nowhere. He is a bag of bones, from not having an appetite. The Vet ran lab work and his liver enzymes were off the charts. Several rounds of Xrays revealed his liver was extremely enlarged. The only thing that had changed was I administered Bravecto, based on recommendations by my dog's veterinary office. This was the first and ONLY time I will ever use this product. Over \$1000 later, lots of TLC and hand feeding, a whole new home-cooked diet, and expensive daily medications that were never needed before, and it's still a touch and go roller coaster ride, but we are nearing the end of the 3 months and he's still here. Just remember, this medication lasts for THREE months, so if it doesn't agree with your dog, it's not going anywhere for awhile, and there are no antidotes if it affects your pet. Please think long and hard before giving this to your furbaby!

I need help HAMPL 25th June 2017 Please include a liver detox and magnesium

Copyright © 2023



glycinate for my 3 yr old BostTerrierier has suffered **2 seizures** since being administered "**Bravecto flea and tick**", vet believes unrelated, but the dog has never had seizure prior to this parasite preventative. many many thanks. **Emma** (Melbourne)

\* There are many more drugs that are available. If you dont see your drug (liquid, oral tablet, or injections, topical applications, skin treatments etc).

If you need help, please save a tiny sample and post to clinic with name of drug and your full name and address so we can help -post back to a natural remedy drug detox drops from short term or long term side effects and organs damages.

When we give this drug in natural remedy form in a 30C or 200C (called Tautopathic therapy

SEE BELOW PAGES.

#### **EXAMPLE:**

The **natural remedy** DOXYCYCLINE - broad spectrum antibiotic (Vibramycin®, Doxychel®, Doxy Caps®, Bio-tab®, Monodox®, Doryx®, Doxirobe®) in a 30C or 200C Will clear side effects as well as in a this will clear symptoms of candida yeast infections or prevent it.



# Dr Robin Murphy .. says... Allopathic prescribed drugs kill outright 120,000 people per year: these are the reported cases only.

Indirectly they kill many more thousands of people. Modern medicine uses weird numerology to manipulate the statistics and they call it a medical science. The average American has a 9000% greater chance of dying from allopathic drugs than from a loaded gun in their own home.! A person has double the chance of dying from their doctor than from a car accident.

Classical Homeopathy is useless in cases of severe pathologies and patients on allopathic drugs. My practice consists of 60% to 70% of these types of patients. Most patients today are on 2-3 different drugs. Therefore we should be familiar with the top allopathic drugs being prescribed today. We need to know the top heart, blood pressure and diabetic remedies, etc. We need to know: drug side affects, drug overdoses, withdrawal symptoms, etc. We need to know them as potentized remedies also.

In natural remedy prescribing, I never take a patient off their drugs, therefore the allopaths don"t object. I always give low potencies of the indicated remedies along with herbal tinctures.

Why? Because low potencies given daily are less prone to be antidoted by the drugs. I give higher potencies for drug overdoses, and acute withdrawal symptoms.

Once the patient is doing better, the drug doses are lowered and eventually stopped. We



can get patients off their drugs by treating the underlying reason they are taking the drugs.

As the allopathic drugs are reduced, the cure rate is increased.

There are 1500 new drugs annually, these drugs are new to the human gene pool.

Therefore any approved drug is still one foreign to human DNA for generations. The true toxics effects of any drug may not be known for at least 40 years or longer. Human are being chemically manipulated, poisoned and experimented on, for money and no other reason.

Chemotherapy is as toxic as getting cholera and but we have to pay the chemo poisoning and cholera is free!

We are also being poisoned by Synthetic Chemicals called Xenobiotics that have been around since the early1900's. Since then there are thousands new xenobiotics every year also. Tap water has 56,000 xenobiotics, the US government tests for only 56 additions of these chemicals added to tap water.

Since 1900, 2 million pesticides, herbicides and chemicals are in the human blood stream.

**Example**: In brain tumour cases, a chemical called Sodium Laurel Sulphate may be a cause of the cancer. This chemical is found in most shampoos to create foam, even the ones in the health stores.

Sodium Laurel Sulphate is detected in the blood stream after one use only. We shampoo our



babies hair with a cancer causing agent on a daily basis

# Detoxing from Chemical Poisons (veterinary pet products)

**Using** Activated Charcoal powder.

#### This powder can detox over 4,000 toxins a day.

Research studies have shown that activated charcoal decreases the toxic load on the body by over 60% with daily use. This is due to its ability to bind and grab up chlorine, pesticides and herbicides, bacteria, viruses, yeast, parasites, toxic chemicals and endotoxic metabolites.

PUPPY OR KITTEN MIX 1 TEASPPON IN A CUP ( APPROX 240-400MLS) OF WATER (FILTERED IF POSSIBLE) stir it each time for pour over meals (about 2 TABLESPOONS) and milk drinks.

ADULT PETS: MIX 2 TEASPPON IN A CUP ( APPROX 240-400MLS) OF WATER (FILTERED IF POSSIBLE) stir it each time for pour over meals (about 4 TABLESPOONS) and milk drinks.

MULTIPLE PETS MIX 1 TEASPPON IN A CUP ( APPROX 240-400MLS) OF WATER (FILTERED IF POSSIBLE) stir it each time for pour over meals (about 2 TABLESPOONS) and milk drinks and can ALSO add the natural remedy ParaExpel 49 wormer and Drawing out 16 drops if teeth or skin issues. Arthritis, Reno aid 19 formula for kidneys

Shake before adding to each meal or/milk drinks. pour about a tablespoon or so of the liquid each time.

**TWICE a day for one month** to help detox from the heavy metals from the vaccines.

After a month, one can continue adding activated charcoal to meals daily for optimum health.



\* You should be able to order online or buy from a health food store the capsules or powder. If previously or are on chemical drugs or vaccinations (pet was unwell from) we can "assist in detoxing" as well with the below remedies and as all drugs affect the liver, we need to repair liver:

#### HAMPL Chemical poisoning 110 -1 formula 30ml

(overdosing and use of chemical sprays and drugs)

**HAMPL Pet Cleanse 42 formula 30ml** 

(use of any chemical drugs)

**HAMPL Drawing Out 16 formula 30ml** 

(draw out any pus/infection, abscess).

**HAMPL Vaccine Detox 40 formula 30ml** 

(all new customers, receive a sample of the Vaccine Detox pills),

HAMPL Rabies Vacc Detox 47-3(b) formula 30ml

(rabies injection side effects)

**HAMPL Liver Detox 36 formula 30ml drops** 

(all drugs affect the liver)

HAMPL RenoAid 19-1 formula 50ml drops

(assisting kidney function, along with adding "Activated Charcoal powder" daily to meals)



There are alternative, safe and effective products for all species example:

NATURAL HEART WORM DROPS NATURAL INTESTINAL WORMER TICK AND FLEA SPRAY

HEART WORM

Dr Roxanne knight DVM (USA) HERBAL Heart Worm Free 177 Mix
Trailed and tested

Dr Khalas DVM(USA) NATURAL REMEDY Heart Worm formula

Trailed and tested and formulated by Dr Deva Khalsa V.M.D., C.V.A., F.B.I.H Holistic Veterinarian.

# **PROTECTION**

A safe and effective alternative for heart worm "positive" pets - of all ages.

It is safe and proven with no side effects or problems, the elderly or sick advanced stage of heart worm infected pet, can be safely assisted from heart worm.

Dr Roxanne knight DVM (USA

1. HERBAL Heart Worm Free 177 Mix



#### **HEART WORM - "PREVENTION" when using the HERBAL formula:**

Give an herbal dose once a day, during high mosquito season of the year.

If high-risk area all year, give a dose 3 times a week on going.

Full dosing instructions provided. **E.G** One Bottle of the Heart Worm Free 177 Mix will assist several small dogs - prevention and or health solution for positive heart worm.

#### OR / AND

Dr Deva Khalsa V.M.D., C.V.A., F.B.I.H Holistic

# 2. NATURAL REMEDY Heart Worm Natural remedyformula

PILL: one pill, put in mouth to dissolve.

LIQUID: apply 3 –4 drops on body. Wet fur with a few drops by patting into fur with bottom of bottle, so it reaches the skin. Then can apply a couple more drops. Natural remedy Prevention: Use once a week— apply to body or stir into water dish each time you provide fresh water. All season. During High Risk Season: (if in a area e.g. tropics) apply once daily on body. \*For kennels, stir in a dose to water bowl each time you change.

However, toy dogs live indoors a lot more than larger dogs, therefore even less risk.

# **TREATMENT**

# HEART WORM "POSITIVE" – Natural Solution

# Using the HERBAL Heart Worm Free 177 Mix

2,000 DROPS IN 200ML BOTTLE (1 TEASPOON = 60 DROPS)

Herbal <u>MUST Dilute before applying Instructions</u> Note: it is more effective if diluted in some taste liquid and oral syringed

~ Toy dog, Puppy under 5 months. add 1 tsp into a cup (240ml) of hot water from the kettle, mix allow to cool and mix 2 tablespoons in meals. TWICE A DAY



- ~ Small to med dog, Puppy over 5 months. add 1 tsp in a cup of hot water from the kettle, mix allow to cool and mix 3—4 tablespoons in meals. TWICE A DAY
- ~ **Med or Med-large dog**: add 2 tsp in a cup of hot water from the kettle, mix allow to cool and give 4—5 tablespoons in meals. E.g. If needed can mashed up some plain sardines hand feed before meals or another tasty piece of food or tasty liquid to mask the taste of the herbs. TWICE A DAY
- Dosing for "Heart worm POSITIVE" canines
   HERBAL DOG DOSAGE SCHEDULES -

Give a dose (according to size dog - see bottle label)

Add a dose <u>twice daily</u> in small tasty liquid (e.g. ... apple sauce or gravy etc.) Oral syringe this liquid in side of mouth 2 –3 weeks. Then give in meals twice a day or continue oral dosing For 16 - 32 weeks. The Antigen will remain in system for 4 –5 months after death of worm. For all stages and age canines.. Either mix in a piece food & hand feed. Or mashed up some plain sardines hand feed before meals.

However, the best way to get into the <u>blood stream quickly</u> is add to diluting in some tasty liquid and oral syringe side of mouth. e.g add ½ teaspoon of Slippery elm powder to 1/4 cup of hot boiled water from kettle. Stir well. Then oral syringe the full amount in small sips at a time. Do this for 2 weeks.

\* In conjunction with <u>Natural remedy</u> **HAMPL Cardiac Lung-Congestion 177-2 formula**. **Prevention or relief** if coughing (if congestion of lung or heart causing coughing, lethargic etc)

IMPORTANT See Page 36. Vitamin Supplement needed to support healing.

Some people have used the herbal mix as well as the natural remedy formula or just one of them



# Eg Using the NATURAL REMEDY Heart Worm formula

For Heart Worm Positive Dog (Dr Deva Khalsa's DVM formula)

Heart Worm 293 formula \* clear liquid

**Example EASY DOSING**: Repeat twice a day for 16 - 32 weeks. Apply directly **on to the body**. Repeat twice a day for three months.

Then re test or wait for 5 months for die off to be completely resolved (this is how long it takes to clear from system even though eggs/worms are dead.

# Same dose for all ages, size canines.

The **Heart worm natural remedy**helps the body's cellular memory to build a defense against the parasite should it come in contact with it, thus enabling the body to take care of the problem at the early stages so no further development could occur.

**GUIDE-** After three months, ask your vet to run an occult heartworm test once every two months to monitor your dog's progress. It may take two to five months for testing to show as negative but Dr. Khalsa has had great success with it.

IMPORTANT See Page 32. Vitamin Supplement needed to support healing.

Copyright © 2023



# **SUPPLEMENTS**

Support needed for Heart worm "**positive**" conditions

Support your dog with the following supplements and natural remedy remedy.

# 1. Bromelain Capsules \* from www.iherb.com

The formula should be used in conjunction with Bromelain Capsules. Bromelain is an enzyme extracted from pineapples and is also an anti-inflammatory. The enzyme also helps break down the dead worms. Bromelain is available at many health stores or online from iherb.com and the recommended **starting dose is 30mg per lb of body** weight, divided into two or three daily doses and given two hours away from meals.

# 2. PABA 500mg 100 Capsules \* from www.iherb.com

Open cap and add the powder to meals. Most capsules are 500mg per capsule. **Small dog to large dog:** add full capsule of powder to meals. **Toy dog** (3.6kg (8 pounds), add 1/2 powder from each capsule. Twice daily in meals.

# 3. Magnesium (Minerals)

Powder (from capsules) Or Liquid ReMag Magnesium Dr C Dean's website USA

Copyright © 2023



**Magnesium** - this critical mineral is responsible for over 300 enzyme reactions and is found in all of your tissues — but mainly in your bones, muscles, and brain. This critical mineral is actually responsible for over 300 enzyme reactions and is found in all of your tissues but mainly in your bones, muscles, and brain. You must have it for your cells to make energy, for many different chemical pumps to work, to stabilize membranes, and to help muscles relax. We suggest perhaps using the Magnesium Taurate capsules as this supports the heart as well. Magnesium - There are different types of Magnesium and some are not recommended as being well absorbed. RECOMMENDED: ~ Chelated Magnesium powder, Magnesium Glycinate powder, Magnesium Taurate powder is far better absorbed than magnesium oxide but is more expensive. Complementary medicine practitioners rely on chelated magnesium, such as magnesium glycinate, taurate and oratate (magnesium plus amino acids) to treat serious cases of magnesium deficiency. This kind of magnesium's have a less laxative effect on the intestines than magnesium citrate, so they are recommended if you tend to have loose stools. \* Magnesium Taurate is a combination of the Amino acid Taurine and magnesium that has special properties for Taken together in this combination, magnesium and taurine have a synergistic effect, stabilizing cell membranes, making this form of magnesium highly absorbed. Magnesium Taurate does not have great laxative effect and is the recommended form of magnesium for people with heart problems. It appears that the amino acid Taurine is important for heart health and may prevent arrhythmias and protect the heart against the damage caused by heart attacks. Magnesium taurate requires oral supplementation for six to twelve months to restore intracellular levels.

**MAGANESIUM POWDER** If you buy the Magnesium in capsules or powder - E.G. Magnesium glycinate or Magnesium chelated, Magnesium Taurate (can buy from suppliers on the internet)

**DOSING GUIDE** Felines, toy dogs, rabbits: Mix 1/4 powder from capsules twice



daily meals or milk drinks or dilute and oral syringe. \_Small dog or animal: Mix 1/4 - 1/2 of powder from capsule in some liquid or in meals 2 x daily. Med to large Canines or larger farm animal: add 1/2 teaspoon in some liquid and then oral syringe. Or add the powder to meals or milk drink. Repeat twice daily.

# **4.** Lung or Heart congestion?

use the HAMPL Cardiac Lung- Congestion 177-2 formula.

Repeating drops on the body every half an hour 5 times a day. For times of coughing, apply drops every 5 minutes for 4 treatment repeats. And the herb Hawthorn Berries has also been added to the **HAMPL Heart Worm Free 177 Mix** will help heart muscle and function too. You could also add to meals or in liquid herbal dosing

# 5. CoQ10 30mg Capsules \* from www.iherb.com

**SMALL TO LARGE DOGS:** Open the capsule and add contents. Twice a day as this will help boost the metabolism in the heart muscle and detoxify the body.

**TOY DOG:** add half a capsule twice a day in meals or milk drinks.

Use In conjunction with the above two supplements. Herbal formulas are most often suggested to be diluted in some food and hand feed that piece of food before feeding rest of meal. If not eating, we suggest diluting in filtered water with honey or slippery elm powder making a runny liquid treatment with suggest amount of herbs and given orally via a syringe (without the needle) IMPORTANT if treating heartworm positive dog.



# Research & trails have shown it can take up to 6 weeks to kill off worms.

**Note:** By diluting and giving in liquid it will go into the blood stream a lot quicker compared to diluting in food which then goes through the stomach to be absorbed. \*

**Optional** - You could also add the **natural remedy** "Heart Worm formula", which is the **natural remedy** – **heart worm formula**, that can be add to water dish every time you change it, all year through. And for treating heartworm positive pet, apply drops to body twice a day until all clear.

Please be aware The antigen levels will remain in system for 4 - 8 months post death of worm, (meaning if you get a blood test it may still show positive)

Heart worm Antigen Tests

# There are two (2) types of heartworm antigen tests used.

- **1**. The older type of test checks for microfilaria, or heart worm larvae, circulating in the bloodstream. This test was not very accurate and so the heart worm antigen test was developed.
- **2**. A heart worm <u>serology test works by identifying microscopic pieces</u> of heartworm skin circulating in your dog's bloodstream.



## Dead worm segments

**Dead worm segments** take a long time to internally emulsify via a canine's lungs.

Therefore, a dog can <u>still show antigen response-hence a positive result if re-testing too soon</u>, and can even have him or her re-visit intermittent coughing spells due to the <u>temporary lung congestion</u> (this can happen regardless of the pet having ever coughed to begin with).

\* If needed or use as prevention the natural remedy **HAMPL Cardiac Lung- Congestion 177-2 formula**. This occurrence is the very reason why it's important to keep a dog from excitement as best as possible throughout the entire treatment process and upwards of 8 weeks post treatment - so dead or dying worms do not lodge in an artery thereby causing pulmonary embolism (blockage of blood flow in one or more arteries by the worm segment which can cause death). The huge benefit your pet receives by way of taking the natural (three month) approach is that the chances of having an embolism occur is much less likely than the conventional treatment route. Since that route is designed to kill the heartworms in days, not months. So we are talking a full 7-9 month time span from the start of our regimen until we should be retesting them. If your pet proves positive at that time (which is unlikely), we repeat just one more cycle shown above.

# **Enlarged Heart**

Your dog may also have Cardiomegaly (enlarged heart) causing congestive heart failure -



symptoms from - cardiomyopathy, arrhythmias, tachycardia, hypertropic , bradycardia, AF, feline hypertrophic cardiomyopathy.

Note: Having a X-ray isn't how to retest to see if heart worm positive still.

If your vet did only did a Xray of heart saying also your dog has an enlarged heart, then a enlarged heart is from a heart condition which happens as a dog ages. Or if heart worm damage was at late stage heart then aftermath of damage from clearing heartworm may cause stress on the heart and lungs and arteries long after the parasites are gone.

- **1.** Your dog now needs the natural remedy "Congestive Heart Failure Set" causing congestive heart failure symptoms from cardiomyopathy, arrhythmias, tachycardia, hypertropic, bradycardia,
- 2. <u>Heart valve insufficiency</u> can cause enlarged heart See **AN305 Canine (MVD)** Mitral Valve Dysplasia, Regurgitation (endocardiosis).
- Insufficiency or Incompetence, Heart Murmur, Irregular Pulse (cardiac arrhythmia)



# Heart worm (parasite)

Most veterinarians will recommend giving a daily or monthly pill or injection to prevent heartworms, but in actuality you're not preventing them; you are administering the cure on a regular basis.

This cure for heartworm is "toxic".

Of a strong insecticide drug (poisoning the blood). The chemicals are capable of causing disease. The dosage is much smaller than the actual treatment, but when it's administered month after month, the toxic side-effects become a serious health risk.

# Signs of heartworm infection:

may include a mild persistent cough, reluctance to exercise, fatigue after moderate activity, decreased appetite, and weight loss.

A **cat** is considered a resistant host of heartworms because the worms do not thrive as well inside a cat's body.



### **WARNING**

Side effects listed for heart worm <u>preventative **INSECTICIDE**</u> **POISION** Products, spray, injections, tablets etc:

... vomiting, diarrhea, convulsions, and weakness. These pills weaken your pet's immune system which recognizes the chemicals as poison. The body works hard to eliminate the toxins and major organs, like the liver and kidneys, are taxed. For this reason, the pet's body is not able to handle contact with the normal bacterial or viral substances in our world, so it gets sick more easily.

According to the American Veterinary Medical Association, 65% of adverse drug reactions and 48% of all reported deaths resulting from drug reactions are caused by heartworm preventatives. The potential side effects of Ivermectin (the active ingredient in Heartguard) includes...

liver problems, vomiting, diarrhea, loss of appetite,



depression,
lethargy,
skin eruptions,
seizures,
tremors,
paralysis,
autoimmune disorders,
thyroid problems,
fever,
weakness,
dizziness,
coughing,
nose bleeds,
difficulty breathing,
pneumonia,
irritability,
sudden aggressive behavior,
nerve damage,
fertility problems,
and sudden death.

Other chemical heartworm preventatives have many of the same side effects.

Reference: https://www.thewholedog.org/heartworm.html



**Dr Karen Becker** .... by the way – heartworm "preventives" drugs don't actually prevent your pet from getting worms. What they do is poison the larvae at the microfilaria (L1-L2) stage of development, causing them to die.

Reference: Dr Becker DVM

Part of the veterinary industry has acknowledged these dangers. These "alternative vets" are open to natural, safe and effective alternatives. Many of these vets believe that the long-term use of heartworm prevention drugs are a link in the chain of diseases such as arthritis, liver and kidney diseases, skin allergies, and many types of cancers.

**Dr.Dodd DVM** says, ..... prevention is always the best cure but the drugs that are given for Heartworm preventative are almost as bad as the Parasite itself. Think about it, giving the insecticide Heartworm drug to a dog to poison his blood to kill any microfilaria that may be deposited by an infected mosquito is poisoned blood! That toxic blood touches every organ in the body.



# The cause of heart worms is if a infected mosquito is around.

For dogs, and sometimes cats, they can cause life-threatening problems because they transmit heartworms. These are parasites that enter the bloodstream as larvae and migrate to the heart. Six months after reaching the heart, the larvae turn into adults, and that's when problems begin.

Full-grown heartworms eventually fill the heart, blocking flow of blood to the lungs and doing damage to the heart. By the time you see symptoms, they've already done damage to the heart. Mosquitoes still bite animals on heartworm pills. The key is to get the blood of the pet in a healthy enough condition that the mosquitoes won't want it.

Mosquitoes are a parasite. Herbs that have anti-parasitic properties will discourage not only mosquitoes, but fleas and ticks also. Now we have a choice in providing a Safe and effective Alternative for Heartworm treatment and protection. For Heartworm positive dogs, acute or chronic conditions, very old or very young, it is completely safe and effective.

Don't ever believe or be told that your dog is too unwell or old to be treated to rid



#### Heartworm.

As this maybe true using harsh toxic chemicals, but with natural herbal formulas there are no side effects or risks.

## Many animal health practitioners and Veterinarians

... are now successfully using an alternative treatment and prevention for pets.

In our practice we provide a special combination formula of herbs and natural remedys, being of **herbal Blackwalnut**, **Hawthorn Berries** and the natural remedy Heartworm nosode, Arsenicum alb for prevention and relief in the young and old.

Herbs that have anti-parasitic properties will discourage not only mosquitoes, but fleas and ticks also. **Paw Paw Shampoo** has passed the clinical research as effective for killing ticks and fleas.

<u>Geranium</u> is an essential oil that repels mosquitoes, ticks and fleas and can be used on dog.

**Essential Oil Repellent** - Make up and use a mist /spray made of Young Living's geranium AND/OR lemongrass, grapefruit and peppermint. I use this on myself as well as the dogs as a great mosquito and bug repellent when I am out in the garden in the evening. Nice and safe with no worries of toxic chemicals on the skin.



# Natural remedy "HEART WORM"

Part of Herbal formula (Heart worm free 177) ingredients we have included the Natural remedy Heart worm which will help build immunity in a safe, non-toxic way.

The natural remedyis the adult and microfilaria of the heartworm species (Dirofilaria Immitis )

**Dr. Fudens** uses holistic therapies to both prevent and treat heartworm disease. Dogs can be vaccinated using a natural remedy natural remedyto stimulate the immune system to attack the microfilaria and make the body resistant to the disease. There are no chemicals or poisons. Reference:

http://www.dogsnaturallymagazine.com/heartworm/

**Dr** .**Steve Marsden** DVM is published in the *Manual of Natural Veterinary Medicine* and has used herbal formulas successfully by holistic veterinarians to treat heartworm. Dr Marsden states that the formula should be used in conjunction with **Bromelain supplement**. Bromelain is an enzyme extracted from pineapples. It helps break down the dead worms. Bromelain is available at many health stores and the recommended starting dose is 30 mg per lb of body weight,



divided into two or three daily doses and given two hours away from meals.

**Dr Patricia Jordan** told us she uses a modified version of the formula in her own practice.

### Dr Deva Khalsa's Natural remedy Heartworm Protocol

Holistic veterinarian Dr Deva Khalsa has found the following natural remedy protocol to be successful in treating heartworms.

Give a few drops orally, twice a day for three months. After three months, ask your vet to run an occult heartworm test every two to three months to monitor your dog's progress. It may take two to six to seven months for testing to show as negative but Dr Khalsa has had great success with it.

**Reference:** <a href="http://www.dogsnaturallymagazine.com/5-natural-heartworm-treatment-alternatives/">http://www.dogsnaturallymagazine.com/5-natural-heartworm-treatment-alternatives/</a>

#### A few comments from veterinarians from the book:

New Choices in Natural Healing for Dogs and Cats: Over 1,000 at-Home Solutions for Your Pet's Problems. **Dr. Michelle Tilghman, D.V.M**. says, "Strengthen [your pet's] resistance with whole foods. Dogs and cats are more likely to resist heartworms when they are given all-natural foods, which help keep the immune system strong.

## HAMPL Clinical Vet Research & Studies

.. **Dr.Roxanna V.Knight DVM** who runs a non profit dog rescues clinic, also treats many of her dogs who may have tested Heartworm positive with Black Walnut Hull rather than the painful injections.



Clinically proving that the Herbal treatment has been proven a great success!

We also collected blood from microfilaria numbers during treatment. From antigen (microfilaria-larvae blood test) shows the level changes, we predicted that the adults (worms) died after 6 weeks of twice daily BWH herbal liquid tincture. Retrospectively, when the test is perfectly clear, i.e. negative, we can confirm. However the antigen (heartworm microflilaria or larvae) will remain in system for 4 -5 months post death of worm. Dogs have had no cardiovascular symptoms from the worms dying off while on the herbal heartworm treatment. We are happy!

And all dogs are doing GREAT!

Dr Roxanne knight. DVM (USA)

### .. Hello, Just a note to let you know my order arrived today (DATED 7/16/05)

I'm new to holistic meds, and this is the first summer my collies have looked and acted so healthy. All eleven up till now have been on traditional heartworm meds. Coats have been exceedingly dry and straw like during heartworm season. This summer they started your **HAMPL** *HeartWorm Free* 177 (which I will keep them on year round) they have shed as they should, and coats are Healthy.

.. Also my 10 1/2 y.o. .... is acting and moving around like a young dog, if someone had told me this would happen by eliminating the traditional HW meds, I never would have believed them. He could hardly climb stairs, now he's romping around playing with the younger ones. Thanks again,

Jean Angus Massachusetts, USA



**DRUG DETOX** Insecticide poison uses as a "Heart Worm" flea, worming products

\* Means we have this in natural remedy form to detox from this drug (either a single remedy - drug on request or combination of these drugs if given a number of the drugs over the years or currently etc See Natural remedy formulas: AN110 and AN042 for the combination detox. If you dont see a drug that your pet is taking or did take, please send a tiny sample of it to our clinic and we will post out the detox natural remedy version to you.

# SOME OF THE VETERINARY DRUGS GIVEN TO PETS

### 2. \* PANACUR (worming drug) \* which is classed as a toxic insecticide drug.

Panacur Liquid for Cats and dog, horse and other animals. Fenbendazole, marketed under the brand name Panacur, is a common anthelmintic -- or dewormer -- for cats, dogs, horses and other animals.

SIDE EFFECTS The FREQUENT side effects that may occur include infrequent vomiting or diarrhea.

### 5. \* MILBEMAX (wormer and heartworm drug)

which is classed as a toxic insecticide drug. Milbemat is a toxic insecticide drug used to control of gastrointestinal worms in pets including roundworm (*Toxocara cati, Toxascaris leonina*), hookworm (*Ancylostoma tubaeforme*) and tapeworm (*Diplylidium caninum, Taenia spp.*) and heartworm **What are the active ingredients in Milbemax** 

### DRUG and how do they work?

Milbemax contains praziquantel and milbemycin. Both ingredients act by <u>disrupting the nervous system</u> of the worms resulting in their paralysis and death.

**SIDE EFFECTS** - Systemic signs (such as lethargy),

neurological signs-

(such as ataxia and muscle tremors)

gastrointestinal signs (such as emesisand diarrhoea)

have been observed after administration of the veterinary medicinal product.

#### CUSTOMER COMMENT

Hi I have a 14 year old cat that has had a very bad reaction to Milbemax wormer he had it adminstered on Tuesday morning and within hours developed neurological symptoms, falling over. he has gone deaf ( he was not



before) and will not drink or eat.

Now its Friday and he still has no appetite and will not touch any food though he has been going in garden and may be drinking from bird bath. have been back to vet and she cant offer any suggestions, they have spoken to Novatis who say have not had any problems but reading this forum and other internet news these side effects are not uncommon. ... He is now steady on his feet but still will not eat, vet has checked throat and swallowing seems to be fine. I have managed to put a few flakes of white fish in his mouth and he will swallow. he seems interested in food but picks it up and drops it. (normally he would eat three sachets of food a day)



#### Natural Treatment Solutions to Take the Scare Out of Heartworm

The signs of heartworm depend on the number of worms and on the size of the dog. Dogs with only a few worms might test positive but remain asymptomatic. In dogs with larger heartworm loads, the first signs typically surface after the infection is well established and some damage has already been done to the heart and organs. These symptoms include exercise intolerance, a mild cough and, as the disease progresses, weight loss and lethargy. If your dog tests positive for heartworm, you will need to decide whether to pursue conventional treatment or alternative options.

#### **Conventional Treatment**

One of the reasons veterinarians are so intent on preventing heartworms is because the treatment for them is dangerous and toxic. The compound used can be damaging to the internal organs such as the kidneys and liver and the dead heartworms that are released from the heart into the lungs can cause clots and damage to various organs.

The product that kills mature heartworms in dogs contains the active ingredient melarsomine dihydrochloride (immiticide). This medication is injected in either two or three doses. A three dose treatment works best, as it prevents too many adult worms from dying at once and causing circulatory shock. In a three dose treatment, the dog is injected once, followed by two more injections a month later.

While undergoing treatment, dogs should be kept indoors for a month and any physical activity that will increase the heart rate must be strictly avoided. The reason for this is to minimize the above risk of circulatory embolism.

Ivermectin can be used in mildly affected dogs. While it doesn't kill adult heartworms, it will reduce their lifespan and sterilize them and prevent new infections. If you choose to give your dog conventional heartworm treatment, I recommend giving Arsenicum album 6C twice a day for at least a month following conventional heartworm treatment. This will help the body to detox from the toxins.

After this, consider using milk thistle seed to cleanse and tone the liver. Dandelion also reduces congestion in the liver and can even help with jaundice. The leaves work as a liver tonic and the root will cleanse and detoxify the liver


Dandelion is also an excellent herb for kidney health. You can make dandelion tea by placing two tablespoons of dried dandelion or several plants into two cups of boiling water. Steep for 15 to 20 minutes then refrigerate and give your dog two tablespoons per day.

#### **Alternative Treatment**

Many years ago I came upon a combination alternative heartworm treatment using the herb black walnut along with the homeopathic remedy Arsenicum album 6C twice a day for a few months. This combination sometimes worked and sometimes didn't.

In my experience, the following combination of homeopathic remedies, all mixed together and given twice a day over a period of a few months has proven to be much more successful.

Crot on tiglium 9x, 20x, 30x, 200x Lycopersicum es. 9x, 20x, 30x Tanacetum 9x, 20x, 30x Allium cepa 9x, 20x, 30x, 200x Allium sativum 9x,20x, 30x, 200x



Mix all of these remedies together in these potencies and give a few drops orally, twice a day for three months. Combining these different potencies of the same remedy produces what is called a potency chord. These work on a number of different healing levels in the body at the same time, and can be faster acting and more effective than other methods.

After two months, ask your vet to run an Occult heartworm test twice a month to monitor your dog's progress. It may take two to five months for testing to show as negative but I've had great success with it.

#### If Your Dog Is Very Ill

If the heartworms have caused serious damage to your dog's heart, or if he is older or has a kidney or liver problem, you may want to use the above treatment concurrently with Crataegus (hawthorn) tincture to strengthen the heart; give a few drops three to four times a day, along with CoQ10 (30 to 100 mg twice a day) to boost the metabolism in the heart muscle and detoxify the body.

If you opt for conventional treatment, remedies and herbs to help with existing kidney or liver problems can also be used before and after treatment if needed.

Homeopathy and herbs can be used to safely treat heartworm in dogs or to protect and detoxify the liver and kidneys after conventional treatment. Please remember that heartworm can be a serious disease and it is very important to find a holistic veterinarian who will work with you if you decide to use alternative treatment options. Heartworm can be treated with less collateral damage to the other organs. 🥌

Since beginning her holistically oriented veterinary practice over 25 years ago, Dr Khalsa has been incorporating homeopathy, acupuncture, Chinese herbs, nutritional advice, allergy elimination techniques such as NAET and also JMT into her approach. Dr Khalsa is a Fellow and Professor of the British Institute of Homeopathy.

DogsNaturallyMagazine.com 33