

Emergency Animal TOXICOSIS Kit

PRODUCT CODE AN075



FOR ALL SPECIES AND AGES

NATUROPATHIC PRODUCT CODE AN075 TICK KIT - **Toxicosis**
From **TICK BITES** – paralysis tick species
or **Perennial Rye Grass Toxicosis**
OR
PREVENTION for Pets and Farm Animals

Refills available www.holisticanimalremedies.com contact us via email us

HAMPL Tick Paralysis OR Ryegrass Toxicosis

Emergency kit and Prevention (Set of 8)

Container with the seven 7 x 15ml homeopathic bottles, Oral syringes, with Vitamin C 50ml liquid 1 x HELP SHEET

The majority of ticks are found cranial to the forelimbs and so initially this is where we concentrate our attention.

However, they can be attached anywhere so for severe cases or where a tick cannot be found, we will recommend a full clip of the fur.

This has to be balanced against any stress it may cause and so should be approached gently and slowly. Unlike humans, it is safe to pluck a tick once it is located and it will not cause anaphylaxis.

An alternative to clipping is to apply an effective acaricide to the dog. This should kill the tick, ensuring the toxin production ceases. Unfortunately, if the acaricide does not reach the tick (e.g. deep in ear canal, nasal cavity or rectum) toxin production continues.

The situation is similar when more than one tick is present on the dog and a search fails to locate the second or third tick - the dog will initially improve and then deteriorate, toxin is still being produced and injected by the remaining tick/s.

Once the tick / s are removed or the crater located treatment can begin with confidence.

There are many myths surrounding tick removal, most of them are incorrect e.g. Squeezing the tick during removal does NOT increase the toxicity.

PROTECTION

Toxic reaction to the tick bite

e.g. from the NSW & Queensland tick typhus - rickettsial

"Protection" from acute reactions to tick bite toxins.

DURING TICK SEASON. (e.g. Sept through to end of summer)

Bottle No 1. HAMPL Tick Paralysis Oral Nosode 75-1 15ml (0.1oz)

Contains homeopathic sarcodes and nosode complex see website.

Use for protection toxicity tick bite. It will not stop them from attaching to body, but if a toxic bite tick will not have a acute reaction to it if bitten.

Suggest Dosing:

CANINE: tick season, add 3 drops in meals once to twice a week. Otherwise non tick season can/ or also stir in 3 - 4 drops to water dish once a week or every time you change water bowl if more than once a week.

FELINE: mix 3 drops in meals once a week.

EQUINE: place drops behind ears, as well as on the rump once a week.

FARM ANIMALS, WILDLIFE, FERAL ANIMALS: stir in a dose to water trough and dam, water hole once a week.

~ It will not stop them from attaching to body, however, people have reported that they seem to repel as no ticks are found on there dog anymore and when they apply to their horse head area, no ticks are found, but rump has them, then when applied drops to rump as well, no ticks are found on rump anymore.

However. if a toxic bite tick will not have a acute reaction to it if bitten ~

TREATMENT

Using Homeopathic Bottles No.2 to No.7 and Vitamin C

Treating if signs of bite, or found a tick that looks like a toxic type. From "acute toxic reaction" to the tick bite. i.e. Queensland tick typhus (acute rickettsial), Perennial Ryegrass toxicosis causing ... acute paralysis, staggers etc Brown cattle tick, Lyme tick bite. Signs of tick toxicity. (See page 9)

* START NOW

2. HAMPL TOXICOSIS 75-2 15ml (0.1oz)

Contains homeopathic nosodes and sarcodes complex: Use to Treat symptoms of - back end paralysis, weakness, tick bite nosode, esophagus stricture, ryegrass toxicosis, Lyme tick bite.

Suggestion: apply 3-4 drops on body (pat into fur so it reaches the skin).

Repeat a dose every half hourly, 6 times a day. Reduce or stop upon improvement.

Use in conjunction with other remedies in kit -symptoms showing

*USE IF NEEDED – Breathing weak, shallow or use a prevention

3. HAMPL Heart Support 22-1 (congestive Heart) 15ml (0.1oz)

Contains homeopathic nosodes and sarcodes complex. If needed - Use to Prevent or Treat - from congestive heart failure. Note: Pulmonary oedema, is secondary to congestive heart failure. REFER TO: Bottle Label for suggested frequency repeat applying.

* USE IF NEEDED – Breathing issue along with Heart Support drops or use a prevention

4. HAMPL LungOedema 91-2 15ml (0.1oz)

If needed - Prevent or Treat - from myocardial depression and diastolic failure, cardiogenic pulmonary oedema - congestive heart failure. Pulmonary oedema, is secondary to congestive heart failure.

REFER TO: Bottle Label for suggested frequency repeat applying.

*** START NOW**

5. HAMPL Rescue Blend 15ml (0.1oz)

Contains homeopathic bach flowers “Rescue Remedy” and Australian bush flowers “Emergency Essences” combination. Use to **Treat** - shock to the system from any type of trauma. REFER TO: Bottle Label for suggested frequency repeat applying.

*** USE IF NEEDED – muscle issues or use a prevention**

6. HAMPL Spasm Muscle 267 (A) 15ml (0.1oz)

Contains homeopathic nosodes and sarcodes complex. **If needed - Prevent or Treat from muscle twitching and spasms.** REFER TO: Bottle Label for suggested frequency repeat applying.

*** USE IF NEEDED – trouble going to toilet or use a prevention**

7. HAMPL Bladder Paralysis 15 15ml (0.1oz)

Contains homeopathic nosodes and sarcodes complex.

If needed - Prevent or Treat from bladder paralysis.

Suggestion: apply 3-4 drops on body (pat into fur so it reaches the skin). **Repeat** a dose every 15 minutes, for three to five treatment doses daily. Repeat daily, as needed & whenever needed.

*** START NOW**

8. Vitamin C liquid 50ml *See page 7 and 8

Using Vitamin C - either given orally which works just as good as injectable vitamin C (intramusclar injection - which stings-hurts) which is not necessary to inject for tick bite paralysis.

If pet/animal is unable to swallow ask vet to inject Vitamin C (*must do it very slowly as it stings allot*).

For Perennial Rye Grass Toxicosis - See Page 12

HOMEOPATHIC – “GENERAL” ANIMAL DOSING Guide

Homeopathics come in - *small white pills or clear liquid*

LQIUID

Domestic Pet, CANINE: administer liquid homeopathic on the body. Apply to the back of shoulder blades, a few drops to wet fur, pat in with bottom of bottle then-apply a few more drops. Not orally has it has alcohol in it

Feral, Wild life, other animal: can add drops to water bowl once a week or daily meals/food.

Farm animals, stir in a litre of water shaken with 4 pills or drops in it. Repeat once a week.

Or use a spray bottle to spray on nose of body.

Bird, Rabbit, spray on body or drops directly &/or add to water dish once a day or spray or drops on food.

* The same amount of drops or pills for all age and species and size, as the amount is less important rather the frequency of repeat dosing and time between each repeat. (Apply to body if for acute symptoms, frequent repeat dosing)

PILL

Pill form (tiny white pills): crush or put one-two whole pills to dissolve in gum / pouch of mouth to contact mucous membrane. The pill does not need to be swallowed as the remedy is on the outside of the pill. Fine if pills fall out after 5 minutes. You could also stir 2 pills into half or full cup of water, then use the liquid to oral dose the animal or pet. 1ml pets 2ml for larger animals. Repeating as often as suggested for below.

* Homeopathic heal & restore health, therefore its something we only need to use for a short time. Unlike drugs that suppression, not heal.

Frequency of Dosing?

According to the “Symptom Severity”

Acute Symptoms: repeat a dose every 5 minutes, for a total of 3 – 4 repeat dosing.

Repeat again if symptoms come back. Then decrease in frequency as symptoms improve. Then stop.

~ If improvement is seen but fails to continue, go to a high potency (strength) or change remedy formula.

~ If no improvement seen after the 3rd frequent repeat dose, you may have the incorrect remedy or formula, try another formula or remedy. If not helpful after you have done frequent repeat acute dosing, contact us.

Chronic Ailments / symptoms: repeat a dose two to three times a day or as directed on the bottle.

Vitamin C is a natural “Antidote to Poisons”

E.G treating SNAKE, SPIDER AND TICK BITE / OR even PARVO VIRUS. Vitamin C is completely non-toxic, so it cannot harm your pet if you give him more than he needs. The most mistake is not giving enough to get the desired effect. **Vitamin C overdose results in nothing worse than diarrhea. Anaphylaxis cannot occur.**

GUIDELINE SUGGESTION

e.g Using a Natural Vitamin C – kakadu Plum Extract

* **1ml (approx 3 drops) contains 50mg fresh plant.**

Small animal, cat, toy dog, rabbit, wildlife: add 5 to 10 drops in meals.

Small dog or Med size dog: add 30 to 60 drops (or 1/2 - 1 teaspoon) to meals

Med-Large Pet or Animal: add 30 to 60 drops (or 1/2 - 1 teaspoon) to meals

Horse: use 15 drops in apple juice oral syringe it.

For humans, just add one teaspoon orally or in juice

Twice a day (min) as vitamin c does not stay in the body for very long.

Can continue long term for optimum health.

Or If unwell or need to antidote - repeat hourly, up to 6 x daily until improved then can reduce 3 to 4 x daily. Add a dose to some water or chicken or beef broth or neat ... and oral syringe.

OR

(b) **Synthetic Vitamin C** (available on-line or from health food stores)

~ ORAL - Sodium Acorbate Vitamin C powder

DOSING GUIDELINE

HORSE / COW / SHEEP

ORAL dosing with **Sodium Ascorbate** vitamin C crystals, **dissolve 5 teaspoons in 1 cup** of filtered water, oral syringe approx. 20ml, small sips at a time. (repeat every 2 hours)

DOG / KID / SWINE / DOE

ORAL dosing with **Sodium Ascorbate** vitamin C crystals, **dissolve 5 teaspoons in 1 cup** of filtered water, then using a oral syringe - syringe small sips at a time approx. 15ml (repeat every 2 hours)

HUMAN ORAL Vit C crystals dissolve 3 tsp in 1/4 cup of filtered water and drink, repeat every 15 mins, for a few hours can reduce frequent when improvement is seen - to hourly - 6 times a day if not 100% back to normal. You can do this on the way to the

hospital or while waiting for ambulance or help - especially if you are living in a rural outback town or farm.

CAT / TOY DOG / Other SMALL ANIMAL

ORAL Vit C Sodium Ascorbate vitamin C crystals, dissolve 3 teaspoons in 1 cup of filtered water. then using a oral syringe, syringe side of mouth small sips at a time until approx. 5ml has been taken - (repeat 2 hours)

Continue for at least 20 oral dosing for 4 hours if acute or advanced stages and snake bites. Upon animal improvement - pupils back to normal and breathing good. Can stop or reduce to casual three times a day if you feel still not 100%. Also use less amount and less frequent for Parvo Virus sick pups or adult or add to daily meals as a prevention

OR

Farmers and a nice Vet may do "Injectable" Vitamin C. (*mainly for snake bites*)

(c) "INTRAMUSLCAR INJECTION" injectable Vitamin C

(second option if pet is unable to swallow). Make sure the brand is 2mls per gram and not 4mls per gram, otherwise you need twice as much at twice the cost. needles as 19 or thereabouts because the stuff can be slightly glutinous and speed is generally all important on the occasions when it is needed. Keep in fridge when not using. Many farmers have this vitamin C in there fridge at all times.

Website: vetnpetdirect.com To order Troy "Vitamin C Injection" 100ml
\$13.50AUD

Example: Dog of approx.. 30 to 50 kg will require approx. 10 - 15mls

* by intramuscular injection in the side of the neck. It was taught by the teaching Vet at the Veterinary College to avoid doing injections in the back legs because it is too easy to damage vital nerves there. Three quarters to 1 cm penetration is needed, and, if in doubt, get it under the skin anyway. You can repeat the treatment without risk.

Vitamin C overdose results in nothing worse than diarrhea.

Anaphylaxis cannot occur

* However when the dog / cat or horse is really sick it will allow you to do the injecting (which can sting in small animals) without objecting.

If the animal starts to make a fuss, you know that it is feeling much better, and the subsequent doses should be given as powder in the mouth. It is a good idea to give two or three backups just to make sure all the venom has been detoxified.

The great advantage of Vitamin C is that anaphylaxis does not occur and the variety of snake does not matter.

Vitamin C is cheap, easy to store and taking it on a hunting trip is no problem. It can all be carried in a small wallet on ones belt. In between times it should be kept in the fridge. Although the stuff can be carried in Summer without deteriorating, I suggest to hunters that they get a fresh supply each Spring just to be on the safe side.

After much reading of printouts of Bellfield's and other literature, many supplied by Dr Glen Dettman,a retired pathologist who lives near Melbourne, Pat Colbey said, she has tried Vitamin C on many situations.

A dog in a tick coma, spider bites, dogs with Parvo, Tetanus following a terrible injury from a car, and in cases of shock - all with unfailing success

Tick Bite (toxic tick causing paralysis)

- Not all ticks cause paralysis reactions.

Which the formula Bottle 2. Will help with back end paralysis, weakness, tick bite nosode, esophagus stricture, ryegrass toxicosis, Lyme tick bite This homeopathic formula works well for any type of toxic tick bite and toxicosis in farm animals (eating certain types of grass) which present symptoms of staggering type of paralysis.

Tick paralysis

There is a concentration of saliva and presumably toxin in the granulomatous reaction around the tick mouth parts. It is thought by some experimenters that the residual toxin located in this granuloma is at least partially responsible for the increasing paralysis which occurs after the tick is removed. USA - by comparison, the North American paralysis tick *Dermacentor andersoni* (found in the Rocky Mtns) does not produce a granuloma at the site of attachment, and in this case the paralysis rapidly regresses after the tick is removed.

Due to recent years of more complicate symptoms, we have extended our treatment remedies so you have a natural formula drops to apply if needed or use as prevention is fine too! The *Ixodes Holocyclus* (paralysis tick) is found alone the coast line of Qld, NSW and Victoria. Tick saliva is neuro and cardiotoxic what means it has deleterious effect on the heart and nervous system causing ascending paralyses.

Signs of tick toxicity

Signs most commonly seen include:

Vomiting and/or gagging or refusing food.

A slight wobbliness of the hindquarters which worsens to paralysis and inability to stand.

A change in the sound of bark or meow;

Vomiting and/or gagging or refusing food

Difficulty breathing (slow and laboured, often with a grunting noise on expiration).

Further Suggestions as Prevention:

Many essential oils patted into fur can help deter - **Flea, Tick, Mosquito Repellent**

Diatomaceous Earth – a natural anti bug powder can be put on pet and around the house, back yard etc. Diatomaceous Earth (often referred to as "DE") is an off white talc-like powder that is the fossilized remains of marine phytoplankton. When sprinkled on a bug that has an exoskeleton (such as bed bugs, ants or fleas) it compromises their waxy coating so that their innards turn into teeny tiny bug jerky.

But it doesn't hurt mammals. We can eat it. We do eat it! It's in lots of grain based foods because lots of grains are stored with diatomaceous earth to keep the bugs from eating the grain!

E.g. Put under duck pen, in yard for scorpions and spiders and on various plants to keep off worms, aphids and all the millions of Florida bugs. It helps to keep fleas and ticks off your pets. Many uses for this!

Homeopathic HAMPL Tick Paralysis Oral Nosode 75-1

which you can stir in a dose to farm animal trough once a week. Stir in a dose every time you change your dog's water. Animals that do not drink water very often, place some drops in their food or on body once a month.

Topical Tick Repellent: Insecticide poisons used for parasites in pet come in pet collars, cream, sprays, drops or drugs etc.

However, there is an alternative way, using different types of **herbs and aromatherapy oils** (as a anti-parasite repellents) in water and a spray bottle to spray on your pet each day when going out side for walks etc.

For Perennial Rye Grass Toxicosis

Can use as a **Prevent or Treat** from ryegrass toxicosis.

The HAMPL Homeopathic is used for farm animals that have got **Perennial ryegrass toxicosis**.

PROTECTION

EQUINE: place drops behind ears, as well as on the rump.

FARM ANIMALS, WILDLIFE, FERAL ANIMALS: stir in a dose to water trough and dam, water hole once a week.

TREATMENT

HAMPL TOXICOSIS 75-2 15ml (0.1oz)

Contains homeopathic nosodes and sarcodes complex:

Suggestion: apply 3-4 drops on body (pat into fur so it reaches the skin).

Repeat a dose every half hourly, 6 times a day. Reduce or stop upon improvement.

Use in conjunction with other remedies in kit -symptoms showing

ASSISTANCE TREATMENT

(of any size or species) put drops on body or water trough, if you can touch the animal mix a tablespoon of vitamin c crystals in warm water (say half a cup) add the paralysis remedy and if you have it add the **Rescue remedy** as well. Shake and then oral syringe at least 10ml. Repeat frequently to get fast results. **Or follow the Liposomal Vitamin C instructions Page 6**

E.g. if given every 15 mins of say three repeat sessions, you will see a huge difference after the second or third repeat. Continue dosing if needed, less frequently if animal is still not up and moving fully.

In some cases if animal is dehydrated, or advanced weakness give Sub Q fluids or IV drip to hydrate, can hook up two bags at the same time if need be for faster results.

CASE STUDIES using Vitamin C in emergencies.

Snake Bite Poison

My cat “Ashley” survived just giving heaps of Vitamin C powder.

I just thought I would let you know the state of my cat following your advice yesterday. Since speaking to you, I had it confirmed that “Ashley” was bitten around 11.30am by a metre long brown snake. The snake made several strikes, mainly to her neck and face region. She was taken to the vet within 10 minutes, panting in shock and distress. After an hour, blood was found in her urine.

I picked her up from the vet at 5.30pm last night. Her pupils were dilated, temperature dropping and the vet advised paralysis would set in within hours and she would be lucky to last the night.

I mixed (3) three teaspoons of powdered Vitamin C in 1 cup of water and gave her 10 mls every 15 minutes until 10pm that night. She tolerated the first few doses and strongly resisted the remainder.

She was eating small amounts and drinking large amounts. This morning at 6 am I was woken by a very “vibrant” cat chasing my dog around the house. I have asked my husband to continue giving her 10 mls every couple of hours.

Not sure when we need to stop. She is hungry, active and noisy. Most importantly, showing no signs or symptoms of the snakebite or feeling unwell. Thank you so much for your advice. It looks like it save my cat.

Joanne. WA Solicitor

Tick Bite and Paralysis.

16 week old Foal “Magic”

“Magic” started to heal after the second dose of the **homeopathic Paralysis remedy**, still weak after 3 days of laying unable to move, he was very weak. He started to sit up and move his legs. The following day, we helped up and he started to walking around with out any problems.

The **Vitamin C** really boosted his system from being dull in the eyes and lethargic.

Bach flowers Rescue Remedy quickly stopped shock, every time I gave him a dose of this remedy, he would perk up and eat food. The Vet did not think he would make it. And was not responding to the \$600 anti-venom which was given the first day of tick bite.

Nicola. Sydney

.. there are many more of these case studies.

WHAT IS HOMEOPATHY ?

Homeopathy is a therapeutic method, based strictly on the law of similars and utilizing infinitesimal medicinal doses. **The law of similars states that:**

- 1) Every pharmacological substance produces in a healthy individual a set of symptoms characteristic of the substance used.
- 2) Every ill subject presents a set of symptoms characteristic of a disease.
- 3) The cure, that is to say the elimination of the symptoms of the illness, can be obtained by administration of a small quantity of the substance whose experimental effects are similar to the symptoms of the ill patient.

For example, **Ipecacuanha (Ipecac)** given in a measurable dose to a healthy individual produces nausea and vomiting. An ill person suffering from nausea and vomiting improves after taking a homeopathic dose of Ipecac. Homeopathic therapy consists in giving the patient an infinitesimal dose of a substance capable of producing, in healthy individuals, disorders analogous to those which one wants to cure.

That is to say, of provoking a similar (homeo) suffering (pathos). In homeopathy, the medicines are referred to as remedies. The correct remedy is chosen by a detailed collection of the patients symptoms and history. With humans it is fairly easy to solicit most of this information. In wildlife rehabilitation it is very much a challenge. We never have a history on the animals we are presented with, and to make things even more difficult, most wildlife instinctively hide symptoms and indications of weakness.

Although, in a life threatening situation, nothing happening could mean death to your patient. So we provide combination remedies in the one bottle, so it covers many symptoms that a animal, pet or other species may need healing. Homeopathic remedies are made from natural substances; plants, animals,(including insects), chemicals and minerals. The substances are usually macerated in alcohol and a mother tincture is prepared. The tinctures then undergo homeopathic dilutions. The dilutions are referred to as x or c.

To prepare x dilutions, one part MT (mother tincture) is mixed with 9 parts diluting. This makes the 1x potency. Then, one part of 1x is mixed with 9 parts diluting and the 2x potency is formed, and so on. The most critical aspect of this process happens between each dilution. The medicine is shaken or concussed vigorously. This is called potentization and this step is what releases the energy of the substance. Without potentization the remedies would have no healing actions. The c potencies are prepared in the same manner except 1 part MT is added to 99 parts diluting, and after potentization you have the 1c potency, etc.