



HAMPL<sup>TM</sup> Pet Formulas

## Holistic Animal Remedies

PRODUCT CODE <b>AN141 Infant Diarrhea (e.g. coccidiosis)</b>	9 Pages
For all species and ages	
Last Updated: 12-09-18	

### Coccidia (Coccidiosis)

**A Cause of Diarrhea** Coccidia are small protozoans ( one cell organisms) that multiply in the intestinal track of cats and dogs, most commonly.

A kitten is not born with the coccidia organisms his intestine. However, once born, the kitten is freque exposed to his mother's feces, and if the mother is shedding the infective cysts in her feces, then the young animals will likely ingest them and coccidia will develop within their intestines. Since young kittens, usually those less than six months of age, have no immunity to coccidia, the organisms reproduce in great numbers and parasitize the young animal's intestines. Oftentimes, this has severe effects.

From exposure to the coccidia in feces to the onset of the illness is about 13 days. Most kittens who are ill from coccidia are, therefore, two weeks of age and older. Although most infections are the result of spread from the mother, this is not always the case. Any infected kitten or puppy is contagious to other kittens or puppies. In breeding facilities, shelters, animal hospitals, etc., it is wise to isolate those infected from those are not, while treating them homeopathically.

#### **What are the symptoms of coccidiosis?**

The primary sign of an animal suffering with coccidiosis is diarrhea. The diarrhea mayb be mild to severe depending on the level of infection. Blood and musous may be present, especially in advanced cases.

Severely affected animals may also vomit, lose their appetite, become dehydrated, and in some instances, die from the disease. Most infected kittens encountered by the authors are in the four to twelve week age group. The possibility of coccidiosis should always be considered when a loose stool or diarrhea is encountered in this age group. A microscopic fecal exam by a veterinarian will detect the cysts confirming a diagnosis.

#### **What are the risks?**

Although many cases are mild, it is not uncommon to see severe. bloody diarrhea result in dehydration and even death. This is most common in animals who are ill or infected with other parasites, bacteria, or viruses Coccidiosis is very contagious, especially among young kittens. Entire catteries may become contaminated, with kittens of many age groups simultaneously affected.

## What is the treatment of coccidiosis?

It should be mentioned that stress plays a role in the development of coccidiosis. It is not uncommon for a seemingly healthy kitten to arrive at his new home and develop diarrhea several days later leading to a diagnosis of coccidia. If the kitten has been at the new home for less than thirteern days, then he had coccidia before he arrived. Remember, the incubation period (from exposure to illness) is about thirteen days. If the kitten has been with his new owner several weeks, then the exposure to coccidia most likely occurred after the animal arrived at the new home.

**Conventionally Drugs** such as sulfadimethoxine (Albon®) and trimethoprim-sul a iazine (Tribrissen®) Because these drugs do not kill the organisms. but rather inhibit their reproduction capabilities, elimination of coccidia from the intestine is not rapid. By stopping the ability of the protozoa to reproduce, time is allowed for the kitten's own immunity to develop and remove the organisms. Drug treatments of one to three weeks are usually required. But most often re-occurring conditions can appear.

## For example

we use the Homeopathic medicine (natural) approach for any type of Diarrhea in pets and farm animals.

Dysenteric (coccidiosis) nosodes, Gaertner (bowel nosode), E.Coli nosode, Sycotic Co.

with the other homoeopathic remedies as below -

i.e. **Baryta Carb** - would suit very young animals, when other remedies are slow to respond.

**China** – if loss of body fluid occurs for longer than 3 days.

**Vertrum Alb** - is condition is severe leading to collapse- stools are described as like rice-water.

**Podophyllum** 1 M - for long standing cases which have not shown response to other remedies also another key factor is they seem to be worse in the mornings.

**Ipecac** – possible nausea with infection.

**Merc Corr** – works on the blood.

Generally given three to four times daily for a week or longer if needed.



HAMPL<sup>TM</sup> Pet Formulas

## Holistic Animal Remedies

### What can cause diarrhea and other symptoms?

Toxic chemicals causing side effects, ACUTE stress, and many pets that may have a weak **immune function**, which allows yeast infection, allergies and virus activities to occur.

**Stress can severely deplete a animals immune defense system.** Common with farm stock or domestic pets who are under stress, stressful environment, trauma of birth, cramped housing, vaccinations severely deplete a animal of Vitamin C. (and vitamin can treat many emergency health conditions) etc

**Symptoms can be** ...abdominal pain, bloating, chest pain, chronic cough, diarrhea, dizziness, dry eyes or mouth and earaches. Irregular heartbeat, jaw pain, morning stiffness, nausea, night sweats, psychological problems, shortness of breath, skin sensations, tingling sensations and weight loss.

**NB.** If acute vomiting is seen also use the non drug prescription (**AN086**) **HAMPL Gastro Acute formula** alternating four to five times daily for a number of days until symptoms are cleared.

**Due to a weakened immune system bacteria and virus or fungal infections can commonly set in.**

**For example:** a fungal infection internally and/or externally can cause things like...gastritis, sinus infections, respiratory issues, coughing, lethargy, CFS ( as it attacks the organs and hormonal glands... heart, kidneys and adrenal glands etc) cystitis, prostatitis, corona virus, diarrhea, skin allergies, ear infections – all commonly seen in animals.



HAMPL™ Pet Formulas

## Holistic Animal Remedies

### **Magensium**

Suggested Guide Animal Dosage

Magnesium (mineral)

Cat: **plus add a "pinch" of magnesium (mineral) powder.**

Dog: **plus a ½ a teaspoon of magnesium supplement. (powder from cap)**

Example:

**Magnesium Glycinate** powder is a chelated form of magnesium that tends to provide one of the highest levels of absorption and bioavailability and is typically considered ideal for those who are trying to correct a deficiency. **This form of magnesium WILL NOT CAUSE DIARRHEA** if taking a larger therapeutic amount.

OR

**Magnesium liquid (ReMag magnesium solution)**, is the most absorbable form and has no additives to this solution. 1 teaspoon = 300mg of magnesium. \*HAMPL sells this Magnesium. EITHER of **these forms of magnesium WILL NOT CAUSE DIARRHEA** if taking a larger therapeutic amount. Other liquid mags often have other preservatives in them, which I would avoid.

### **Slippery Elm Powder**

Can ALSO buy this from health food store and most drug stores (chemist)

Slippery Elm Powder (**ulmus fulva**) also known as Red Elm, Moose Elm or Indian Elm, is a small tree native to North America.

Suggested Guide Animal Dosage

SMALL ANIMALS – PETS:

Add a little boiled hot water from kettle to make a smooth paste. (mix well) Then add ¼ or ½ cup of filtered room temp water, stir again.

Dosage guide:

Cat or toy dog: using 1 teaspoon (1-2ML) of mixture and add mix well into food.

Small to Med dog: using 2-3 TBS of mixture and add mix well into food.

Med to Large dog or animal: using ¼ CUP of mixture and add mix well into food.

### **Adding HERBAL formulas and SUPPLEMENTS to the Slippery Elm Mix**

E.G minerals (magnesium) 10 drops, ½ cap of Probiotics or Colostrum powder.

HAMPL Herbal Protozoan or HAMPL Infection Fighter 71 drops (herbal antibiotic) or other herbal formulas indicated, fine if animal or pet is already on antibiotic drugs at the same time.



HAMPL<sup>TM</sup> Pet Formulas

## Holistic Animal Remedies

### **STRESS – SHOCK**

Apply 4-5 drops on body –the HAMPL Shock 115 drops and/or apply 4-5 drops on body of the BACH FLOWERS Rescue remedy for stress. Can also mix in a few drops to the slippery elm mix as well and in water bowl.

Horse, Foal, Sour, Calf, Lamb, Goat, Joey (infant kangaroo)

**Infant Farm Animals** : you will need to oral syringe. ORAL syringe with an large syringe a couple of tablespoons of mix every half an hour until conditions improves, then either stop or reduce frequencies. Then stop once back to normal.

### **STRESS – SHOCK**

Apply 4-5 drops on body –the HAMPL Shock 115 drops and/or apply 4-5 drops on body of the BACH FLOWERS Rescue remedy for stress. Can also mix in a few drops to the slippery elm mix as well and in water trough or bowl.

Using the Bach flowers rescue remedy as a prevention it a great idea for all farm animals. Can spray on nose or 4-5 drops on body frequently as needed. Up to 6 times a day if needed. You will find the following day animal is acting and looking better.



## What can cause diarrhea and other symptoms?

Toxic chemicals causing side effects, ACUTE stress, and many pets that may have a weak **immune function**, which allows yeast infection, allergies and virus activities to occur.

### **Stress can severely deplete a animals immune defense system.**

Common with farm stock or domestic pets who are under stress, stressful environment, trauma of birth, cramped housing, vaccinations severely deplete a animal of Vitamin C. (and vitamin can treat many emergency health conditions) etc

**Symptoms can be** ...abdominal pain, bloating, chest pain, chronic cough, diarrhea, dizziness, dry eyes or mouth and earaches. Irregular heartbeat, jaw pain, morning stiffness, nausea, night sweats, psychological problems, shortness of breath, skin sensations, tingling sensations and weight loss.

**NB.** If acute vomiting is seen also use the non drug prescription (**AN086**) **HAMPL Gastro Acute formula** alternating four to five times daily for a number of days until symptoms are cleared.

### **Due to a weakened immune system bacteria and virus or fungal infections can commonly set in.**

**For example:** a fungal infection internally and/or externally can cause things like....gastritis, sinus infections, respiratory issues, coughing, lethargy, CFS ( as it attacks the organs and hormonal glands... heart, kidneys and adrenal glands etc) cystitis, prostatitis, corona virus, diarrhea, skin allergies, ear infections – all commonly seen in animals.

## “Activated Charcoal” Health Benefits

Why “activated Charcoal powder”?

Health Benefits The American Journal of Gastroenterology published a study reporting a scientific claim that activated charcoal can reduce the build-up of **nitrogen waste** in the body; e.g. ..UREA levels (toxic waste) from kidneys. Research studies have also shown that **activated charcoal decreases the toxic load on the body by over 60% with daily use**. This is due to its ability to bind and grab up chlorine, pesticides and herbicides, bacteria, viruses, yeast, parasites, toxic chemicals and endotoxic metabolites.

Endotoxins These are substances that are produced within our body. This would include toxins produced by our gut bacteria, molecules formed by incomplete liver conjugation and ammonia which can arise due to inadequate kidney filtration.

### **Charcoal (activated) (powder or use powder from capsules)**

Natural charcoal for allergies, nausea, ulcers, vomiting, bloat, diarrhea, acid reflux, seizures.

Intestinal disorders, Poisons and drug overdoses . **Pulls out 4,000 toxins a day.**

Or if not eating oral syringe side of mouth. Can also use in conjunction - if needed the **Slippery Elm powder** mixture **Colostrum powder** given orally - a oral dose with a syringe every 10 minutes until settled. Repeat casually until 100% well again.

## SUGGESTION

to assist your pet with – whether acute or chronic kidney weakness. Starting adding activated charcoal to your pets daily meals. e.g. get the "activated charcoal" in powder form.

**FELINE, TOY DOG to SMALL SPECIES:** Add 5 drops of the RenoAid 19-1 formula, and 1 teaspoon into a cup of filtered water in a jar with lid, shake before each use. Pour 1-2 tablespoon in meals or/and milk drink. (or build up to a tablespoon each meal or just add once a day to meals).

**SMALL to MED DOG:** Add 5 drops of the RenoAid 19-1 formula, and 2 teaspoons of AC to a cup of filtered water, stir well, then each day add one tablespoon in meals or milk drink. (or build up to a tablespoon each meal or just add once a day to meals).

**LARGE DOG:** Add 5 drops of the RenoAid 19-1 formula and double the amount of powder again into a cup of water.



HAMPL<sup>TM</sup> Pet Formulas

## Holistic Animal Remedies

### What else can I do?

#### **Fix the Gut Flora and Gastro-Intestinal Digestion system**

Here is the BELOW supplement I like to use for myself and my pet's, with great success and healing the gut.

#### **NZ Colostrum Powder or chewable tablets**

Colostrumhealth 100% pure Colostrum

<http://www.colostrum.gen.nz/> Order on-line.

**Feline - Toy dog:** Add a pinch of powder or each into every meal given.

Double the amount for larger pets Or give the yummy chewable tablets twice a day.

and

#### **Enzyme Probiotic Complex ( By AMERICAN HEALTH)**

##### **Suggested Guide Animal Dosage**

Canine: add the powders from the 2-3 capsules, and mix well into meals.

After a couple of weeks increase to ½ cap daily.

Feline, toy dog, infant farm animal or other small animals: add the powders from one two capsules and mix well into meals.

It takes 2 months to fully restore "gut flora" along with aiding better digestion absorption - helping gastro-intestinal health and digestion.



HAMPL™ Pet Formulas

## Holistic Animal Remedies

### Colostrum

**help** support those who have autoimmune diseases in several ways.

First by healing the intestinal lining, second by reducing inflammation, and third, by slowing an overactive immune system response. People and animals with autoimmune diseases are among the first to notice the benefits of colostrum.

**NOTE: Cancer, diabetes, IBS, leaky gut, colitis, canine and feline virus, arthritis, lupus etc are just some of the conditions that are autoimmune conditions.**

**Colostrum** contains many substances that play a critical role in the healing of leaky gut syndrome. Its many beneficial factors focus their efforts in this area of the body where an overwhelming majority of diseases and infections gain entrance. One of the first things colostrum does is repair damaged tissue and seal the mucus layer of the intestines, making it impermeable to viruses, bacteria, fungi, toxins and parasites. Some of the growth factors contained in colostrum have an anti-inflammatory effect which is a big factor in the initial healing of leaky gut syndrome. Without a leaky gut many other conditions can simultaneously and positively be affected. This in turn greatly reduces the toxic load on the body and increases nutrient uptake. As this intestinal lining is healed, food allergies are reduced and often disappear entirely. The immune response is enhanced and the first line of defense in the bowel is returned back to a more normal function. The enhanced nutrient uptake supports other vital tissues and organs. This is why organ function improves and energy levels rise. Because the proper function of the gastrointestinal track is so vitally important to so many processes in the body, **the healing of leaky gut syndrome is monumental.** Colostrum is highly recognized for its effects in this area. Especially for **rescue cats or kittens and dogs** that may have missed out of health mum cats milk (containing colostrums). Feral to semi-feral, homeless rescued cats, kittens.

**Colostrum** is a great way to help rid the body of iron that is not being controlled by bioavailable copper. Lactoferrin binds iron 250 times stronger than Ferroportin making the iron unavailable for pathogens to feed on. Calves, when born, have a great chance to live ONLY if they get their colostrum. When colostrum is withheld, that number drops considerably. Same goes for human 'calves'. DE, IP6 (Rice Bran) and/or colostrum are very beneficial for removing the iron in the gut.

### Iron in the gut is the reason for all the IBS, Colitis, Crohns etc...

**Itis** means **inflammation** and it stand for "It's The Iron, Seakers"

**Itis** is **inflammation** caused by IRON not controlled by Cu/Cp (copper)

**Fixing the liver as well.**

Article on Dysregulation of iron and copper homeostasis in nonalcoholic **fatty liver**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4342600/>