

<b>Ear Infection</b> <i>(bacterial &amp;Fungal middle ear infection)</i> <b>Ear Wax</b> <b>Ear Growths</b> <i>(e.g for ear polyps also use <b>Ear Tone</b> and <b>Keliod formula.</b>)</i>	11 Pages:
<b>Perforated or Non Perforated Ear Drum</b> <b>* Ear infection (A) and (B) information</b>	
Last Updated: 28/1/23	

## Non Perforated (Set of 4) Ear Infection Healing

1. **Ear Clear 30ml** *\*will also address vestibular symptoms –dizziness,off balance etc*
  2. **Infection Mix 100ml** *\* Herbal Mix in ear canal (ear drops) and add to meals*
  3. **Drawing Out 30ml (1oz)** *\* draws out pus/infection from ear canal*
  4. **Pain Eze 50ml (1.7oz)** *\* use if needed, may need to use it initially while healing*
- Optional - **Infection Fighter MIX** *\* herbal antibiotics diluted and added to meals or oral syringe, ear drops Using as **EAR DROPS** - after diluting in some hot water, cool, then drip 4 -6 drops in ear canal. But only do this after inflammation and pain has be dramatically reduce through frequent homeopathic treatments formulas 1, and 4. Or/and **Solution.***

OR

## Perforated Ear drum & infection (Set of 5) - Ear Infection Healing

*\* often required after the use of insecticide chemical ear drops side effects. (... Troy Ear Canker drops, Aristopet Canker ear drops to name a few*

1. **Ear Clear 30ml** *\*will also address vestibular symptoms –dizziness,off balance etc*
2. **Infection Mix 100ml** (do not use in ear canal).  
*\* herbal antibiotics is diluted and then added to meals or oral syringed side of mouth.*
3. **Drawing Out 30ml** *\* draws out pus/infection from ear canal*
4. **Pain Eze 50ml** *\* use if needed, may need to use it initially while healing*
5. **Injury Surgery 30ml** *\* use to help repair ear drum damages.*

Through clinic practise some of the below remedies were prescribed and needed according symptoms via a Vets own cat having caused ear nerve damages from using Aristopet mite ear drops.

~ **Congestive Heart formula** *\*breathing, circulation problems.*

~ **Anemia Balance Formula 50ml** *\*borderline anemia.*

~ **Liver Detox 30ml** *\*as one for insecticide chemical drug specifically affects the liver, carcogenic* \* on request if ear damage was caused by Insecticide toxic damages to boy using Troy or Arisopet insecticide products.

*\* Use if needed, may need to use it initially while healing*

and HERBAL MIX

~ **Infection Mix 100ml** \* **Can be used as ear drops as well as Internal and External healing** \* See bottle label for dosage suggestion to add to meals.

as well as (optional)

The "Solution" , if ear infection is difficult to 100% heal.

Adding some **solution** in ear canal kills pathogens and oxidizes poisons anywhere they might be, including in the water of the body. **Once pathogens are wiped out and poisons are oxidized, through the normal process of elimination, the body washes them out and then the body is able to heal and be restored to full health.**

\* Add several drops to herbal dosing in ear canal.

[www.mmshealthy4life.com](http://www.mmshealthy4life.com)

## With Ear Infections

Initially keep apply the drops on body to help reduce pain, inflammation and infections of the middle ear. Do a application regularly to get fast relief.

After a day or two the ear maybe less sensitive to touch.

If still sensitive continue the drops for a few more days. Then once your pet is comfortable in you putting drops down the ear go ahead and make the warm liquid mix.

Or

## Ear Wax

HERBAL MIX

Ear Wax Mix

Or

## Growths in Ear Canal

HERBAL MIX

Ear Canal Spray Mix \* See Bottle Label for Instructions

**Solution** some of the "solution" is also in **Ear Spray Mix** as well as to **Infection Mix** The ' solution" Kills pathogens and oxidizes poisons anywhere they might be, including in the water of the body. **Once pathogens are wiped out and poisons are oxidized, through the normal process of elimination, the body washes them out and then the body is able to heal and be restored to full health.**

[www.mmshealthy4life.com](http://www.mmshealthy4life.com)

## EAR CLEANING INSTRUCTIONS

Do not use this if ear drum is perforated

### Warm up the olive oil.

Olive oil helps soften the wax as well if just treating waxy build up, making it easier to drain on its own. This is the temperature of your inner ear, and the oil will be more comfortable at a comparable temperature. Put two to three tablespoons of **Olive Oil** in a small dish (with Infection Mix or Ear Wax Mix)

Then place this dish in a larger one. The larger dish should have boiled hot water from kettle. Allow to sit in the dish with hot water for a few minutes (not too long).

Dip your finger in so its only warm (not hot).

Dab the cotton ball in the oil and gently swab the inside of your pet's ears. Use a clean cotton ball to remove the excess oil and debris.

Avoid Q-tips for cleaning — this can push wax farther in the ear canal.

### Get started:

1. Then moisten a cotton ball with the "warm olive oil" and gently swab the inside of the ear.
2. Straighten the ear canal by softly pulling on the ear and allow a few drops of the olive oil, to dribble down the ear canal. Dogs have a very long or deep ear canal.
3. Massage the base of the ear gently and remove any excess oil with a clean cotton ball, but your dog may have already given his/her head a good shake off. But if they let you, just check ears and clean up with cotton wool and loose wax or debris. Repeat daily until no more head shaking or waxy stuff debris.

## Tips for cleaning a Cat's ears

Wrap your cat in a towel to restrain him or her.

Most cats do not enjoy sitting still, especially for any poking in their ears. You can keep your cat subdued by wrapping her in a large towel and placing her in a raised open area next to your cleaning supplies. To towel wrap your cat so she is comfortably restrained, you should take a large bath towel and fold it in half lengthwise. Place your cat in the middle of the folded towel. Take one side of the towel and wrap it over your cat's back and then around to the front of her neck. Wrap the other side of the towel around the front of your cat's neck and over her back. Then, secure both ends of the towel behind your cat's neck with one hand. You can use a small clip to keep the two ends of the towel together, freeing up your hands to proceed with the ear cleaning. Repeat twice or more a day until much improved. If severe infection repeat every half an hour until pet seems more relaxed, then go back to casual repeats once to twice a day for a little longer.

### b) For "**Pseudomas aeruginosa Bacterial**"

#### Ear Infection

**EAR Drops** - mix 10 drops of herbs into a teaspoon of potent therapeutic honey (runny honey if possible) mix in. Then apply half a teaspoon to 1 teaspoon in ear canal. if too sensitive hold off until ear is not so inflamed or sore.

Example: Honey that has a concentration of 20%, 25%, or 50% could bring out complete destruction in 24 hours, whereas concentration of honey at 75% and 100% could bring about complete destruction of P. aeruginosa ( Pseudomas aeruginosa) in 12 hours.

**PSEUDOMAS INFECTION** (which is antibiotic drug resistant) **Note:** if your pet has been diagnosed with a immune compromised bacterial infection called "Pseudomas" (which can appear anywhere in body i.e ear canal). Boost the immune system, **by add a strong**

**Probiotic in twice a day for min of 4 months.** (see below)~ There are many many different strengths and types of Probiotics.

For example here are some of the ones we like below (as the whole family can take it also). The strong probiotic will act on the low grade bacterial infection to correct her gut flora.

~ **Premo Probiotics for dogs** \* Good for those dogs or puppies that are depleted nutritionally and thin and malnutrition gut issues. <http://premopet.com/>

OR ~ Adult **"ProBiotic 12 Powder"** \* **100 Billion CFU's (brand - Seeking Health)**

- International order from here - [www.SeekingHealth.com](http://www.SeekingHealth.com)
- Australia - <https://return2health.com.au>

#### DOSING PROBIOTIC POWDER

Adding to goats milk or coconut milk - the second best option is food.

KITTENS, INFANT PUPPY, RABBITS other infant animals

A good pinch in milk drinks to share for cats and kittens or pups twice or three times a day.

FELINE, TOY DOG, other small animals

mix 1/4 cap of powder from the in meals OR milk drinks.

SMALL TO LARGE CANINE or ANIMALS:

Mix 1/2 cap or teaspoon of Probiotics POWDER in meals or milk drinks or plain yogurt

### NATURAL REMEDIES in the Ear Infection Set

#### **3. Drawing Out 30ml (1oz)**

\* Symptom discharge, red, inflamed ear canals. Draws out any infection pus- infection.

#### **4. Pain Ez 0 50ml (1oz)** \* for relief of pain

#### FURTHER SUPPORT

##### HERBAL ANTIBIOTIC (available on request)

Often needed for chronic or deep-seated infection ear infection, we suggest also using the herbal antibiotic drops \* Infection Fighter 50ml (1.7oz).

You can add to meals, or dilute and oral syringe side of mouth. Many times (if a swab was done) the lab results would show a severe staphylococcal infection.

Can also use Internally and as ear drops (for nerve pain treatment), Tinnitus, nerve damage ear deafness. as well as Solution Adding some **OF THE solution** in ear

canal kills pathogens and oxidizes poisons anywhere they might be, including in the water of the body. **Once pathogens are wiped out and poisons are oxidized, through the normal process of elimination, the body washes them out and then the body is able to heal and be restored to full health.**

[www.mmshealthy4life.com](http://www.mmshealthy4life.com)

## "Middle Ear Infection" (media otitis)

A wonderful combination homeopathic formula to assist in expelling pus-infection, **especially needed for dogs with very narrow ear canals.**

Excellent formula for any infections of the middle ear in dogs and cats.

Effective, safe and permanent repair in the most difficult acute cases to the chronic persistence ear cases. No more drugs, no more cleaning no threats to have ear canal surgery to widen ear canal or cleaning.

When an **Ear infection** is either acute or chronic which continues for a longer period we see symptoms that can result from a peripheral vestibular disorder (**a dysfunction of the balance organs of the inner ear**) or **central vestibular disorder** (a dysfunction of one or more parts of the central nervous system that help process balance and spatial information).

Symptoms of ear infections can be painful inflammation, painful earache, profuse cadaverously **smelling discharge, middle ear catarrhal, deafness, fever, imbalance, head tilting.**

Many times (if a swab was done) the lab results would show a severe staphylococcal infection.

## **Possible Fungal Ear Infection?** *(strong musky smell)*

If NOT a bacterial infection after all (and ear drum is not perforated), but possible fungal infection, then use the use the Herba Infection 79-2 Mix with some Apple Cider Vinegar.

The ideal combination to force the fungi into dormancy is a combination of Cider Vinegar with alcohol in the herbs. Using this combination will help dry out the canal and leave a fine layer of acetic acid (from the Vinegar) on the skin of the canal along with a residue of this herb .

**IMPORTANT** – to also give a good probiotic once to twice a day for min of 4 months,



## "RUPTURED" ear Drum - " Middle Ear Infection "

While many ruptured eardrums will heal on their own. However we will still need to help prevent infection and repair the rupture and acute pain. This acute pain is worse when a pet tries to eat, therefore cannot eat. With ruptured ear drum we must avoid any type of "ear drops" either natural or chemicals going into the ear is damaged. Many times (if a swab was done) the lab results would show a severe staphylococcal infection.

### Symptoms of perforated (ruptured) Ear Drum

#### Pain Symptoms and Behaviors.

If your Pet's eardrum is perforated, the base of the ear and the external part of the ear canal will be painful to the touch. Your dog likely will shy away, yelp or even snap if you touch these parts of the ear.

**Pain** - commonly, a cat or dog with a perforated eardrum will refuse to eat or open its mouth, as moving the jaw causes even greater pain in the area of the ruptured eardrum. You may notice your dog pawing at its own head and ears, whining with pain, or becoming generally less active and more depressed.

**Please use the Pain Eze** drops on body every 5 minutes as needed for relief or **single remedy called - Aconite CM.**

#### Hearing and Neurological Symptoms

When the eardrum is perforated, dogs experience a degree of hearing loss, specifically losing the ability to hear high-pitched sounds. Your dog may seem unresponsive to commands or whistles if it has hearing loss. A perforated eardrum also affects a dog's

balance. Your dog may display neurological symptoms, including stumbling, falling or walking around in circles. Facial paralysis can occur if the ear infection causes inflammation of the facial nerve running near the dog's inner ear. You might see your dog's eyes twitching abnormally, the eyelids may droop or the dog may lose the ability to blink normally.

### Visible Symptoms

Using an otoscope, your veterinarian can look inside your dog's ear canal. When the eardrum is intact, it separates the middle and inner ear from the dog's external ear canal. An intact eardrum is visible with an otoscope. A ruptured eardrum will not be visible. Without an otoscope, you may be able to see a cyst forming at the eardrum; a noxious discharge with a cheese-like smell may also flow outwards from the dog's ear.

## **WARNING**

### **Further Information on use of chemical poisons used as ear drops.**

All Pet chemical products for FLEA, MITES, TICK ETC ... have Pyrethrins / Piperonyl Butoxide poisons. (are known Carinogenic - causing liver tumours)

Note: This list may not be all-inclusive.

#### **Side affects symptoms**

- Chest pain
- Coma
- Convulsions
- Difficulty breathing
- Eye irritation if it touches the eyes
- Muscle weakness
- Nausea
- Rash (allergic reaction)
- Salivation
- Shortness of breath
- Skin hypersensitivity
- Sneezing
- Tremors
- Wheezing
- Vomiting

Reference: <https://www.nlm.nih.gov/medlineplus/ency/article/002589.htm>