



Holistic Animal Remedies

Product Code AN309 Homeopathy Wildlife Trauma Rescue	Pages: 16
Last Updated: 02-1-20	

Wildlife Trauma Rescue

Wild animals are commonly admitted for rehabilitation with health problems. Many of these conditions are a result of an injury, such as a fall, blow, or puncture. The animal may arrive in shock, dehydrated, emaciated, in respiratory distress, or having seizures. Wildlife rehabilitators provide quiet, heat, fluids and basic first aid - as well as effective rehabilitation care, such as appropriate diets and facilities.

Like many others in the last decade, wildlife rehabilitators have become more aware of and interested in alternatives to conventional medical practice. Homeopathy has attracted especially high interest from the wildlife rehabilitation community.

Homeopathy has been used widely and safely around the world for 200 years with people and domesticated animals. Many rehabilitators using homeopathic first aid with wildlife have found it to help the wild animals recover and be released more quickly. It is relatively inexpensive and easy to administer.

Rehabilitators interested in using homeopathic first aid with wildlife are encouraged to become familiar with and follow basic homeopathic principles. Please use your gut feeling on other first aid care that maybe needed, working with a Vet who may also administer fluids incase of dehydration.

Administering Homeopathic Medicines

While many of the homeopathic medicines are sold in small pellets, ranging from the 1/8" (.5cm) pellets to some the size of poppy seeds; some manufacturers market the homeopathic medicines as liquids.

Unlike conventional medicines that work on a chemical action, the size or number of the pellets is not as important selecting the homeopathic medicine.

In many cases, it could be difficult to administer these pellets directly to conscious wildlife. Many rehabilitators have found it convenient to dissolve the pellets in a few drops of water (preferably spring or distilled water, although tap water is usually acceptable), draw it into a small oral syringe and administer a short squirt of liquid to the animal's mouth.

If the animal cannot be handled, some rehabilitators have placed the remedy in the animal's mouth via a pole syringe or by placing the medicine in a water bowl or handful of food and watching to ensure that the animal takes a drink / eats the piece of food with the remedy in it.

Or try a spray bottle and spray the diluted remedy on face or nose area so it gets the skin.

The homeopathic medicine is placed on the animal's mucous membranes (e.g., mouth), but it is not necessary for the animal to swallow it. If one has the larger pellets and wants to use them dry, the pellets can be placed in a small piece of folded paper and crushed, and then administered or give orally to dissolve in pouch of mouth.

As the remedy is on the outside of the pill, they do not need to swallow it, once the saliva makes contact then they have go the dose. Even if the pill falls out after a few seconds of administration.

A single administration is a single dose, whether one drop, ten drops or one cup. After time has passed, even a few minutes, it would be considered another dose. As mentioned earlier, the number of pellets or the amount of liquid administered is not as important as getting the homeopathic medicine that is the closest match to the patient's case since it works on an energetic, not chemical, basis.

Homeopathy medicines or their action on a patient can be cancelled or interfered with by things such as strong scents (e.g., cleaning agents, eucalyptus, camphor), electromagnetic waves (e.g., computers, microwaves, and televisions), and coffee (which should not be given to wildlife anyhow). Homeopathic medicines should be stored away from direct sunlight.

Using Homeopathics Concurrently with Other Medical Treatments

Homeopathy can be used concurrently with other treatments, such as heat, fluids, cleaning wounds, or stabilization of fractures. There are situations when western medications or botanical medicines (herbs) that work in a different manner are used at the same time. For example, a wild animal with severe diarrhea may be found to have a very high load of parasites. The animal may be given a homeopathic medicine, Lactated ringer solution to rehydrate, and an anti-parasite treatment to eliminate the parasites. If the animal is in a weakened state and fighting off a life-threatening infection, the veterinarian might prescribe an antibiotic as well as a homeopathic medicine.

However, homeopaths prefer to avoid the use of corticosteroids and other drugs that suppress the symptoms and work against basic homeopathic principles.

In the case of homeopathy, if results are not seen after the second or third dose of 5 to 10 mins a part between each dose, then you need to go onto another remedy.

Normally changes of symptoms like rapid response for some conditions like bleeding or respiratory conditions, a little longer for recent head trauma, somewhat longer still for tendon injuries, etc. will and can be treated within seconds of each dose given if correct remedies given.

HOW TO ADMINISTER HOMEOPATHY to DIFFERENT SPECIES

Homeopathics are usually administered as tiny sugar based pellets. A human receives 3 to 4 pellets in a dose. Veterinarians and doctors like giving injection, so there have been liquid homeopathic ampoules available from a Germany company. However, injecting a homeopathic substance is no more effective than apply drops onto body, orally or in food and water bowl for obtaining a dose. Less stressful than receiving injections.

e.g. we could give a possum or flying bat to a 25-pound harbor seal 2-4 pellets, an eagle to an elephant would only get 2 or 4 pellets or 3-4 drops on the body. If you have a child or adult or an animal and you were to give 100 pills or drops at the one time, it would still be regarded as one dose. I personally like to work with homeopathic liquid. Drops can be placed anywhere on the body, find a spotless fur or hair. Birds we can drip some drops on the back of shoulders between the fold of the wings.

WILDLIFE

Some people put several drops in a small spritz bottle filled with filtered water (shaken) then spray the beck or face or mouth or in the air directly at the face.

One dose: 2-4 drops on the body, find a spot less fur or hair.

Bird – drip a diluted drop on end of beak and it will run down into mouth. * see below

OR add several drops in a small spritz bottle filled with filtered water (shaken) then spray the beck or face or mouth or in the air directly at the face. Felines- spraying the remedy does not go down well with felines, as it sounds like a hissing noise, so drops on body or in food works.

OR prepare a dose by stirring in several drops in half a cup of filtered water. Using and oral syringe some liquid orally or on body.

Example

* **Birds** - add a couple of drops to ½ cup of water and stir, then using a syringe or dropper use this liquid and drip 1 drop at end of beak. Repeat, every few minutes to so, depending if in acute shock and weakness. We repeated up to 10 repeats on a little honey eater, each time he got the drop which absorbed down from end of beak he would wake up with eyes open, but then close eyes again. This went on for at least 15 minutes, until he stayed alert with eyes open and just flew off from my hand.

Repeat a dose every few minutes to 5 to half to hourly if needed. Up to 10 repeats would be enough if needed or sometimes it takes 3 to 4 repeats only. The amount of drops is not so important as repeat dosing when/if needed.

FARM ANIMALS OR ANIMALS THAT CANNOT BE HANDLED. can stir in a dose in a liquid bottle shake and add a cup of this into water trough or bucket or dish. Repeat once a week. And can also use a large spray bottle with the medicated remedy in it and spray the meals/food as often as possible. The more frequent on a day the quicker the animal gets relief –healing. Add to food as well. Repeat a spray as often as needed until symptoms change.

GIVING A LARGER DOSE HAS NO ADVANTAGE.

IMPORTANT

“Repeat dosing” is the most important, fast action and support for all species and ages

Acute Trauma at the time:

repeat every few minutes to 5 minutes, and by the third repeat, the animal, bird, wildlife, fish, lizard etc will not be paralyzed with shock anymore.

But if more severe shock, or prolonged shock, you can continue repeating until fully recovered. E.g continue repeat dosing up to 10 repeats or so if needed or until fully stable and flying or awake and recovered.

For past or chronic trauma:

Repeat a dose three times a day for 4 days or longer if needed. This homeopathic formula will assist in any type of acute stress, either physical or emotional. Use from recent, present or past shock (any traumas) experiences. Pets pick up and absorb our emotional energy and stress as well, so if your pet is withdrawn, or overanxious it may be a sign.

We recommend the human also may need a dose orally 3 x daily for 4 days or more.

Many of us do not realize we (or our pets or animal) have had a shock to the system.

Burns, House or Bush Fires, Heat waves – for humans too!

HAMPL Burn Pains 309-3 formula use in conjunction – HAMPL smoke inhalation, HAMPL heat exhaustion, HAMPL Emergency Stress 309-1 ~ *Fear, shock, trauma, wildlife capture-stress myopathy*

HAMPL Burn Pains 309-3 30ml

Contains homeopathic: Apis Mell 12X, Arnica 5X, 10M, Belladonna 10M, Causticum 12X, 10M, Hypericum 5X, 10M, CM, Phosp 12X, 30C, Kali-Bic 200C, Ars alb, **HAMPL Pain Eze 32 formula.**

Homeopathic active Ingredients are"

Apis mellifica - relieves pink, swollen skin with itching, burning pain improved by applying cold compresses.

Cantharis - relieves blisters from burns or friction.

Arnica - valuable first-aid remedy to help reduce pain and swelling and prevent the onset of shock after any injury.

Belladonna -relieves red, hot and painful skin from burns or sunburn.

Causticum - If a burn is intensely painful and blisters seem to be forming, this remedy may help to bring relief. The person often feels more sad than restless from the pain. Rawness and soreness may develop in the injured area. *Causticum* is also helpful when pain remains in older burns, or when burns have not completely healed.

Hepar sulphuris - helpful for treating very sensitive and painful burns in people who are prone to infection. The person may feel extremely vulnerable and irritable, and may have chills or be very sensitive to cold.

Hypericum - helpful when the pain of a burn is intense and the nerves are extremely sensitive. Along with the usual discomfort of a burn, stabbing or shooting pains may be felt in the injured area.

Phosphorus - useful for the pain of electrical burns, on the way to medical care. (When electrical burns occur, the damaged area may look small on the surface, but be more extensive underneath; they should always be examined by a doctor.)

Kali Bich 200C - when burns are deep.

Dosage Repeats

Homeopathy Dosage Directions

The frequency of dosage varies with the condition and the individual. Sometimes a dose may be required several times an hour; other times a dose may be indicated several times a day. Can apply orally add all remedies into half or a cup of water and stir then oral syringe to wet mouth or gums as one dose or more liquid if bigger animals and human.

What can you put on a burn to stop the pain?

In conjunction with the above homeopathics

The goal of burn treatment is to reduce pain, prevent infections, and heal the skin faster.

- **Cool water dribbled over burns** ... (*add the **homeopathics Burn Pain remedy** to cool water, and apply every few minutes. Usually by the fourth repeat, pain is greatly relieved*) Continue as needed.
- **Cool compresses....**
- **Aloe vera** (in gel form) It is a topical remedy for treating burns and promoting wound healing. The aloe plant is a natural anti-inflammatory, promoting good circulation. It also has antibacterial properties that stop bacteria from growing.
- **Honey** (antiseptic) Applying honey to a bandage, then placing it over the burn may help sterilize the area and prevent infection. It can also soothe burned skin, easing some of the pain.
- And also combined with some **Lavender Oil** (essential oil)

Herbal Topical applications

Calendula herb Ointment

This remedy has a slight antiseptic action, speeds up the healing of damaged skin, and keeps the skin moisturized.

Calendula herb tinctures

These tinctures (used topically in unpotentized herbal form) often is helpful in soothing burns and promoting tissue healing. Ten drops of either *Calendula* or *Hypericum* herbal tincture, or both, may be mixed in an ounce of water and applied to the area several times per day.

Herbal URTICA URENS tincture one part to four parts water, soak gauze in solution and cover burn. Keep gauze in place and keep wet.



Holistic Animal Remedies

Homeopathic Medicines used with First Aid

Shock – Fear Severe shock, especially shock from fright or accident, Capture myopathy (CM) or Stress myopathy.

Treating or prevention of symptoms are intense, painful, and acute (occur quickly). May be very restless or timid. Senses are acute. Remote affects of fright or terror. Acute inflammation and infection. Hemorrhages maybe seen as “bright red”. **Aconite** is often the first remedy given to an adult or older juvenile wild animal brought into rehabilitation since they are in shock and terrified from being captured and handled by a predator (human). In cases where fear is a primary reason for selecting Aconite, it is often only given one time at 10M potency is more effective. e.g. **Capture Myopathy Stress** and Prevention or treatment of “acute and sudden” stress shock from rescue or trapping wildlife, feral or semi-feral cats, kittens etc Acute trauma, shock, fear, inflammation, bruising, bleeding. For all species & ages.

HAMPL Emergency Stress 309-1 50ml

Active Ingredients: Equal parts of Echinacea 3x, Hydrastis can 3x, Hypericumperf 3x, Symphytumoff 3x, Aconitum nap 15x, 10M, CM, Arnica 15x, 30C, 10M, Bellisperennis 6X, 15x, Calendula off 15x, Echinacea 3X, 15x, 10M, Gelsemium 15x, 10M, Hamamelis virg15x, Hypericum perf15x, 10M, Ledum15x, 200X, Phosphorus 15x, Rhustox 15x, 200X, Rutagrav 15x,200X, Staphysagria 15x, Symphytum off 3X, 15X, 200X, Glonoine 6X, 30X, 200X, 10M (collapse, fear or fright, paralysis)

According to the *Materia Medica* the following remedies in “HAMPL *Emergency~Stress*” may be administered for the following conditions:

Aconitum nap:Sudden Onset, Great Fear and Anxiety, Fright, Apprehension, Panic, Shock, Fever, Sensitive to Noises, Sphere is in emergencies and acute diseases; Post-surgical inflammation.

Arnica: Severe mental shock-stress, Fear of the approach of anyone, or touched, head injury.

Bellis per: Injuries to the deeper tissues after major surgical work.

Calendula off: Useful for open wounds, parts that will not heal, ulcers, etc.; Cuts; Knife wounds; Burns; Gunshot wounds; Muscle tears; Puncture wounds.

Echinacea:Wounds; Irritations from insect bites and poisonous plants; Ill effects of vaccination.

Gelsemiumsemp: Bad effects from fright, fear; Loss of power of muscular control.

Hamamelisvirg:Great value in open, painful wounds with weakness from loss of blood after operations; Relieves the pain after operations; Wounds.

Hydrastis can: Small wounds bleed and suppurate.

Hypericumperf: Injury to nerves; nerve pain, Effects of surgery; Spasms after every injury.

Ledumpalustre: Stings of insects; Animal bites; Anti Tetanus, Puncture wounds.

Phosphorus:Bruises; Wounds; Healed wounds break out again and bleed; Injuries.

Rhustox: Post-operative complications; Hot, painful swelling of joints.

Rutagrav: Sprains with weakness in joints; Great weakness after a short walk.

Staphysagria: Surgery; Lacerated tissues.

Symphytum off: Injuries to bones, ligaments, joints, tendons.

Glonoine:collapse, ill effects of sun-heat, fire-heat, fear or fright, paralysis, strokes, sunstroke headaches.

GUIDE DOSING SUGGESTIONS

Acute Trauma at the time:

repeat every few minutes to 5 minutes, and by the third repeat, the animal, bird, wildlife, fish, lizard etc will not be paralyzed with shock anymore.

But if more severe shock, or prolonged shock, you can continue repeating until fully recovered. E.g continue repeat dosing up to 10 repeats or so if needed or until fully stable and flying or awake and recovered.

For past or chronic trauma:

Repeat a dose three times a day for 4 days or longer if needed. This homeopathic formula will assist in any type of acute stress, either physical or emotional. Use from recent, present or past shock (any traumas) experiences. Pets pick up and absorb our emotional energy and stress as well, so if your pet is withdrawn, or overanxious it may be a sign.

Treatment if Myopathy is an issue, however, the Emergency Stress drops should be able to prevent any further symptoms developing.

HAMPL Paralysis Gone 94-2 30ml

* homeopathic formula for various weakness to part or full paralysis

HAMP RenoAid 19-1 50ml drops

* homeopathic formula for kidney support – if needed. Prevention or treat.

HAMPL Congestive Heart 22-1 drops

* homeopathic formula for heart function support. Acute or chronic



Holistic Animal Remedies

Use this one for chronic or past shocks and traumas.

Use HAMPL Shock 115 30ml (1oz) drops

Contains homeopathic, nosode and flower essences: Arnica CM (injury shock, fear of being touched), Ignatia, Opium (collapsed from shock), with Bach flowers of Mimulus, Rescue Remedy (shock) 1M,10M, Glonoine 6X, 30X, 200X, (collapse, ill effects of sun-heat, fire-heat, fear or fright, paralysis). Or

Use the Emergency Stress 309-1 drops

A Hard Fall

e.g. young eyes closed nestlings were thrown out of their nest when their tree crashed to the ground. The birds were in shock from the injury and likely bruised.

HAMPL Emergency Stress 309-1 drops every 5 minutes for 3 repeats initially for shock. and HAMPL Injury Surgery 32 drops

Broken Bone – compound fractures.

e.g. helps in both recent fractures to promote speedy recovery and also in the case of remote fractures, where the bones refuse to heal or where the healing is too slow. Apart from promoting the osteoblast cell activity, it also helps in decreasing excessive irritability at the site of the fractured bone and reducing the pricking pain and soreness, completely safe without any side effect in facilitating the prompt union of broken bones. Complete bone union at the minimum time possible is expected. Fractured jaw for the sensory nerve pain, compound fractures after bone is set, broken jaw, lumps from a blow, extreme bone pain, speeds up fibroblast cell activity for laying new bone, promotes callus formation and osteoblast cell activity needed to lay a new bone, bone remedy and bone pain support, septic inflammation prevention or treatment.

Use HAMPL Bone Repair 87 30ml drops

Contains homeopathic, nosode complex: Calc Phos 6C, 9C, 30C (calcium balancer), Calc Carb69C, 30C, SymphytumOfficinale 9C, 30C, (known as "knit-bone", it promotes callus formation and osteoblast cell activity needed to lay a new bone. To know if bone is broken, if it relieves pain then the bone is broken, but if no pain relief then is not broken), Aurum Met and Hekla Lava (bone remedy and bone pain support) Homeopathic Organ sarcodes of Bone nosode 6X, 30X, Osteo-Arthritis nosode 6X, 30C, 200X, Parathyroid Gland, 200C, Anthracinumnosode 1M (septic inflammation, gangrene), Staphylococcus aureusode 1M, Ruta Grav (broken jaw, lumps from a blow, extreme bone pain), Arnica 200C (compound fractures after bone is set), Hypericum 12X, 10M (fractured jaw for the sensory nerve pain) Example: Symphytum is one of the top Homeopathic medicine to speed up fibroblast cell activity for laying new bone. Symphytum is the best natural Homeopathic remedy to promote callus formation and osteoblast cell activity needed to lay a new bone. Symphytum can be very beneficial in each and every case of fractured bone. Symphytum helps in both recent fractures to promote speedy recovery and also in the case of remote fractures, where the bones refuse to heal or where the healing is too slow. Symphytum is also known as "knit-bone" because of the fantastic skill and artistic way with which it knits the bone. Apart from promoting the osteoblast cell activity, it also helps in decreasing excessive irritability at the site of the fractured bone and reducing the pricking pain and soreness. Symphytum is a natural Homeopathic medicine which is completely safe without any side effect in facilitating the prompt union of broken bones. Complete bone union at the minimum time possible is expected with Symphytum usage.

Injury – Surgery – Bleeds – Bruising – traumas – puncture wound –anti tetanus?

Use HAMPL Injury Surgery 31 30ml (1oz) drops

Contains homeopathic, nosode complex: Hypericum with Arnica, RutaGrav (**broken jaw, lumps from a blow, extreme bone pain**), Ledum, (NAR) Shock formula 200C, Calendula, Hamamelis (small vein bleeds), Strontium Carb, Alfalfa, AvenaSativa, Aceticum Acid 12C, Ammon. Causticum (**post-surgery paralysis prevention or relief of the bladder** when cannot pass urine), Calc. Sulph. Stin, Arsenicum Hydrogen, BellisPerennis 6X,1M (deep tissue injury. i.e surgery), Staphysagria, Pyrogen, Staphylococcus Aur bacteria nosode, Sulphur 6C, 30C, Carbo Veg 200C (for the bad effects of **general anesthesia** during surgery where the lack of oxygen causes problems; extreme weakness as a result of, and after surgery), Symphytum 30C (bone pain, fractures)

Bush fires - Homeopathic treatment

Relief from smoke inhalation symptoms by turning to one of the remedies below. If one of these remedies happens to be a good constitutional remedy for you, your loved ones, or your pets, then you may be more likely to need it during a “smoke attack” because of your susceptibility and the remedy’s ability to help this kind of problem.

Use HAMPL Smoke Inhalation 309-350ml drops

Contains homeopathic: ars alb, euphrasia 10M, kali bich 6X, 10M, natars 10M, silica 12C, 200C, Glonoine 6X, 30X, 200X, 10M (collapse, ill effects of sun-heat, fire-heat, fear or fright, paralysis, strokes, sunstroke headaches) with Bach flowers rescue remedy for stress.

Example:

Arsenicum: For smoke exposure with anxiety. ~ Eyes burn and stream.~ Nose burns and streams~ Cough is dry and worse at night.~ Tremendous anxiety especially about what is going to happen—and restlessness.

Euphrasia: For simple smoke exposure with irritation to eyes and possibly nose and no other symptoms. ~ Eyes stream and burn—lids are red, swollen, and sensitive.~ Nose streams but doesn’t burn.~ There may be a little daytime cough. The eyes stream on coughing.

Kali bichromicum: For more serious smoke exposure with irritated sinuses and/or lungs. ~ Nose is blocked—nasal discharge is dry or comes out in sticky or stringy “plugs.” ~ Sinuses are sore, raw, irritated, and painful.~ Cough is painful, and chest is sore.~ Mucus coughed up with difficulty and is scanty, sticky, or stringy.

Natrum arsenicosum: Great sensitivity to smoke. Useful when the indicated remedies haven’t helped much or at all. ~ Eyes dry and painful. They stream and smart on going out into the smoky air.~ Sinuses feel blocked and are painful. ~ Racking cough. Lungs feel full of smoke.~ Headache from the smoke.

Silica: To help the body eject inhaled particles.~ Nose dry and blocked—no sense of smell or taste.~ Sinuses stuffed up and painful.~ Dry, irritating cough from inhaled particles. With lumpy, yellow mucus.~ There’s a strange feeling of something (a hair or dust) stuck at the back of the tongue.

Glonoine – heat exhaustion and exposure, stroke.

Heat Stroke or Heat Exhaustion treatment

Use HAMPL Heat Exhaustion 178 30ml drops

Contains homeopathic formula: Glonoinum 30C,1M,50M (classical sunstroke remedy, pounding headache with weakness, great lassitude, collapse, ill effects of sun-heat, fire-heat, fear or fright, paralysis, strokes, sunstroke headaches), Selenium 2X, 1M (sensitive to overheating, great debility, and great for the older animal), with Belladonna 1M (gums red, pupils dilated, agitated, seizure, restlessness), Bryonia 30C, 1M, Gelsemium 30X, 200C (muscle weakness and dizzy), Nat Mur 30C, 1M and Cactus Grand 6X, 1M, 50M (for sun stroke, heart affected, difficulty breathing) and Nat Carb 1M (great debility & exhaustion from heat and exposure to the sun).

Can also STIR in a dose to water trough a day or once a week for prevention.

Pain in general

Use HAMPL Pain Ez 32 30ml drops

Contains homeopathic, nosode complex: Morphinumnosode, Guaia, Aconite Nap CM, Guaco, Anthnosode, Carboic Acid 10M, Cuprum Met 10M (cramps/spasms) Gunpowder nosode, KaliumChloricum 10M,

General Treatment: Drops can be applied to the body, in meals and water dish for feral or wildlife or stock animals. (fine if other animal drink same water, only the one that needs pain relief will find relief) after surgery or injury etc

Acute or discomforts and recovery from injury, surgery etc.

Applying drops to the body "every 5 minutes", until comfort is restored. Repeat as often as required.

NOTE: A pet when out of pain, will lay or circle up in a more relaxed restful position. And if hiding, they should start relaxing and stay out of hiding spot.

Crushed Toe or Crushed wing (nerve)

A pet finch had caught a toe in a metal strip on the bird feeder. When he was trying to remove the bird's crushed toe from the metal strip, the bird tried to escape. While the rescuer did manage to get the bird free from the feeder, a tail feather had come out and the bird collapsed. Things like acute shock can use Aconitum 1M or 10M for shock was given in water a few times and found him calmer within half an hour. The toe seemed flat (crushed) and painful. The missing tail feather did not seem to be a serious problem. Use HAMPL Shock 115 drops

Plus

HAMPL Injury Surgery 31 drops Nerve pain and nerve repair is homeopathic Hypericum which is considered excellent for crushing injuries and wounds in areas rich in nerves (including toes and coccyx). Placed a drop of the remedy in his beak.

Respiration Difficulty

Found that two nestling Robins that had been fine before the feeding suddenly had respiratory difficulty. Their breathing was loud and labored. The supervisor believed that the new volunteer had aspirated them while feeding by getting food into their trachea instead of esophagus. Their breathing became more labored each time she fed them over the next couple of hours. E.g. Homeopathic **Phosphorus** had been used in previous cases of **rapid onset of aspiration difficulties**. Using a small syringe, she gave a drop or two to each of the two Robins.

Repeated every few minutes to 5 minutes - for 4 to 6 repeat treatments. This was all that was needed. **Respiratory 24-1 DROPS** which has Phosphorus in it.

Use **HAMPL Respiratory 24-1 50ml (1.7oz) drops**

Diarrhea

This is caused by an imbalance in the gut due to poor feed, lack of minerals, or interior parasites, all of which can place the cow at risk. However, Hungerford, the basic veterinary authority in Australia, suggests that diarrhea is nearly always **due to a shortfall in copper**. Give the lick by mouth — just put the powder straight in. Care must be taken that the patient does not dehydrate. Drench in liquids if necessary. Sometimes a tablespoon of **vitamin C** and the same of **dolomite** works well; half this amount is very good in calf scours which is usually caused by a lack of magnesium in the diet. However, as Hungerford states in his Diseases of Livestock that a lack of copper is often the cause in weaners and adults; it is also often the cause of worm infestations as well.

Use Slippery Elm Powder

While you wait for the homeopathic remedy/s, or/and copper lick, dolomite and vitamin C, you can help an animal immediately by using the **SLIPPERY ELM POWDER if you have this on hand** (purchase from health stores)

Horse or cow

Give 3 tablespoons powder with a cup of boiled kettled water and stir. let cool.

Dividing the mixture up to three times a day. Via oral syringe.

Foal – Calf or goat kid

Mix approx. 1 TBS with a cup of boiled kettled water and stir. let cool.

Dividing the mixture up to three times a day. Via oral syringe.

Joey (infant kangaroo)

Add 2 tspn of powder to liquid meals (special formula or goats milk)

Small to Med to large dog.

Mix 1 teaspoon to enough filtered water to make a runny liquid mix, add a tablespoon to meals three to four times daily or Orally with an oral syringe (buy from pharmacy)

If vomiting as well, add the **HAMPL Colitis 83 formula drops** alternating three times daily.

Use homeopathic **HAMPL Diarrhoea 30ml (1oz) drops**

Stomach Pain use **HAMPL Colic Action 84 drops**

Internal Bleeding – prevention or treatment

haematoma, venous swelling, congestion, bruising, injury to nerve. bright red blood, coming from heart, passive haemorrhaging, continued oozing of blood, haemorrhage from bait warfarin poisoning bleeding or snake bite haemorrhage, haemorrhage from any part, especially lungs, passive bleeding of veins, haematuria, loss of vital fluids, haemorrhage from mucous membrane remedy.

Use homeopathic HAMPL Bleed Repair 197 30ml (1oz) drops

Abscess, Cheesy gland, Pigeon fever, Gangrene wounds, Anti-tetanus, Salivary cysts, Interdigital furunculosis (cysts), grass seeds, pus in wound to draw out from surface or deep down. Eye - Tear duct gland (overflowing) or Swelling of the lachrymal (blockage).

Use homeopathic HAMPL DrawOut16 30ml (1oz)

ANESTHESIA, ANTIDOTE

If an animal is slow coming round after anesthesia.

HAMPL Anesthetic Detox 184-1 drops

HAMPL “Wake Up” 184-2 drops

APPETITE

- Loss of appetite is usually symptomatic of other conditions. If it seems to be caused by grief or fear try IGNATIA 200c, once a day for no more than a week. It is not uncommon for a swan that has lost a mate to stop eating. Ignatia should help. ALFALFA 30X and NUX VOMICA is frequently helpful in stimulating appetite.

BUMBLE FOOT

Inflammation and infection in the pads of avian feet is treated with herbal ointment of: Calendula, Echinacea, and St John Wort herb. Clean feet thoroughly, apply liberal amount of Herbal Ointment and wrap with gauze to keep ointment in place and feet clean. Apply twice a day until feet appear healthy.

In conjunction with HAMPL Footro 239 50ml homeopathic drops

COLLAPSE

- If the animal is cold and barely breathing, or gasping weakly, unable to hold its head up, give a single homeopathic remedy like CARBO VEGETABILIS 200c

Or HAMPL Emergency Stress 309-1 drops OR / and HAMPL Congestive Heart 22-1 drops

CONCUSSION

HAMPL Injury Surgery 31 drops

Every 5 minutes for head trauma. Taper off to four times a day. Will help alleviate shock, reduce pain, swelling and bruising, and will help seal off leaking blood vessels. Can used in place of steroids. Also administer HAMPL Shock 115 drops or HAMPL Emergency Stress 309-1 drops - for shock or fear of death (common among wild animals suddenly in captivity).

Convulsions - Seizures

stops convulsions in minutes (not hypoglycemic convulsions).

HAMPL Seizure 008-1 drops

Dehydration

Homeopathic CHINA 30C, 1M, frequent doses, helps overcome the effects of dehydration. Should be used for loss of vital fluids from bleeding, vomiting, and diarrhea.

Infection

HAMPL Infection Clear 70 drops (homeopathic antibiotic)

HAMPL Infection Fighter 71 liquid (potent herbal antibiotic)

Oil- An oiled bird will benefit from single homeopathic PETROLEUM 200c, 4 times a day for up to two days.

Pancreatitis attack

HAMPL Acute Pancreas 72-2 drops

Poisoning

From spoiled food, ARSENICUM 200C, every 1/2 hour or so.

For sources unknown, with herons and owls, use NUX VOMICA 10M, twice a day.

Lead poisoning

e.g used Plumbum Met 1M to 10M with Bald eagles that are suspected of having lead poisoning, before blood tests confirm the toxin and during Ca EDTA treatments.

Which is in the homeopathic [HAMPL Colic 84 Formula](#)

Warfarin poisoning (rat bait)

HAMPL Bleed Repair 197 drops

This formula has a great affinity for stopping hemorrhage internally or externally anywhere in body. These are remedies that must be on hand and used promptly in repeated doses.

Back & Spinal Injuries

HAMPL Inter Verta Disc 92 -1 drops

HAMPL Sciatica 158 drops

Spine injury if head and neck are bent backwards or twisted to one side, body is distorted, cervical muscles are contracted, eyes flick back and forth and spasms in the muscles in the nape of the neck.

Torn Muscle, Muscle Pain & Inflammation from injury

HAMPL Muscle Inflammation 259 30ml (1oz)

Joint Damages - strains, tendon, muscle, scoliosis, nerve, joint dislocations

HAMPL Joint Repair 190 30ml (1oz)

WHAT IS HOMEOPATHY ?

Homeopathy is a therapeutic method, based strictly on the law of similars and utilizing infinitesimal medicinal doses. **The law of similars states that:**

- 1) Every pharmacological substance produces in a healthy individual a set of symptoms characteristic of the substance used.
- 2) Every ill subject presents a set of symptoms characteristic of a disease.
- 3) The cure, that is to say the elimination of the symptoms of the illness, can be obtained by administration of a small quantity of the substance whose experimental effects are similar to the symptoms of the ill patient.

For example, **Ipecacuanha (Ipecac)** given in a measurable dose to a healthy individual produces nausea and vomiting. An ill person suffering from nausea and vomiting improves after taking a homeopathic dose of Ipecac. Homeopathic therapy consists in giving the patient an infinitesimal dose of a substance capable of producing, in healthy individuals, disorders analogous to those which one wants to cure.

That is to say, of provoking a similar (homeo) suffering (pathos). In homeopathy, the medicines are referred to as remedies. The correct remedy is chosen by a detailed collection of the patients symptoms and history. With humans it is fairly easy to solicit most of this information. In wildlife rehabilitation it is very much a challenge. We never have a history on the animals we are presented with, and to make things even more difficult, most wildlife instinctively hide symptoms and indications of weakness.

Although, in a life threatening situation, nothing happening could mean death to your patient. So we provide combination remedies in the one bottle, so it covers many symptoms that a animal, pet or other species may need healing. Homeopathic remedies are made from natural substances; plants, animals, (including insects), chemicals and minerals. The substances are usually macerated in alcohol and a mother tincture is prepared. The tinctures then undergo homeopathic dilutions. The dilutions are referred to as x or c.

To prepare x dilutions, one part MT (mother tincture) is mixed with 9 parts diluting. This makes the 1x potency. Then, one part of 1x is mixed with 9 parts diluting and the 2x potency is formed, and so on. The most critical aspect of this process happens between each dilution. The medicine is shaken or concussed vigorously. This is called potentization and this step is what releases the energy of the substance. Without potentization the remedies would have no healing actions. The c potencies are prepared in the same manner except 1 part MT is added to 99 parts diluting, and after potentization you have the 1c potency, etc.